

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



*6-2-10-1*  
Established 1824

CATALOGUE OF

*Bridgeman's*  
SEED  
WAREHOUSE  
1907

RICKARDS BROS.

Proprietors

37 East 19th Street

NEW YORK CITY









Established 1824.

# Bridgeman's Catalogue

of

## High-Grade Seeds, Bulbs and Plants

for 1907

RICKARDS BROS., Proprietors

37 East 19th Street

NEW YORK CITY



OR eighty-three years the Bridgeman seed business has been conducted with an eye single to efficiency and the preservation of a reputation early established for reliability and careful discrimination.

In no business do experience and reputation count for more than in that of supplying to the cultivator the seeds upon which he depends for the success of his season's efforts. No fear need be felt that the honorable estimation in which "Bridgeman's High-grade Seeds" is held will be lowered in the least.

Great care is taken to select seeds of only such species and varieties as are really worthy of cultivation, to the exclusion of all sorts too frequently recommended and sold, to the serious loss and disappointment of planters. The purity and germinating qualities of all seeds are tested each year. The observance of such a system may be considered a guarantee that no seeds will be offered except such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked with an asterisk, thus (\*).

We can here enumerate only the leading articles in our collection; and, from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, we would with brevity state some of the causes.

FIRST—That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar



management, sow their seeds at an improper season. To aid such, the most tender species, which should not be placed in the open ground until settled warm weather, are marked thus (†). The half-hardy, which are subject to risk if sown when frost prevails, are marked thus (§). The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants that in an advanced state of growth will stand a hard winter are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

SECOND—That some species of seeds, such as **Beans, Beets, Cabbage, Lettuce, Radishes, Salsify, Turnips**, etc., being, from their nature, apt to vegetate quickly, are often liable to be devoured by insects within forty-eight hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

THIRD—That some species, such as **Carrots, Celery, Leeks, Onions, Parsley, Parsnips, Spinach**, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances which cannot always be controlled.

FOURTH—That failures often occur through seeds being deposited too deep in the ground, or left too near the surface; sometimes, for want of sufficient seed in a given spot, solitary plants perish, lacking strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failures. To insure a fair chance, plant your seeds moderately thick, and thin out the surplus plants while young. In planting seeds in drills (which is the most desirable plan), the size of the seed and strength of its germ should be considered; large seeds, producing vigorous roots, require deeper planting than diminutive seeds, producing delicate roots and slender stalks; the smallest seeds should not be covered more than a quarter of an inch. For instructions on these and other subjects of gardening, the reader is referred to **Bridgeman's Book on Gardening**, and other works by celebrated authors, of which a list will be found in this Catalogue.

Notwithstanding the great care used to supply every article true to name and of good quality, **nothing is warranted**.

It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed and delivered to vessels in port, and railroad and express offices in the city of New York, free of expense. After shipment, they will be at the risk of the purchaser.

Address all orders plainly to

## BRIDGEMAN'S SEED WAREHOUSE

RICKARDS BROS., Proprietors

37 East Nineteenth Street, near Broadway

Borough of Manhattan

Telephone. 4235 Gramercy

NEW YORK CITY



# NOVELTIES AND SPECIALTIES IN FLOWER SEEDS

## Chrysanthemum inodorum, Bridal Robe (Benary)

Of very compact and upright habit, and not exceeding 10 inches in height, the sturdy plants throw out their finely feathered foliage from the base and deck themselves with a mantle of extra-double, pure white flowers. This Chrysanthemum, coming almost true from seed, will certainly prove a bedding-plant of the very first rank, while also useful for pot culture, and, considering the long time the flowers last when cut, we may safely predict for this novelty an uncommonly successful career. Pkt. 25 cts.

## Petunia, King Alphonso (Benary)

This fine new Petunia of the Grandiflora superbissima class, bears very large dark crimson flowers like those of the variety Prince of Württemberg, but the petals of this novelty are boldly waved and frilled to such an extent that the widely opened brilliant black throat of the flower is often almost entirely concealed. Pkt. 50 cts.

## Alyssum compactum, Little Dorrit

A grand improvement on the already much-grown variety Little Gem, being much more compact. This new variety forms a perfect little bush with miniature white rocket flowers. A perfect gem for borders or beds. Pkt. 25 cts.

## Wallflower, Annual Blood-Red

This is a much improved and selected stock of the Annual Wallflower, brought out some years since, which, although so wonderfully early, was a very poor yellow. We have ever since been carefully selecting this, and each year getting nearer to a good blood-red, and at last we have succeeded. It is also a larger flower than the old variety and a good blood-red color, and if sown in March can be had in bloom in following July. Pkt. 10 cts.

## FOUR GRAND SWEET PEA NOVELTIES

Nora Unwin. This charming variety easily takes its place in the front rank of pure whites, being larger, purer and of finer form. It has the same bold wavy standard as Gladys Unwin, and, like all the progeny of same, it is true to name and does not sport. Pkt. 25 cts.

Mrs. Alfred Watkins. A superb pale pink of Gladys Unwin type, very large blossoms, and one of the best for cut-blossoms. Pkt. 25 cts.

Frank Dolby. A lovely pale blue, the same shade as Lady Grizel Hamilton, but very much larger, and being also bred from Gladys Unwin, it has the same bold wavy standard and large size of its parent. It is today the largest and finest pale blue Sweet Pea. Pkt. 25 cts.

E. J. Castle. A magnificent addition to the Gladys Unwin class, with the same large flowers and bold wavy standard of its parent. The color is a very rich carmine-rose with salmon shading in the standard, and this, over and above its other merits, has a rich striking effect, especially in artificial light. Pkt. 25 cts.



# NOVELTIES AND SPECIALTIES IN VEGETABLE SEEDS

## Rickards Bros.' New Head Lettuce


This is a fine variety for either outdoors or forcing under glass, producing fine, large, solid heads. Crisp and very tender. Pkt. 10 cts.,  $\frac{1}{2}$  oz. 20 cts., oz. 35 cts.

## Glass House Lettuce

An excellent Lettuce for forcing. Pkt. 5 cts., oz. 20 cts., lb. \$2.50.

## New Cabbage Lettuce, May King

This grand new Lettuce is of great value owing to its rapid development, fine tender quality and size, the heads weighing, on an average, about  $\frac{3}{4}$  pound. The color is a light green, with yellow heart, suitable either for growing under glass or in the open ground.



**Rickards Bros.' Extra-Early Tomato**

Quite hardy; a splendid market variety. Pkt. 10 cts., oz. 25 cts., lb. \$3.

## Rickards Bros.' Extra-Early Tomato

This is a very fine, large, solid, smooth, bright red variety, almost 10 days earlier than Earliana. Pkt. 15 cts.,  $\frac{1}{2}$  oz. 30 cts., oz. 50 cts.

## Ailsa Craig Onion


Very large, globe-shaped yellow variety; excellent keeper. Pkt. 10 cts., oz. 50 cts.

## Burrell Gem Muskmelon

A new melon of the Rocky Ford type, but with golden meat. Very productive. Pkt. 10 cts., oz. 35 cts.

## Sutton's Excelsior Pea

An extra-early dwarf wrinkled Pea, fully as early as the American Wonder, with much broader pods filled with large peas of the finest flavor, and produced in greater abundance. Pt. 30 cts., qt. 50 cts.



**Burrell Gem Muskmelons**



## COLLECTIONS OF

# Select Vegetable Garden Seeds

STANDARD SORTS For Family Use, in quantities to suit Small or Large Gardens, as follows:		No. 1 \$5 Contains	No. 2 \$9 Contains	No. 3 \$12 Contains	No. 4 \$16 Contains	No. 5 \$20 Contains
Beans	Early Valentine Bush . . .	½ pt.	1 pt.	1 qt.	1 qt.	2 qts.
"	Black Wax Bush . . .	½ pt.	1 pt.	1 qt.	2 qts.	2 qts.
"	Refugee Bush . . .	½ pt.	1 pt.	1 qt.	1 qt.	2 qts.
"	Large White Lima Pole . . .	1 pt.	1 pt.	1 qt.	3 qts.	2 qts.
Beet	Crimson Globe . . .	1 oz.	2 oz.	4 oz.	4 oz.	8 oz.
"	Early Blood Turnip . . .	1 oz.	2 oz.	4 oz.	8 oz.	8 oz.
Cabbage	Early Jersey Wakefield . . .	pkt.	½ oz.	½ oz.	½ oz.	1 oz.
"	Surehead . . .	pkt.	½ oz.	½ oz.	1 oz.	1 oz.
"	Large Late Drumhead . . .	pkt.	½ oz.	1 oz.	1 oz.	1 oz.
"	Drumhead Savoy . . .	pkt.	½ oz.	½ oz.	½ oz.	1 oz.
"	Red, or Pickling . . .	pkt.	pkt.	pkt.	½ oz.	1 oz.
Cauliflower	Early Snowball . . .	pkt.	¼ oz.	½ oz.	½ oz.	1 oz.
Carrot	Early Orange, or Horn . . .	1 oz.	2 oz.	2 oz.	4 oz.	8 oz.
"	Half Long Danvers . . .	1 oz.	2 oz.	4 oz.	8 oz.	8 oz.
Cress	Curled, or Pepper Grass . . .	1 oz.	2 oz.	2 oz.	2 oz.	4 oz.
Corn	Extra-Early Cory . . .	½ pt.	1 pt.	1 qt.	1 qt.	2 qts.
"	Metropolitan . . .	½ pt.	1 pt.	1 qt.	2 qts.	2 qts.
"	Stowell's Evergreen . . .	½ pt.	1 pt.	1 qt.	2 qts.	2 qts.
Celery	Early White Plume . . .	pkt.	½ oz.	1 oz.	1 oz.	1 oz.
Cucumber	Improved White Spine . . .	pkt.	1 oz.	1 oz.	2 oz.	4 oz.
"	Long Green . . .	1 oz.	1 oz.	2 oz.	2 oz.	4 oz.
Eggplant	Improved New York Purple . . .	pkt.	¼ oz.	¼ oz.	½ oz.	½ oz.
Endive	Green Curled . . .	pkt.	½ oz.	½ oz.	1 oz.	1 oz.
Kohlrabi	Early White Vienna . . .	pkt.	¼ oz.	½ oz.	1 oz.	1 oz.
Kale	Green Curled . . .	pkt.	1 oz.	1 oz.	1 oz.	1 oz.
Lettuce	Early Curled Silesia . . .	pkt.	½ oz.	½ oz.	1 oz.	1 oz.
"	Early Curled Simpson . . .	pkt.	½ oz.	1 oz.	1 oz.	1 oz.
"	Big Boston . . .	pkt.	½ oz.	1 oz.	1 oz.	2 oz.
"	Mam. Black-seeded Butter . . .	pkt.	½ oz.	1 oz.	1 oz.	2 oz.
Leek	Large Flag . . .	pkt.	½ oz.	1 oz.	1 oz.	2 oz.
Melon	Emerald Gem . . .	pkt.	½ oz.	1 oz.	2 oz.	4 oz.
"	Rocky Ford (green flesh) . . .	pkt.	1 oz.	1 oz.	2 oz.	4 oz.
"	Mountain Sweet, Water . . .	1 oz.	1 oz.	2 oz.	4 oz.	4 oz.
Onion	Large Red Wethersfield . . .	pkt.	1 oz.	2 oz.	2 oz.	4 oz.
"	Yellow Danvers . . .	pkt.	1 oz.	2 oz.	2 oz.	4 oz.
"	White Portugal . . .	½ pt.	1 oz.	2 oz.	2 oz.	4 oz.
Peas	Bridgeman's Extra-Early . . .	1 pt.	1 qt.	2 qts.	2 qts.	2 qts.
"	Gradus . . .	1 pt.	1 qt.	1 qt.	2 qts.	2 qts.
"	McLean's Little Gem . . .	1 pt.	1 qt.	1 qt.	1 qt.	2 qts.
"	McLean's Advancer . . .	1 pt.	1 qt.	1 qt.	1 qt.	2 qts.
"	Champion of England . . .	1 pt.	1 qt.	2 qts.	2 qts.	2 qts.
Parsley	Extra Curled . . .	pkt.	1 oz.	1 oz.	2 oz.	2 oz.
Pepper	Sweet Mountain . . .	pkt.	¼ oz.	½ oz.	1 oz.	1 oz.
Parsnip	Improved Hollow Crown . . .	1 oz.	1 oz.	2 oz.	4 oz.	8 oz.
Radish	Early Scarlet Turnip . . .	pkt.	2 oz.	2 oz.	4 oz.	4 oz.
"	French Breakfast . . .	pkt.	2 oz.	4 oz.	4 oz.	8 oz.
"	Chinese Winter . . .	pkt.	1 oz.	2 oz.	2 oz.	2 oz.
Salsify	Mammoth Sandwich Island . . .	½ oz.	½ oz.	1 oz.	2 oz.	4 oz.
Squash	Early Bush . . .	1 oz.	1 oz.	2 oz.	2 oz.	4 oz.
"	Hubbard Winter . . .	1 oz.	1 oz.	2 oz.	4 oz.	4 oz.
Spinach	Round-leaved . . .	4 oz.	6 oz.	8 oz.	8 oz.	1 lb.
"	Round-leaf Viroflay . . .	4 oz.	6 oz.	8 oz.	8 oz.	1 lb.
Tomato	New Stone . . .	pkt.	½ oz.	½ oz.	1 oz.	1 oz.
"	The Trophy . . .	pkt.	½ oz.	½ oz.	1 oz.	1 oz.
Turnip	White Dutch . . .	1 oz.	2 oz.	4 oz.	8 oz.	8 oz.
"	Yellow Stone . . .	1 oz.	2 oz.	4 oz.	8 oz.	8 oz.





# VEGETABLE SEEDS

## Explanation of Terms


A \* denotes leading and most desirable kinds.

A † denotes tender species, which should not be placed in the open ground until settled warm weather.

A ‡ denotes half-hardy sorts, which are subject to risk when frost prevails.

The names printed in smaller Roman type are identically the same, or similar varieties to those immediately preceding, printed in heavy-faced type.

For price-list by the pound, bushel or barrel, see pages 25 to 27. For new vegetable seeds, see page 4.



Conover's Colossal Asparagus

## ‡ Artichoke

Artichaut, *Fr.*      Artischocke, *Ger.*      Alcachofa, *Sp.*

Sow early in spring, in deep, rich soil, and when large enough transplant into rows 4 feet apart and 2 feet between the rows. Should be protected in winter by a covering of litter.

French, or Green Globe	Per oz.	Qt.
Jerusalem. Roots	pk., \$1.50.	\$0 30

## Asparagus

Asperge, *Fr.*      Espargel, *Ger.*      Esparrago, *Sp.*

Seeds should be sown in the spring, or roots planted in the spring or autumn.

Palmetto	Oz.	4 ozs.
	\$0 10	\$0 25

Conover's Colossal. Produces very large, thick, tender, luscious stalks in great quantities

lb. 50 cts.	10	20
-------------	----	----

## ASPARAGUS ROOTS

A saving of one or two years is effected by planting roots. Those offered below are strong 2-year-old roots. For private use, the beds should be formed 5 feet wide, with three rows planted in each, one in the middle and one on each side a foot from the edge; distance between the plants in the rows, 9 inches.

	Per 100	1,000
Palmetto. 2 years old	\$0 75	\$6 00
Conover's Colossal. 2 years old	75	6 00



# BEANS

Haricot, *Fr.*Bohnen, *Ger.*Frijole nano, *Sp.*

## †DWARF GREEN-PODDED

Plant from the middle of April to August for successional crops, in drills 2 inches deep and from 2 to 3 feet apart.

One quart will plant 100 feet of drill

	Per qt.	Pk.
*Extra-Early Valentine . . .	\$0 30	\$1 75
*Long Yellow Six Weeks . . .	30	1 75
*Early Mohawk . . .	30	1 75
Early Longfellow . . .	35	2 00
*Extra-Early Refugee . . .	30	1 75
*Refugee, or 1000-to-1 . . .	30	1 75
Stringless Green Pod . . .	35	2 00
*Wonder of France . . .	40	2 50
Flageolet Improved Green.		
Dwarf Horticultural . . .	\$0 30	\$1 75
Bountiful . . .	30	1 75
Black Valentine . . .	35	2 00
Ne Plus Ultra . . .	35	2 00
*Burpee's Bush Lima . . .	35	2 00
Dreer's Bush Lima . . .	35	2 00
Henderson's Bush Lima . . .	35	2 00

## WAX-PODDED VARIETIES

	Per qt.	Pk.
*Valentine Wax . . .	\$0 35	\$2 00
*Yosemite Mammoth Wax . . .	50	2 50
*Black Wax . . .	35	2 00
*Golden Wax Improved . . .	35	2 00
Wardwell's Kidney Wax . . .	35	2 00
Flageolet Wax . . .	35	2 00
Refugee Wax . . .	35	2 00
Crystal White Wax . . .	30	1 75

For prices per bushel, see page 25.

## ENGLISH DWARF BEANS

Fève de Marais, *Fr.*Garten Bohnen, *Ger.*Haba Commun, *Sp.*

Plant as early as practicable in spring, 4 inches apart and 2 inches deep in drills 4 feet apart

	Per qt.	Pk.
*Sword Long Pod . . .	\$0 30	\$1 50
Long Turkey.		
*Broad Windsor (Taylor's) . . .	30	1 50
Early Mazagan . . .	25	1 25

## †POLE, or RUNNING BEANS

Haricot à Rames, *Fr.*Stangen Bohnen, *Ger.*Frijole Vasefago, *Sp.*


Pole Beans are more tender, and require rather more care in culture than the Bush Beans. They succeed best in a rich, sandy loam.


Plant from the middle of May to July, in hills about 4 feet apart each way.

One quart will plant 150 hills

	Per qt.	Pk.
*Extra-Early Jersey Lima . . .	\$0 35	\$2 00
*Dreer's Improved Lima . . .	35	2 00

Stringless Green Pod Bean





Burpee's Bush Lima (See page 7)

POLE, or RUNNING BEANS, continued		
	Per qt.	Pk.
*Large White Lima . . . . .	\$0 35	\$2 00
*King of the Garden Lima . . . . .	35	2 00
*Challenger Lima . . . . .	35	2 00
Early Golden Cluster Wax . . . . .	40	2 00
*Horticultural . . . . .	30	1 75
White Dutch Case-Knife . . . . .	30	1 75
*Mont d'Or, or Golden Butter . . . . .	40	2 00
Old Homestead . . . . .	40	2 00
White Dutch Runner . . . . .	30	1 75
Scarlet Runner . . . . .	30	1 75
Asparagus, or Yard Long . . . . .	lb. \$1.25	

## †BEETS

Betterave, *Fr.* Runkelrüben, *Ger.*  
Remolacha, *Sp.*

Sow during April for early, May and June for winter use, in drills about 2 inches deep and 16 inches apart.

	Per oz.	4 ozs.
*Extra-Early Bassano . . . . .	\$0 10	\$0 25
*Eclipse Crimson Turnip . . . . .	10	25
*Egyptian Blood Turnip . . . . .	10	25
*Early Blood Turnip . . . . .	10	25
Dewing's Blood Turnip . . . . .	10	25
*Edmand's Early Blood Turnip . . . . .	10	25
Columbia . . . . .	10	25
Long Dark Red . . . . .	10	25
*Half-Long Dark . . . . .	15	30
Crimson Globe . . . . .	10	25
Detroit Dark Red . . . . .	10	25
Silver Swiss Chard . . . . .	10	25

For prices per lb., see page 25.

## MANGEL-WURZEL AND SUGAR BEETS

Sow in May and June, in rows about 2 feet apart; thin out to 10 inches apart in the rows.

Six to eight pounds to the acre

	Per 4 ozs.	Lb.
*Mammoth Long Red . . . . .	\$0 15	\$0 40
*Norbiton Giant Red . . . . .	15	50

	Per 4 ozs.	Lb.
Champion Yellow Globe . . . . .	\$0 15	\$0 35
*Golden Tankard . . . . .	15	40
White Imperial Sugar . . . . .	15	40
White French Sugar . . . . .	15	40
Denmark Sugar . . . . .	15	40

## †BROCCOLI

Chou Brocolis, *Fr.* Brocoli, Spargel-Kohl, *Ger.* Broculi, *Sp.*

Sow in May or June. This should be transplanted in July, in rows about 2 feet apart each way.

	Per oz.	4 ozs.
*Extra-Early White . . . . .	\$0 40	\$1 25
*Early Purple Cape . . . . .	40	1 00
Early Walcheren (true) . . . . .	50	1 50
Walcheren Cauliflower.		

## †BRUSSELS SPROUTS

Chou de Bruxelles, *Fr.* Grüner Sprossen, *Ger.* Breton de Bruselas, *Sp.*

Sow in May, transplant in July; cultivate same as cabbage. This is a perfectly hardy winter vegetable, and one of the best that can be grown. When properly cooked, the small, tender heads melt in the mouth like fine cauliflower.

	Per oz.	4 ozs.
*Improved Dwarf . . . . .	\$0 20	\$0 65
Tree, or Miniature Cabbage.		
Improved Half-Dwarf . . . . .	25	75

## BURNET

Pimpernelle petite, *Fr.* Pimpernelle, *Ger.* Pimpinella, *Sp.*

Sow in rows early in spring. Useful for salads and soups.

Garden. Oz. 25 cts., 4 ozs. 50 cts.







Succession Cabbage

## †CABBAGE

Chou pommé ou Cabus, *Fr.* Kopftohl, *Ger.*  
Repello, *Sp.*

Sow the early varieties in protecting frames in September, or in hotbeds early in the spring; sow late kinds about the middle of May; transplant in July, in fresh, rich ground, in rows about 2½ feet apart, and from 1 to 2 feet apart in the row.

	Per oz.	4 ozs.
Early York . . . . .	\$0 20	\$0 50
*Early Oxheart . . . . .	20	50
*Early Winnigstadt, or Cone . . . . .	20	50
Early Flat Dutch . . . . .	25	75
*Early Jersey Wakefield . . . . .	25	85
*Selected All Seasons . . . . .	25	75
*Large Late Flat Dutch . . . . .	25	75
Large Late Drumhead . . . . .	25	75
*Henderson's Succession . . . . .	25	85
*Autumn King . . . . .	30	1 00
*Dwarf Early Ulm Savoy . . . . .	20	75
*Late Drumhead Savoy . . . . .	20	75
Red Dutch, or Pickling . . . . .	20	75
Danish Ball-Head Winter . . . . .	25	75
Colossal Flat Dutch . . . . .	30	1 00
Early Spring . . . . .	30	1 00
Surehead . . . . .	30	1 00

	Per oz.	4 ozs.
Early Summer . . . . .	\$0 20	\$0 75
Mammoth Rock Red . . . . .	25	75
Market-Garden Private Stock		
Large Late Flat Dutch . . . . .	30	1 00

For prices per lb., see page 25.

## CARDOON

Cardon, *Fr.* Cardon, *Ger.*

Sow early in spring, and transplant in trenches of well-manured ground. When full-size, bind the plants together and earth up same as celery.

Large Solid. Oz. 30 cts., 4 ozs. 75 cts.

## †CHERVIL

Cerfeuil, *Fr.* Kerbel, *Ger.* Perifollo, *Sp.*

Sow early in spring, and at short intervals for later use.

	Per oz.	4 ozs.
Curled, or Double Chervil . . . . .	\$0 20	\$0 50
Tuberous-rooted . . . . .	20	75

**For Specialties in Vegetable and Flower Seeds,** see pages 3 and 4, where the best new and choice old strains of seeds are illustrated and fully described.



Half-Long Red Carrots

## CARROTS

Carotte, *Fr.* Möhren, *Ger.* Zanahoria, *Sp.*

Sow in April for early, middle of June for winter use, in drills about 15 inches apart.

	Per oz.	4 ozs.
*Extra-Early Forcing . . . . .	\$0 15	\$0 30
*Early Orange Horn (pointed) . . . . .	15	30
*Half-Long Red (stump-rooted) . . . . .	15	30
*Scarlet Carentan (coreless) . . . . .	15	30
*Oxheart, or Guerande . . . . .	15	30
*Danvers Orange Intermediate . . . . .	10	25
*Long Orange . . . . .	10	25
Long Scarlet, or Surry, Altringham . . . . .	10	25
*Long White . . . . .	10	25
Large White Belgian . . . . .	10	25
*Half-Long Red Nantes . . . . .	15	30

For prices per lb., see page 25.

## †CAULIFLOWER

Choufleur, *Fr.* Blumentohl, *Ger.* Coliflor, *Sp.*

As a rule, early Cauliflower is a very uncertain crop. Seed sown about the middle of May and transplanted early in July is more likely to produce good heads. Sow for early and late, same as cabbage.

	Per pkt.	Oz.
*Erfurt Extra-Early Dwarf . . . . .	\$0 50	\$6 00
*Early Dwarf Snowball . . . . .	25	4 00
	Per oz.	4 ozs.
*Extra-Early Paris Fine . . . . .	\$0 75	\$2 25
Half-Early Paris Nonpareil . . . . .	60	2 00
*Lenormand's Short-stemmed . . . . .	75	2 25
Early London, or Dutch . . . . .	40	1 00
*Large Algiers (fine late) . . . . .	75	2 25
Italian, or Autumn Giant . . . . .	50	1 50

## CELERY

Céleri, *Fr.* Sellerie, *Ger.* Apio, *Sp.*

Sow very early in spring, in moist, rich ground; when the plants are from 4 to 6 inches high transplant into trenches 4 inches deep and 9 inches wide, and 3 feet from trench to trench. Set the plants 6 inches apart in the rows.

	Per oz.	4 ozs.
*Early White Plume . . . . .	\$0 30	\$0 85
*Early Dwarf White . . . . .	25	75
*Golden Heart, Half-Dwarf . . . . .	25	75
Golden Self-blanching . . . . .	40	1 25
*Perfection Heartwell . . . . .	25	75
*Boston Market Dwarf White . . . . .	25	75
*Giant Pascal . . . . .	25	75
*Fin de Siecle . . . . .	25	75
Pink Plume . . . . .	25	75
*Early Dwarf Red . . . . .	30	75
London Large Red . . . . .	30	75
Turnip-rooted Celery . . . . .	25	75
Early Erfurt Celериac . . . . .		
Celery Seed (for flavoring) . . . . .		
	Lb., 60c.	10 20

## COLLARD, or COLEWORT

Chou, *Fr.* Blätter-Kohl, *Ger.*

Sow from May to July for succession, in rows a foot apart, and treat same as cabbage.

Georgia-grown Collards. Oz. 10 cts., 4 ozs. 30 cts.

## †CRESS (PEPPERGRASS)

Cresson, *Fr.* Kresse, *Ger.* Mastuerzo, *Sp.*


Sow at short intervals, spring and fall.

	Per oz.	4 ozs.
*Upland Cress . . . . .	\$0 25	\$1 00
*Extra Curled . . . . .	10	25
Australian, or Golden . . . . .	10	25
True Water Cress . . . . .	50	1 50



Lenormand's Short-stemmed Cauliflower





Types of Sugar Corn

## †SUGAR CORN

Mais, *Fr.* Welschkorn, *Ger.* Maiz, *Sp.*

Plant from the middle of May to July for successional crops, in hills about 3 feet apart.

One quart will plant about 200 hills

### EXTRA-EARLY

	Per qt.	Pk.
*Extra-Early Minnesota . . . . .	\$0 25	\$1 00
*Extra-Early Cory . . . . .	25	1 00
Perry's Hybrid . . . . .	25	1 00
Dwarf Champion . . . . .	25	1 00
*Metropolitan . . . . .	25	1 00
Long Island Beauty . . . . .	25	1 00

### SECOND-EARLY

*Crosby's Early (fine) . . . . .	25	1 00
Triumph Early Sugar . . . . .	25	1 00
Moore's Early Concord . . . . .	25	1 00
Potter's Excelsior . . . . .	25	1 00
*Squantum . . . . .	25	1 00
*Ne Plus Ultra . . . . .	25	1 00

### GENERAL CROP

*Stowell's Evergreen . . . . .	25	1 00
*Country Gentleman . . . . .	25	1 00
*Mammoth Sugar (extra fine) . . . . .	25	1 00
Egyptian . . . . .	25	1 00
Large Eight-rowed Sugar . . . . .	25	1 00
Black Mexican Sugar . . . . .	25	1 25
Hickox . . . . .	25	1 00

Sweet Fodder (best for soiling) . . . . . Per bus. \$3 00

For prices per bushel, see page 25.

### POP CORN

Pop, or Parching. Qt. 25 cts., 8 qts. \$1.

## †FIELD CORN

About\* per bus.

Early Yellow Canada . . . . .	\$1 75
Long White Sanford . . . . .	1 75
Longfellow (Yellow Flint) . . . . .	1 75
King Philip. Early deep yellow . . . . .	1 75
Queen of the Prairie (Dent) . . . . .	1 75
Golden Beauty (Dent) . . . . .	1 75

We can furnish, also, other field varieties.

## CORN-SALAD, or FETTICUS

Mâche, *Fr.* Märfalat, *Ger.* Canonigos, *Sp.*

Sow in September, in drills  $\frac{1}{4}$  inch deep and 6 inches apart. Manage same as spinach.

	Per oz.	4 ozs.
Small-seeded . . . . .	\$0 10	\$0 25
Large-seeded . . . . .	10	25



Corn Salad



Early White Spine Cucumber

## †CUCUMBERS

Concombre, *Fr.* Gurken, *Ger.* Pepino, *Sp.*

Sow for early in hotbeds or frames; open ground from the middle of May to August for successional crops.

	Per oz.	4 ozs.
*Extra-Early Russian . . . . .	\$0 15	\$0 30
*Early White Spine . . . . .	15	30
Short Green . . . . .	10	25
*Green Prolific, or Pickling . . . . .	15	30
Early Green Cluster . . . . .	15	30
Improved Long Green . . . . .	15	30
*Everbearing . . . . .	15	30
Japan Climbing . . . . .	20	60
Long White Spine . . . . .	15	30
Improved Early White Spine . . . . .	15	30
*Tailby's Hybrid . . . . .	15	30
Long Green Turkey . . . . .	10	25
W. I. Gherkin, or Burr . . . . .	20	60
Cool and Crisp . . . . .	15	30
Nichol's Medium Green . . . . .	10	25

For prices per lb., see page 26.

### ENGLISH FRAME CUCUMBERS

	Per pkt.
General Grant . . . . .	\$0 25
Telegraph . . . . .	25
Duke of Edinburgh . . . . .	25
Giant of Arnstadt . . . . .	25

Also several other English long varieties for forcing; each . . . . . 25

## †EGGPLANT

Aubergine, *Fr.* Eierpflanze, *Ger.*  
Berengena, *Sp.*

Sow in hotbed or under glass early in spring; about the end of May transplant to the open ground.

	Per oz.	4 ozs.
Early Long Purple . . . . .	\$0 30	\$1 00
*Improved New York Purple . . . . .	40	1 25
*Early Black Pekin . . . . .	40	1 00
	Per pkt.	
Long White Chinese . . . . .	\$0 10	
Scarlet Chinese . . . . .	10	
Striped, or Guadeloupe . . . . .	10	
White Egg-shaped . . . . .	10	

## †ENDIVE

Chicorée-Endive, *Fr.* Endivie, *Ger.*  
Endibia, *Sp.*

Sow from April to July for succession; transplant in rich ground; manage same as lettuce.

	Per oz.	4 ozs.
*Green Curled . . . . .	\$0 20	\$0 50
White Curled . . . . .	20	50
French, or Moss Curled . . . . .	20	50
*Broad-leaved . . . . .	20	50
Batavian, or Escarolle.		
Brussels Chicory (Witloof) . . . . .	15	25
Wild (Barbe de Capucin) . . . . .	15	30

## GARLIC

Ail, *Fr.* Knoblauch, *Ger.* Ajo, *Sp.*

Plant early in spring, in rows 10 inches apart and 2 inches deep.

Garlic Sets. Lb. 50 cts.



Improved New York Purple Eggplant



## †KALE, or BORECOLE

Chou-vert, *Fr.* Grüner-Kohl, *Ger.* Breton, *Sp.*

Sow spring sprouts during March and April. Sow Curled Siberian Kale during September and October; manage same as spinach. Sow all other kinds from April to June. Manage same as cabbage.

	Per oz.	4 ozs.
*Dwarf Green Curled Scotch . . .	\$0 10	\$0 30
*Dwarf Green Erfurt . . . . .	15	30
*Brown, or Purple Curled . . . .	10	30
*Curled Siberian . . . Lb, 6oc. .	10	25
Hardy German Greens, or Winter Sprouts.		
*Striped Garnishing . . . . .	25	75
Sea Kale ( <i>Crambe maritima</i> ) . .	25	75
Spring Sprouts (for greens) . . .		10

## †KOHLRABI

Chou-rave, *Fr.* Röhrlabi, *Ger.* Col de Nabo, *Sp.*

Sow from March to June for transplanting in succession.

	Per oz.	4 ozs.
*Early White Vienna . . . . .	\$0 25	\$1 00
Early Purple Vienna . . . . .	25	1 00



Green Curled Scotch Kale

## †LETTUCE

Laitue, *Fr.* Lattich, *Ger.* Lechuga, *Sp.*


Sow for early in hotbeds; open ground April to June, for succession; transplant in very rich ground. Sow hardy kinds in September, and plant in protecting frames for winter use.

Per oz. 4 ozs.

Rickard Bros. New Head Lettuce.

See page 4.

*German Early Head . . . . .	\$0 25	\$0 75
*Grand Rapids Forcing . . . . .	20	50
*Buttercup. Fine for forcing . . .	15	40
*Big Boston. Fine for forcing . .	20	50
*Simpson's Curled . . . . .	15	40
Black-seeded Simpson . . . . .	15	40
*Early Tennisball . . . . .	20	50
Early Boston Market.		
*Golden Stonehead . . . . .	25	75
*Deacon. Solid head . . . . .	15	40
Mignonette. Russet color . . . .	25	75



Simpson's Curled Lettuce


### LETTUCE, continued

	Per oz.	4 ozs.
Black-seeded Butter . . . . .	\$0 20	\$0 50
Mammoth Black-seeded Butter . .	20	50
*Golden Queen. Forcing . . . . .	25	75
New York Cabbage . . . . .	20	50
White Summer Cabbage . . . . .	20	50
Stone Cabbage, or Winter Butter.		
American Gathering . . . . .	15	40
*Salamander . . . . .	20	50
Improved Salamander . . . . .	20	50
*All-the-Year-Round . . . . .	20	50
Hanson's Cabbage . . . . .	20	50
Shotwell's Brownhead . . . . .	20	50
Market-Gardeners' Private Stock .	20	50
Giant Crystal Head . . . . .	25	75
Maximum . . . . .	25	75
White Paris, or Ice Cos . . . . .	20	50
Green Paris Cos (Romaine) . . .	20	50
Trianon Self-closing Cos . . . . .	20	50

For prices per lb., see page 26.



Deacon Lettuce



Rocky Ford Muskmelon

## LEEKS

Poireau, *Fr.* Lauch, *Ger.* Puerro, *Sp.*

Sow very early in the spring in drills 6 inches apart and 1 inch deep. Thin out to 1 inch. When about 6 inches high, transplant them in rows 12 inches apart.

	Per oz.	4 ozs.
*Large American Flag . . . . .	\$0 25	\$0 75
Large Carentan. Fine . . . . .	20	60
Large Rouen (Winter) . . . . .	20	60



Large American Flag Leek

## MUSTARD

Sinapis, *Lin.* Moutarde, *Fr.* Senf, *Ger.*

A small, pungent salad used with cress; the seed is also used for flavoring pickles, pepper-sauce, etc. Sow in April in rows 1 foot apart, and thin out to 3 inches apart when 2 inches high.

	Per oz.	4 ozs.
*White, or Yellow . . . . .	\$0 05	\$0 15
Black, or Brown . . . . .	05	15
Chinese. For salad . . . . .	10	30

## †MUSKMELONS

Melon, *Fr.* Melonen, *Ger.* Melon, *Sp.*

Sow in frames for early; open ground in May and June, in hills 6 feet apart each way.

	Per oz.	4 ozs.
*Rocky Ford. Green flesh . . . . .	\$0 15	\$0 30
*Early Christina. Orange flesh . . . . .	15	30
*Emerald Gem. Orange flesh . . . . .	15	30
*Large Nutmeg. Green flesh . . . . .	15	30
*Long Island Beauty . . . . .	15	30
The Banquet. Rich salmon . . . . .	15	30
*Early Jenny Lind. Green flesh . . . . .	15	30
Delmonico. Large; orange flesh. . . . .	15	30
*Improved Hackensack . . . . .	15	30
Surprise. Orange flesh . . . . .	15	30
Excelsior Nutmeg. Green flesh . . . . .	15	30
*Golden Perfection. Yellow flesh . . . . .	15	30
*Paul Rose. Rich orange flesh . . . . .	15	30
*Golden Netted Gem . . . . .	15	30
*Montreal Market. Green flesh . . . . .	15	30

Also, English varieties for culture in frames . . . per pkt. 20 cts.





Mammoth Ironclad Watermelon

## †WATERMELONS

Melon d'Eau, *Fr.* Wassermelonen, *Ger.*  
Sandia, *Sp.*

Sow in frames for early; open ground  
May and June, in hills 8 feet apart each way.

	Per oz.	4 ozs.
*Early Mountain Sweet . . . . .	\$0 10	\$0 25
Kolb's Gem . . . . .	10	25
Icing, or Ice Rind. Red flesh . .	10	25
*Black Spanish. Red flesh . . .	10	25
*Cole's Early . . . . .	10	25
Phinney's Early. Red flesh . .	10	25
*Jordan's Gray Monarch . . . .	15	30
Florida Favorite . . . . .	10	25
*Hungarian Honey . . . . .	15	30
Orange. Scarlet flesh . . . . .	10	25
Mammoth Ironclad . . . . .	10	25
*Striped Gypsy. Fine late . . .	10	25
Rattlesnake. . . . .		
Kleckly Sweets . . . . .	15	30
Wonderful Sugar . . . . .	15	30
Citron. For preserves . . . . .	10	25

## MUSHROOMS

Champignon, *Fr.* Champignonbrut, *Ger.*  
Seta, *Sp.*

English Spawn. Lb. 15 cts., 8 lbs. \$1.  
French, in boxes of 3 lbs. each, \$1.25.

Printed pamphlets on Mushroom culture  
sent with all orders for spawn.

## †MARTYNIA

Gemsenhorn, *Ger.*

Sow in May in open ground, 3 feet apart  
each way.


Craniolaria. For pickles. Oz. 30 cts., 4 ozs.  
75 cts.

## †NASTURTIUMS

Capucine grande, *Fr.* Kressen Indianische,  
*Ger.* Maranuela, *Sp.*

Sow in May and June in drills 1 inch deep.

	Per oz.	4 ozs.
Tall (Indian Cress) . . . . .	\$0 10	\$0 25
Dwarf " " . . . . .	15	30



Kolb's Gem Watermelon



Yellow Globe Danvers Onion

## ONIONS

Oignon, *Fr.* Zwiebeln, *Ger.* Cebollo, *Sp.*

Sow seed in rich ground early in spring, in drills 1 foot apart, and thin to 2 inches apart.

	Per oz.	4 ozs.
*Extra-Early Flat Red . . . . .	\$0 25	\$0 75
Large Red Wethersfield . . . . .	25	75
*Large Red Globe (Southport) . . . . .	25	75
*Large Yellow Globe (Southport) . . . . .	25	75
*Large White Globe (Southport) . . . . .	30	85
Yellow Dutch, or Strasburg . . . . .	20	50
*Yellow Globe Danvers . . . . .	25	50
Yellow Danvers (flat) . . . . .	25	75
White Garganus (Silver King) . . . . .	25	75
*White Portugal . . . . .	30	85
Queen. New early white . . . . .	30	85
*Prizetaker . . . . .	30	85
Giant Rocco. Late . . . . .	20	50

For prices per lb., see page 26.



Large Red Wethersfield Onion

## ONION SETS, ETC.

	About, per qt.	Pk.
Red Globe Onion . . . . .	\$0 25	\$1 25
*White Globe Onion . . . . .	30	1 50
Yellow Globe Onion . . . . .	25	1 25
White Potato Onions . . . . .	30	1 75
Yellow Potato Onions . . . . .	30	1 75

## OKRA

Gombo, *Fr.* Gbbarer Hibiscus, *Ger.*  
Quimbombo, *Sp.*

Sow after the middle of May, or early in June, in rich ground, in drills about an inch deep and 3 feet apart; thin out to 8 inches.

	Per oz.	4 ozs.
*Dwarf White Velvet . . . . .	\$0 10	\$0 25
*Early Dwarf Green . . . . .	10	25
Extra Long Green . . . . .	10	25



White Velvet Okra

## PARSNIPS

Panais, *Fr.* Pastinaken, *Ger.* Pastinaca, *Sp.*

Sow from March to June, in deep, rich soil; thin out to 6 inches apart in the rows.

Improved Hollow Crown. Oz. 10 cts., 4 ozs. 25 cts.

## PARSLEY

Persil, *Fr.* Peterfilie, *Ger.* Perejil, *Sp.*

Sow from March till June, in drills an inch deep and 1 foot apart.

	Per oz.	4 ozs.
*Curled, Extra Double . . . . .	\$0 10	\$0 25
*Champion Moss Curled . . . . .	15	30
*Carter's Fern-leaved . . . . .	10	25
*Hamburg, or Rooted . . . . .	10	25



## †PUMPKINS

Potiron, *Fr.* Kürbisse, *Ger.* Calabaza, *Sp.*

Sow in May or June, in hills 6 by 8 feet apart.

	Per oz.	4 ozs.
*Large Cheese . . . . .	\$0 10	\$0 25
Mammoth King . . . . .	25	75
Mammoth, or Large Tours . . . . .	20	60
Jonathan . . . . .	10	25
Connecticut Field. Grown for stock . . . . .	per lb., 30 cts.	

## †PEPPERS

Piment, *Fr.* Spanischer Pfeffer, *Ger.*Pimiento, *Sp.*

Sow in hotbeds in February and March, in open ground in May and June, transplanting to 18 inches apart each way.

	Per oz.	4 ozs.
Squash, or Tomato . . . . .	\$0 25	\$0 75
*Large Bell, or Bull Nose . . . . .	25	75
*Sweet Spanish. For salad . . . . .	25	75
*Sweet Mountain. For mangoes . . . . .	25	75
*Celestial . . . . .	30	1 00
Red Cherry . . . . .	30	1 00
Small Chili. Red; very hot . . . . .	30	1 00
Long Red Cayenne . . . . .	30	1 00
Ruby King. For mangoes . . . . .	30	1 00
Golden Dawn . . . . .	25	75

For prices per lb. see page 27.



Long Red Cayenne Peppers



Gradus Peas

## PEAS

Pois, *Fr.* Erbsen, *Ger.* Guisante, *Sp.*

Plant for early use as early in spring as practicable, and for succession every two or three weeks until July. Plant in single or double rows 3 to 5 feet apart, according to height, and 4 inches deep.

One quart will plant 100 feet of drill.

Those marked thus (\*) are wrinkled varieties.

## EXTRA-EARLY SORTS

	Ft.	Per qt.	Pk.
Bridgeman's Extra-Early . 2½ .	\$0 30	\$1 50	
Daniel O'Rourke . . . . . 2½ .	30	1 50	
Philadelphia Extra-Early . 2½ .	30	1 50	



Carter's Telephone Peas

## EXTRA-EARLY PEAS, continued.

	Ft.	Per qt.	Pk.
*Laxton's Alpha. Fine . . . 3	. \$0 30	\$1 50	
*Surprise . . . . . 2	. 40	2 00	
Alaska . . . . . 2½	. 30	1 50	
*Nott's Excelsior . . . . 1½	. 35	2 00	
*Gradus. Finest quality . . 3	. 50	3 00	
*Carter's Premium Gem . . 1½	. 40	2 00	
*Duke of York . . . . . 3	. 30	1 50	
*American Wonder . . . . 1½	. 35	2 00	
*Gregory's Surprise . . . . 2	. 40	2 00	
*Thomas Laxton . . . . . 3	. 50	3 00	
*Exonian . . . . . 2½	. 30	1 50	
*Witham Wonder . . . . . 1	. 35	2 00	

## SECOND-EARLY PEAS

	Ft.	Per qt.	Pk.
*Heroine . . . . . 2½	. \$0 30	\$1 50	
*McLean's Advancer . . . 2½	. 30	1 50	
*Shropshire Hero . . . . 3	. 30	1 50	
Laxton Fillbasket . . . . 3	. 30	1 50	
*Horsford's Market-Garden 2½	. 30	1 50	

## SECOND-EARLY PEAS, continued

	Ft.	Per qt.	Pk.
*Dwarf Champion . . . . 2	. \$0 30	\$1 50	
*Abundance. Sow thin . . 1½	. 30	1 50	
*McLean's Little Gem . . . 1	. 35	2 00	


## MAIN-CROP AND LATE PEAS

	Ft.	Per qt.	Pk.
*Champion of England . . . 5	. \$0 25	\$1 25	
*Yorkshire Hero . . . . . 3	. 25	1 25	
*Juno . . . . . 2	. 30	1 50	
*Everbearing. Sow thin . . 2½	. 25	1 25	
Pride of the Market . . . 2	. 30	1 50	
*Carter's Telephone . . . . 5	. 30	1 50	
*Carter's Stratagem . . . . 2	. 30	1 50	
*Queen. Finest flavor . . . 2½	. 30	1 50	
White Marrowfat . . . . . 3	. 25	1 25	
Black-eyed Marrow . . . . 3	. 25	1 25	
Peruvian Marrow			
Telegraph, or Long Island			
Mammoth . . . . . 4	. 30	1 50	

## SUGAR PEAS

	Ft.	Per qt.	Pk.
Melting Sugar. Edible pods. 5	. \$0 30	\$1 75	
Wrinkled Sugar. Edible pods. 4	. 40	2 00	

For prices per bushel, see page 27.



Heroine Peas




## POTATOES

Pomme de Terre, *Fr.* Kartoffeln, *Ger.*

The soil best suited for the Potato is a rich, sandy loam; being a gross feeder, it requires a liberal application of manure. Plant as early in the spring as the ground can be thoroughly worked, in rows 3 feet apart and 1 foot in the rows. Our Potatoes are all specially "northern-grown," for seed purposes.

Prices subject to variation.

	About, per bus.	Bbl.
Early Beauty of Hebron . . . . .	\$2 00	\$4 25
Early Rose . . . . .	2 00	4 25
Early Bovee . . . . .	2 00	4 25
Early Northern . . . . .	2 00	4 25
Early Ohio . . . . .	2 00	4 25
Early Puritan . . . . .	2 25	4 50
Uncle Sam. Very productive . . . . .	2 25	4 50
Clark's No. 1. Early . . . . .	2 00	4 25
Carman No. 1. Medium . . . . .	2 00	4 25
Carman No. 3. Best late . . . . .	2 00	4 25
White Elephant. Fine late . . . . .	2 00	4 25
Late Beauty of Hebron . . . . .	2 00	4 25
Green Mountain. Heavy yielder . . . . .	2 00	4 25
The Thorburn . . . . .	2 00	4 25
Irish Cobbler . . . . .	2 00	4 50



Carman No. 3 Potato

## †RADISHES

Radis, Rave, *Fr.* Rettige, *Ger.* Rabanos Rabonitas, *Sp.*

Sow for successional crops at short intervals, from March till September, in drills an inch deep and a foot apart.


	Per oz.	4 ozs.
*Early Scarlet Globe . . . . .	\$0 10	\$0 30
*Triumph. Globe-shaped . . . . .	15	30
*French Breakfast. Fine . . . . .	10	25
*Early Scarlet Turnip. Fine . . . . .	10	25
*Early Round Dark Red . . . . .	10	25
White-tipped Scarlet Turnip . . . . .	10	25
*Golden Olive-shaped . . . . .	15	30
Early White Olive-shaped . . . . .	10	25
Early Scarlet Olive-shaped . . . . .	10	25
*Long Scarlet Short Top . . . . .	10	25
Chartier White Tip . . . . .	10	25



Early Scarlet Globe Radishes

	Per oz.	4 ozs.
*Golden Globe. Fine . . . . .	\$0 10	\$0 25
*Yellow Summer Turnip . . . . .	10	25
*White Summer Turnip . . . . .	10	25
*Long White Icicle. For forcing . . . . .	10	25
*Long Black Spanish . . . . .	10	25
*Round Black Spanish . . . . .	10	25
*White Spanish, or Fall . . . . .	15	30
*Scarlet Chinese Winter . . . . .	10	25
*White Strasburg . . . . .	10	25
*Early White Turnip, or Box . . . . .	10	25

For prices per lb., see page 27.



Long Scarlet Short Top Radishes



Large-leaved Sorrel

**RHUBARB**Rhubarbe, *Fr.* Rhabarber, *Ger.*Ruibarbo, *Sp.*

Sow seed or plant roots in rich ground during April or May.

Myatt's Victoria. Oz. 20 cts., 4 ozs. 50 cts.

Roots. Large. 15 cts. each, \$1.50 per doz.

**SALSIFY, or OYSTER PLANT**Salsifis, *Fr.* Boefsbart, *Ger.* Ostra Vegetal, *Sp.*

Sow from April to June in drills 12 inches apart and thin out to 6 inches apart in rows.

	Per oz.	4 ozs.
Long White . . . . .	\$0 20	\$0 50
Mammoth Sandwich Island . . . . .	20	50
Scolymus (Salsify Spinach) . . . . .		
pkt. 10 cts: . . . . .	30	85

**SCORZONERA**Scorsonère, *Fr.* Sforzonere, *Ger.*Escorconera, *Sp.*

Sow from April till June. Cultivate the same as salsify.

Black Salsify. Oz. 25 cts., 4 ozs. 75 cts.



New Zealand Spinach

**SKIRRET**Chervis, *Fr.* Zückerwurz, *Ger.* Cherivia, *Sp.*

Sow in drills ½ inch deep, a foot apart; thin out to 8 inches in the row. Is eaten like scorzonera or salsify.

Sium Sisarum. Oz. 30 cts., 4 ozs. 75 cts.

**SORREL**Oseille, *Fr.* Sauerampfer, *Ger.* Acedera, *Sp.*

Sow in spring in drills 18 inches apart. Cooked precisely like spinach.

\*Large-leaved. Oz. 15 cts., 4 ozs. 40 cts., lb. \$1.25.

**SWISS CHARD**

Used as greens; the ribs of the leaves are cooked and served same as asparagus. Oz. 10 cts., 4 ozs. 25 cts.




Swiss Chard

**SPINACH**Epinard, *Fr.* Spinat, *Ger.* Espinaca, *Sp.*

Sow early in the spring, in very rich ground. Also during September and October for winter use, in drills 12 inches apart and half an inch deep.

	Per 4 ozs	Lb.
✓ Round-leaved . . . . .	\$0 15	\$0 40
✓ Long-standing . . . . .	15	40
✓ Victoria. Dark green . . . . .	15	40
✓ Large Viroflay . . . . .	15	40
Large, Round, Thick-leaved.		
✓ Savoy-leaved . . . . .	15	40
Bloomsdale, or Norfolk.		
✓ Prickly-leaved . . . . .	15	40
✓ New Zealand . . . . . oz. 15 cts.	30	1 00
✓ Holland, or Orach . . . . . oz. 20 cts.	50	1 00
French, or Mountain Spinach.		





Hubbard Squash

## † SQUASHES

Courge, *Fr.* Kürbiß, *Ger.* Calabozo, Tontanero, *Sp.*

Sow in hills from the middle of April till the last of June. Bush kind about 4 feet apart, other kinds 8 feet apart.

	Per oz.	4 ozs.
*Early White Bush Scallop . . .	\$0 10	\$0 25
Long Island White Bush . . .	10	25
Silver Custard Bush . . .	10	25
Early Golden Bush . . .	10	25
*Summer Crookneck Bush . . .	10	25
Golden Custard Bush . . .	10	25
Early Orange Marrow . . .	10	25
Boston Marrow . . .	15	30
*Hubbard, or Winter . . .	15	30
Marblehead Marrow . . .	10	25
*Essex Hybrid . . .	10	25
*Winter Crookneck . . .	15	30
*Delicata . . .	15	30
Fordhook . . .	10	25
*Perfect Gem . . .	10	25
English Vegetable Marrow . . .	20	50
Mammoth Chili. Extra size . . .	20	50
Bay State. Winter sort . . .	10	25
Giant Yellow Crookneck . . .	10	25
Italian Vegetable Marrow, or Coozelle Bush . . .	15	25
Golden Hubbard . . .	15	35

For prices per lb., see page 27.

## THYME

Thym, *Fr.* Thymian, *Ger.*

Sow during the spring.

	Per oz.	4 ozs.
*English . . .	\$0 50	\$1 50
French. Small-leaved . . .	40	1 25

## TOBACCO SEED

(*Nicotiana tabacum*)

	Per oz.	4 ozs.
Connecticut Seed-Leaf . . .	\$0 30	\$1 00
Imported Havana . . .	50	1 50

## † TOMATOES

(Love-Apples)

Tomate, *Fr.* Liebesäpfel, *Ger.* Tomato, *Sp.*


Sow in hotbeds for early; open ground, April and May; transplant in rows 3 or 4 feet apart.

	Per oz.	4 ozs.
*Ponderosa . . .	\$0 50	\$1 25
*Livingston's Perfection . . .	25	75
*Freedom. Bright scarlet . . .	25	75
The Lorillard . . .	35	1 25
Crimson Cushion. Extra large . . .	50	1 25
*Mikado. Early, large red . . .	30	1 00
*The Trophy. Selected . . .	25	75
*Dwarf Champion . . .	25	75
*Acme. Smooth, dark red . . .	25	75
Livingston's Beauty . . .	25	75
*Livingston's Favorite . . .	25	75
Red Cherry, or Gem . . .	25	75
Large Golden Yellow . . .	30	75
Red Pear-shaped, or Fig . . .	25	75
Yellow Plum . . .	30	75
*Stone. Very large scarlet . . .	25	75
*Table Queen. Rich crimson . . .	25	75
Sutton's Best of All . . .	50	1 25
Strawberry, or Winter . . .	30	75
Earliana . . .	30	85
Early Jewell . . .	30	85

For prices per lb., see page 27.



Livingston's Beauty Tomatoes



Early Flat Dutch and Red-Top Strap-leaved Turnips

## TURNIPS

Navet, *Fr.* Rüben, *Ger.* Nabo commun, *Sp.*

All varieties, 10 cts. per ounce

Sow for early, very early in spring, on freshly broken-up ground. Upon old ground early Turnips are liable to be hot, strong and wormy. For main crop, sow in July and August. Sow Rutabaga in July, in drills 15 inches apart; thin out to 6 inches. For best results, cultivate carefully all through the season.

	Per 4 ozs. Lb.	
✓ <i>Extra-Early White Milan</i> . . . . .	\$0 25	\$0 75
✓ <i>Early Flat Dutch</i> . . . . .	20	50
White Strap-leaved,		
✓ <i>Early White Stone, or Snowball</i> . . . . .	20	60

	Per 4 ozs. Lb.	
✓ <i>Early Purple-Top Munich</i> . . . . .	\$0 20	\$0 50
✓ <i>Red-Top Strap-leaved</i> . . . . .	20	50
✓ <i>White Egg-shaped. Fine late</i> . . . . .	20	50
✓ <i>Yellow Stone, or Globe</i> . . . . .	20	50
✓ <i>Yellow Aberdeen</i> . . . . .	20	50
Scotch Yellow.		
✓ <i>White French, or Rock</i> . . . . .	20	50
✓ <i>Long Island Improved Purple-Top. Selected strain</i> . . . . .	25	75
✓ <i>Purple-Top Milan</i> . . . . .	25	60
✓ <i>Purple-Top White Globe. Selected</i>		
Long Island strain . . . . .	35	1 00
✓ <i>Long White, or Cow Horn</i> . . . . .	20	50
✓ <i>White Rutabaga</i> . . . . .	20	50

## SWEET, POT and MEDICINAL HERBS

Per packet, 5 to 10 cts.

Sow under glass early in spring; about the end of May transplant to open ground.

	Per oz.
Anise ( <i>Pimpinella anisum</i> ) . . . . .	\$0 15
Basil, Sweet ( <i>Ocimum basilicum</i> ) . . . . .	40
Borage ( <i>Borago officinalis</i> ). For bees . . . . .	20
Balm ( <i>Melissa officinalis</i> ) . . . . .	40
Bene. For dysentery . . . . . lb. \$1.25	20
Coriander ( <i>Coriandrum sativum</i> ) . . . . .	15
Castor Oil Plant ( <i>Ricinus</i> ) . . . . . lb. 50 cts.	10
Caraway ( <i>Carum Carui</i> ) . . . . .	15
Catnip ( <i>Nepeta Cataria</i> ) . . . . .	40
Dandelion ( <i>Leontodon Taraxacum</i> ) . . . . .	40
Dill ( <i>Anethum graveolens</i> ) . . . . . lb. \$1.	15
Fennel, Sweet ( <i>Anethum</i> ) . . . . .	15
Hop Seed ( <i>Humulus</i> ) . . . . .	50
Hoarhound ( <i>Marrubium</i> ) . . . . .	30

	Per oz.
Hyssop ( <i>Hyssopus officinalis</i> ) . . . . .	\$0 30
Lavender ( <i>Lavandula spica</i> ) . . . . .	30
Marjoram, Sweet ( <i>Origanum</i> ) . . . . .	30
Rue ( <i>Ruta graveolens</i> ) . . . . .	20
Rosemary ( <i>Rosmarinus officinalis</i> ) . . . . .	50
Saffron ( <i>Carthamus</i> ) . . . . .	15
Sage, Common ( <i>Salvia officinalis</i> ) . . . . .	25
Savory, Summer ( <i>Satureja hortensis</i> ) . . . . .	25
“ Winter ( <i>Satureja montana</i> ) . . . . .	40
Tansy ( <i>Tanacetum vulgare</i> ) . . . . .	50
Thyme, English ( <i>Thymus vulgaris</i> ) . . . . .	50
“ French . . . . .	40
Wormwood ( <i>Artemisia Absinthium</i> ) . . . . .	30



## GRASS SEEDS

The grass seeds herein offered are in every instance of the very highest grade. The prices quoted are those existing at the time of issue of this list, and are subject to variation as the season advances.

	Bus.
Red Top, Choice. 14 lbs. to bus. . . . .	\$2 00
Red Top, Extra-recleaned. 32 lbs. to bus. . . . .	5 00
<i>Agrostis vulgaris.</i>	
Rhode Island Bent. 14 lbs. to bus. . . . .	4 50
<i>Agrostis canina.</i>	
Tall Meadow Oat. 13 lbs. to bus. . . . .	2 50
<i>Avena elatior.</i>	
Sweet Vernal Grass . . . . . lb., 75c. . . . .	
<i>Anthoxanthum odoratum.</i>	
Meadow Fescue. 22 lbs. to bus. . . . .	3 50
<i>Festuca pratensis.</i>	
Sheep's Fescue. 12 lbs. to bus. . . . .	3 00
<i>Festuca ovina.</i>	
Creeping Bent. 15 lbs. to bus. . . . .	4 50
<i>Agrostis stolonifera.</i>	
Red, or Creeping Fescue. 14 lbs. to bus. . . . .	3 50
<i>Festuca rubra.</i>	
Italian Rye. 18 lbs. to bus. . . . .	2 00
<i>Lolium Italicum.</i>	
English Rye. 24 lbs. to bus. . . . .	2 00
<i>Lolium perenne.</i>	
Wood Meadow. 14 lbs. to bus. . . . .	5 00
<i>Poa nemoralis.</i>	
Kentucky Blue. 14 lbs. to bus. . . . .	2 75
<i>Poa pratensis.</i>	
Timothy. 45 lbs. to bus. . . . .	3 75
<i>Phleum pratense.</i>	
Orchard Grass. 14 lbs. to bus. . . . .	3 00
<i>Dactylis glomerata.</i>	

## CLOVERS

	Lb.	100 lbs.
Red Clover . . . . .	\$0 20	\$18 00
White Clover . . . . .	35	30 00
Crimson Clover. 15 lbs. per acre . . . . .	12	11 00
Yellow, or Trefoil . . . . .	15	12 00
Alfalfa, or Lucerne . . . . .	20	18 00
Alsike, or Swedish . . . . .	20	18 00
Bokhara Clover . . . . .	30	25 00

## CEREALS

	Bus.
BARLEY, Champion. 48 lbs. to bus., 2 bus. to acre . . . . .	\$1 75
BUCKWHEAT. 48 lbs. to bus., 1 bus. to acre. . . . .	
American Silver Hull. Very early; productive . . . . .	1 50
Japanese. Enormously productive; extra large . . . . .	1 50
MILLET. 50 lbs. to bus. . . . .	
Japan Barnyard. Excellent for fodder. 30 lbs. to acre . . . . .	
lb., 12c.; 100 lbs., \$6.50 . . . . .	
Hungarian. Valuable soiling plant. 1½ bus. to acre . . . . .	2 00
German, or Golden. For feeding birds. 1½ bus. to acre . . . . .	2 00



White Clover

	Bus.
OATS. 32 lbs. to bus., 2 to 3 bus. to acre. . . . .	
Clydesdale, American-grown . . . . .	\$1 00
Clydesdale, Imported. Very heavy. 50 lbs. to bus. . . . .	2 50
White State . . . . .	75
RYE. 56 lbs. to bus., 2 bus. to acre. . . . .	
Mammoth White . . . . .	1 75
Spring Rye . . . . .	2 00
WHEAT. 60 lbs. to bus., 1½ bus. to acre. . . . .	
White Rover. Very productive . . . . .	2 50
Red Cross. Very fine . . . . .	2 50
Saskatchewan Fife (Spring) . . . . .	2 25

## MISCELLANEOUS SEEDS

	Lb.	100 lbs.
Flax Seed . . . . .	\$0 10	
Broom Corn . . . . .	10	\$7 00
Vetches, Spring Tares . . . . .	15	6 00
Vetches, Sand, Winter, or Hairy . . . . .	20	12 00
Dwarf Essex Rape. 10 lbs. to acre. . . . .	15	6 00
Yellow Locust . . . . .	50	
Honey Locust . . . . .	50	
Osage Orange . . . . .	50	

## BIRD SEED, ETC.

	Per lb.
Canary Sicily . . . . .	\$0 10
Hemp . . . . .	10
White Millet . . . . .	30
Yellow Millet . . . . .	15
German Rape . . . . .	10
Sunflower . . . . .	10
Rough Rice . . . . .	10
Maw, or Poppy . . . . .	30
Bird Lettuce . . . . .	50
Mocking Bird Food . . . . . bottle, 40c. . . . .	
Song Restorer . . . . . bottle, 25c. . . . .	



## LAWN GRASS MIXTURES

### CENTRAL PARK LAWN GRASS

This mixture is composed of low-growing Grasses, permanent in character, and will produce a rich green sward in three to four weeks from time of sowing. 5 bus. to acre, 15 lbs. to bus. Qt. 25 cts., 2 qts. 40 cts.,  $\frac{1}{2}$ pk. 65 cts., pk. \$1, bus. \$3.50.

### BRIDGEMAN'S SPECIAL LAWN GRASS

This mixture contains a large proportion of the finer and more expensive varieties of Grasses, producing a turf of the closest and finest texture that is possible to attain in a lawn. 4 to 5 bus. to acre, 20 lbs. to bus. \$5 per bus.

### SHADY PLACE GRASS

This mixture is especially adapted for growing under trees or any place that is denied the sun's rays. 20 lbs. to bus. Qt. 35 cts.,  $\frac{1}{2}$ pk. \$1, pk. \$1.75, bus. \$6.

### TERRACE SOD GRASS

A mixture adapted for this purpose in particular. The grasses produce spreading roots, thus preventing the rains from washing them out. 20 lbs. to bus. Qt. 35 cts.,  $\frac{1}{2}$ pk. \$1, pk. \$1.75, bus. \$6.

### GOLF-LINK MIXTURES

Putting Greens. 24 lbs. to bus. \$6 per bus. For grounds in general. 20 lbs. to bus. \$2.50 per bus.

## PERMANENT PASTURE MIXTURES

For every different kind and condition of soil there are Grasses that are especially suitable. Some varieties do best on high ground, in dry weather; others prefer plenty of moisture. Some mature so early and others so late that there is no time during the season that one or the other is not at its best. 3 bus. to acre. 14 lbs. to bus.

For Hay and Permanent Pasture (light soil, medium soil, heavy soil), for Orchard and Shady Places, for Hay only, for Pasture only. \$2.50 per bus.; 10 bus., \$2.45 per bus.; 20 bus., \$2.40 per bus.; 50 bus., \$2.35 per bus.



# Vegetable Seeds, Etc.

BY POUND, BUSHEL OR BARREL

Orders for less than Half-bushels and Half-pounds are liable to somewhat higher rates

## Bush Beans

	Per bus.
Ne Plus Ultra . . . . .	\$6 00
Bountiful . . . . .	6 00
Black Valentine . . . . .	7 00
Burpee's Bush Lima . . . . .	7 00
Dreer's Bush Lima . . . . .	7 00
Extra-Early Valentine . . . . .	6 00
Long Yellow Six Weeks . . . . .	6 00
Early Mohawk . . . . .	6 00
Early Longfellow . . . . .	7 00
Refugee, or 1,000-to-1 . . . . .	6 00
Wonder of France . . . . .	8 00
Green Pod Stringless . . . . .	7 00
White Marrowfat . . . . .	4 50
Dwarf Horticultural . . . . .	6 00
Valentine Wax . . . . .	6 50
Flageolet Wax . . . . .	6 50
Black Wax . . . . .	7 00
Crystal White Wax . . . . .	7 00
Refugee Wax . . . . .	6 50
Golden Wax Improved . . . . .	6 50
Wardwell's Kidney Wax . . . . .	6 50

## Pole, or Running Beans

Early Jersey Lima . . . . .	7 00
Dreer's Improved Lima . . . . .	7 00
Large White Lima (extra size) . . . . .	7 00
King of the Garden Lima . . . . .	7 00
Challenger Lima . . . . .	7 00
Early Golden Cluster Wax . . . . .	7 00
Horticultural . . . . .	6 50
White Dutch Case-Knife . . . . .	6 50
Mont d'Or, or Golden Butter . . . . .	7 00
Giant Red Wax . . . . .	7 00
White Dutch Runner . . . . .	6 00
Scarlet Runner . . . . .	6 50

## Beets

	Per lb.
Extra-Early Turnip Bassano . . . . .	\$0 60
Eclipse Turnip . . . . .	60
Early Blood Turnip . . . . .	60
Egyptian Blood Turnip . . . . .	60
Dewey's Blood Turnip . . . . .	60
Edmand's Early Blood Turnip . . . . .	60
Long Dark Red . . . . .	60
Half-Long Dark . . . . .	60
Columbia . . . . .	60
Silver Swiss Chard . . . . .	75

## Cauliflower

Extra-Early Paris . . . . .	9 00
Half-Early Paris Nonpareil . . . . .	8 00
Large Late Algiers . . . . .	9 00
Lenormand's Short-stemmed . . . . .	8 00
Early London, or Dutch . . . . .	4 00

## Cabbage

	Per lb.
Early York . . . . .	\$1 25
Large Early Oxheart . . . . .	1 50
Early Flat Dutch . . . . .	2 00
Early Jersey Wakefield . . . . .	3 00
All-Seasons . . . . .	2 50
Henderson's Succession . . . . .	3 00
Autumn King . . . . .	3 00
Early Winnigstadt . . . . .	1 50
Large Late Drumhead . . . . .	2 50
Premium Late Flat Dutch . . . . .	2 25
Dwarf Early Ulm Savoy . . . . .	1 75
Large Late Drumhead Savoy . . . . .	2 00
Red Dutch, or Pickling . . . . .	2 50

## Carrots

Half-Long Stump-rooted (Nantes) . . . . .	1 00
Extra-Early Forcing . . . . .	1 00
Scarlet Carentan (coreless) . . . . .	1 00
Oxheart, or Guerande . . . . .	1 00
Early Orange Horn (pointed) . . . . .	1 00
Danvers Orange (true) . . . . .	80
Improved Long Orange . . . . .	75

## Celery

Golden Self-blanching. Finest French stock . . . . .	5 00
Early Dwarf White . . . . .	2 50
Early White Plume . . . . .	2 00
Boston Market Dwarf White . . . . .	2 00
Perfection Heartwell . . . . .	2 00
Giant Pascal . . . . .	1 75
Pink Plume . . . . .	3 00
Golden Heart Half Dwarf . . . . .	2 00
Fin de Siècle . . . . .	3 00
Golden Self-blanching . . . . .	4 00
Early Dwarf Red . . . . .	2 50
Turnip-rooted Celery (Erfurt) . . . . .	2 00

## Chervil

Curled, or Double . . . . .	1 00
-----------------------------	------

## Sugar Corn

	Per bus.
Extra-Early Minnesota . . . . .	\$3 50
Extra-Early Cory (white cob) . . . . .	3 75
Perry's Hybrid . . . . .	3 50
Crosby's Early . . . . .	3 50
Squantum . . . . .	3 50
Ne Plus Ultra . . . . .	3 50
Triumph Early . . . . .	3 50
Country Gentleman . . . . .	3 50
Large Eight-rowed . . . . .	3 50
Stowell's Evergreen . . . . .	3 50
Egyptian . . . . .	3 50
Mammoth Sugar, Late (extra fine) . . . . .	3 50
Sweet Fodder (best for soiling) . . . . .	2 75

**Corn Salad, or Feticus**

	Per lb.
Round-leaved Small-seeded . . . . .	\$o 75
Round-leaved Large-seeded . . . . .	75

**Cress, or Pepper Grass**

Extra Curled . . . . .	50
Australian, or Golden . . . . .	60

**Cucumbers**

Extra-Early Russian . . . . .	1 00
Early White Spine Improved . . . . .	1 00
Early Green Cluster . . . . .	1 00
Early Short Green . . . . .	1 00
Improved Long Green . . . . .	1 00
Green Prolific (pickling) . . . . .	1 00
Long White Spine . . . . .	1 00
Everbearing . . . . .	1 00
Tailby's Hybrid . . . . .	1 00
Nichol's Medium Green . . . . .	1 00

**Eggplants**

Early Long Purple . . . . .	2 50
Improved New York Purple Spineless. . . . .	4 00
Early Black Pekin . . . . .	4 00

**Endive**

Green Curled . . . . .	1 50
White Curled . . . . .	2 00
French, or Moss Curled . . . . .	1 50
Broad-leaved, or Escarolle . . . . .	1 50
Wild. For flavoring coffee . . . . .	1 00

**Kale**

Dwarf Green Curled Scotch . . . . .	75
Brown, or Purple Curled . . . . .	1 00
Hardy Curled Siberian (Winter Sprouts) . . . . .	60
Spring Sprouts (English) . . . . .	25

**Kohlrabi**

Early White Vienna . . . . .	2 50
Early Purple Vienna . . . . .	2 50

**Lettuce**

Mammoth Black-seeded Butter . . . . .	1 25
Giant Crystal Head . . . . .	1 50
Maximum . . . . .	1 50
Buttercup (fine for forcing) . . . . .	1 50
Big Boston (fine for forcing) . . . . .	1 00
German Early Head . . . . .	2 00
Golden Stone Head (fine) . . . . .	1 50
Grand Rapids Forcing . . . . .	1 50
Simpson's Curled Silesia . . . . .	1 25
Early Tennisball, or Boston Market . . . . .	1 25
Improved Salamander . . . . .	1 50
White Summer Cabbage . . . . .	1 25
Deacon (solid head) . . . . .	1 50
Golden Queen . . . . .	1 50
White Paris, or Ice Cos . . . . .	1 50
Green Paris Cos (Romaine) . . . . .	1 50

**Leeks**

	Per lb.
Large Carentan, or Musselburgh . . . . .	\$2 00
Large Rouen (Winter) . . . . .	2 50
Large American Flag . . . . .	2 00
Large Carentan . . . . .	2 00

**Muskmelons**

Rocky Ford (green flesh) . . . . .	1 00
Early Orange Christina (orange flesh). . . . .	1 25
Large Nutmeg (green flesh) . . . . .	1 00
Delmonico (large ; orange flesh) . . . . .	1 00
Improved Hackensack . . . . .	1 00
Emerald Gem (orange flesh) . . . . .	1 25
Montreal Market . . . . .	1 00
Long Island Beauty . . . . .	1 50

**Watermelons**

Early Mountain Sweet . . . . .	75
Icing, or Ice Rind (white-seeded) . . . . .	75
Phinney's Early . . . . .	75
Striped Gipsy, or Jackson . . . . .	75
Black Spanish . . . . .	75
Jordan's Gray Monarch . . . . .	75
Mammoth Ironclad . . . . .	75
Kolb Gem . . . . .	75

**Mustard**

White, or Yellow . . . . .	40
Black, or Brown . . . . .	40

**Nasturtiums**

Tall (Indian Cress) . . . . .	1 00
Dwarf (Indian Cress) . . . . .	1 25

**Okra**

Early Dwarf Green . . . . .	50
Extra Long Green . . . . .	50
Dwarf White Velvet . . . . .	50

**Onions**

Large Red Globe (Southport strain) . . . . .	2 50
Large White Globe (Southport strain). . . . .	3 00
Large Yellow Globe (Southport strain). . . . .	2 50
Extra-Early Flat Red . . . . .	2 00
Large Red Wethersfield . . . . .	2 00
White Portugal . . . . .	3 00
Prizetaker . . . . .	3 00
Yellow Dutch, or Strasburg . . . . .	2 00
Yellow Globe Danvers . . . . .	2 00

**Parsley**

Extra Double Curled . . . . .	75
Curled, or Double . . . . .	75
Champion Moss Curled (extra) . . . . .	75
Carter's Fern-leaved . . . . .	75
Hamburg, or Rooted . . . . .	75

**Peppers**

Large Squash, or Tomato . . . . .	2 50
Large Bell, or Bull Nose . . . . .	2 50
Sweet Spanish (for salad) . . . . .	2 50
Sweet Mountain (for mangoes) . . . . .	2 50
Long Red Cayenne . . . . .	2 50



**Parsnips**

	Per lb.
Improved Hollow Crown . . . . .	\$0 50

**Peas**

	Per bus.
Bridgeman's Extra-Early . . . . .	\$5 00
Extra-Early Daniel O'Rourke . . . . .	5 00
Philadelphia Extra-Early . . . . .	5 00
Bliss' Everbearing . . . . .	5 00
Alaska . . . . .	4 50
Premium Gem . . . . .	6 00
Fillbasket . . . . .	5 50
Horsford's Market-Garden . . . . .	5 50
Dwarf Champion . . . . .	5 00
Abundance (sow thin) . . . . .	5 00
Pride of the Market . . . . .	6 00
Yorkshire Hero . . . . .	4 50
McLean's Advancer . . . . .	5 00
Laxton's Alpha . . . . .	5 50
McLean's Little Gem . . . . .	6 00
American Wonder . . . . .	7 00
Telephone . . . . .	6 00
Telegraph, or Long Island Mammoth . . . . .	5 50
Stratagem . . . . .	6 50
Heroine . . . . .	5 50
Queen (finest flavor) . . . . .	5 50
Nott's Excelsior . . . . .	7 00
Champion of England . . . . .	4 00
Black-Eyed Marrowfat . . . . .	3 00
White Marrowfat . . . . .	3 00

**Pumpkins**

	Per lb.
Large Cheese . . . . .	\$0 60
Mammoth, or Large Tours . . . . .	1 00
Connecticut Field . . . . .	30

**Potatoes**

Prices may vary as the season advances

	About, per bbl.
Beauty of Hebron . . . . .	\$4 25
Early Ohio . . . . .	4 25
Early Rose . . . . .	4 25
Clark's No. 1 . . . . .	4 25
Early Bovee . . . . .	4 25
Early Puritan . . . . .	4 50
Early Norther . . . . .	4 25
White Elephant (fine late) . . . . .	4 25
Late Beauty of Hebron . . . . .	4 25
Carman No. 3 . . . . .	4 25
Uncle Sam . . . . .	4 50
The Thorburn . . . . .	4 25

**Radishes**

	Per lb.
Early Scarlet Globe . . . . .	\$1 00
French Breakfast . . . . .	75
Early Scarlet Turnip . . . . .	75
Early Round Dark Red . . . . .	75
White-tipped Scarlet . . . . .	75
Golden Olive-shaped . . . . .	75
Early White Olive-shaped . . . . .	75
Early Scarlet Olive-shaped . . . . .	60
Long Scarlet Short Top . . . . .	75
Chartier White Tip . . . . .	75
Golden Globe (fine) . . . . .	50
Yellow Summer Turnip . . . . .	60
White Summer Turnip . . . . .	75
Long Black Spanish . . . . .	75
Round Black Spanish . . . . .	75
White Spanish, or Fall . . . . .	60
Scarlet Chinese Winter . . . . .	75
White Strasburg . . . . .	75

**Salsify, or Oyster Plant**

Long White . . . . .	1 50
Mammoth Sandwich Island . . . . .	1 50
Long Black (Scorzonera) . . . . .	2 00


**Squashes**

Early White Bush Scallop . . . . .	75
Silver Custard Bush . . . . .	75
Early Golden Bush . . . . .	75
Summer Crookneck . . . . .	75
Boston Marrow . . . . .	75
Hubbard, or Winter . . . . .	80
Essex Hybrid or Winter . . . . .	75
Marblehead Marrow . . . . .	1 00
Perfect Gem . . . . .	1 00
Winter Crookneck . . . . .	80
Mammoth Chili (extra size) . . . . .	1 50
English Vegetable Marrow . . . . .	75

**Tomatoes**

Livingston's Perfection . . . . .	2 25
Crimson Cushion . . . . .	4 00
Acme (smooth, dark red) . . . . .	2 25
Ponderosa . . . . .	4 00
The Lorillard . . . . .	4 00
The Trophy (selected) . . . . .	2 25
Mikado . . . . .	3 00
Livingston's Beauty . . . . .	2 25
Dwarf Champion . . . . .	2 25
Livingston's Favorite . . . . .	2 25
Stone, New . . . . .	2 25
Large Golden Yellow . . . . .	2 50
Yellow Plum . . . . .	2 50

**VEGETABLE PLANTS, ETC.**

 The following plants and roots will be furnished in their season at market rates:

Asparagus Roots  
Jerusalem Artichoke Tubers  
Cauliflower Plants  
Cabbage and Celery Plants  
Lettuce plants

Chives and Shallots  
Eggplants  
Pepper Plants  
Hop Vine Plants  
Horse-radish Sets

Mint and Tarragon Roots  
Tomato Plants  
Rhubarb Roots  
Strawberry Plants  
Sweet Potato Plants



# Flower Seeds

## GENERAL DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL AND PERENNIAL FLOWERS

Plants are known and described generally as Annuals, Biennials and Perennials.

**Annuals** are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or, in other words, be sown in autumn for flowering early the following season.

**Tender Annuals** are those that require heat, and will not germinate in the open ground until settled warm weather.

**Half-hardy Annuals** are those which will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals.

**Hardy Annuals** are usually those which require no artificial heat during any period of their growth. Every stage of their existence, from the time of sowing the seed to maturity, is passed in the open ground.

**Biennials** are those plants that flower the second and sometimes the third year after the seed is sown, and then perish.

**Perennials** are those plants which live and perpetuate their species throughout many years successively.

The last two classes are again divided in respect to their endurance of low temperature, as *Tender*, *Half-hardy* and *Hardy*.

*Tender Biennials and Perennials* are greenhouse or dwelling-house plants, requiring artificial heat to protect them from frost.

*Half-hardy Biennials and Perennials* are those that require a slight covering of straw or litter during cold weather.

*Hardy Biennials and Perennials* are those that will stand the coldest winter weather without protection.

**Soils Most Suitable.**—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

**Manures.**—The use of strong, crude manures should be carefully avoided. In ordinarily good soil, an annual dressing of decomposed stable manure, dug in to the depth of about 10 inches, and thoroughly incorporated with the soil, will be all that is needed.

**Time of Sowing.**—With regard to the proper time of sowing flower seeds, much necessarily depends on the character of the season. As a general rule (near New York city) *hardy* kinds may be sown in the open ground about the middle of April, *half-hardy* kinds during the first week of May, and *tender* kinds after the middle of May.

The best method to obtain early flowers is to sow seeds of the most desirable tender and half-hardy species in pots early in March. If kept in a warm greenhouse or window, or plunged into a moderate hotbed, they will be ready to transplant to the open ground early in May. The season of blooming will be made fully three weeks earlier thereby.

**Mode of Sowing.**—Seeds may be sown in patches among the border plants in rows or groups where they are to remain, or in a nursery bed, and afterwards transplanted. As a



general rule, the surface soil should be rather dry than otherwise at the time of sowing; the operation must not be undertaken when the ground is very wet, especially at an early period of spring.

**The depth at which seeds should be sown** will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to imbed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasionally from a watering-pot with a very fine rose.

**Transplanting.**—As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large-growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening; and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two afterwards, if necessary.

**The risk and trouble of transplanting** may be avoided by adopting the following method of sowing the seeds: Take a package of say twenty varieties, and number the bags from 1 to 20; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the center of each circle as a mark. By this method the twenty varieties are distributed along the border in succession; and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale.

**Neatness is indispensable** in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. Tie the tall-growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings or poles.

## EXPLANATION OF FLOWER SEED CATALOGUE

**The First Column** gives the botanical or scientific names.

The dagger (†) indicates Everlasting flowers, which, if cut and dried (before maturity), will retain their color and beauty for several years.

The asterisk (\*) denotes climbing plants.

The (") or (—) indicates in all cases a repetition.

**The Second Column** gives the common names, *for Index of which see page 56.*

**The Third Column** shows the color of the flower, abbreviated as follows, viz.:

b.—blue.	cr.—crimson.	l.—light.	r.—red.	sul.—sulphur.
blk.—black.	div.—diverse.	li.—lilac.	ro.—rose.	tri.—three colored.
bord.—bordered.	da.—dark.	mar.—marbled.	sal.—salmon.	v.—violet.
br.—brown.	gn.—green.	or.—orange.	s.—scarlet.	va.—variegated.
bu.—buff.	gol.—golden.	pk.—pink.	spot.—spotted.	w.—white.
car.—carmine.	gy.—gray.	pur.—purple.	stri.—striped.	yel.—yellow.

**The Fourth Column** indicates the usual height in feet, under good cultivation; or the word (tra.) denotes trailing or lying on the ground.

**The Fifth Column** shows the hardiness and duration of each kind, viz.:

tA.—tender annual.	hB.—hardy biennial.
hhA.—half-hardy annual.	tP.—tender perennial, or greenhouse plant.
hA.—hardy annual.	hhP.—half-hardy perennial.
hhB.—half-hardy biennial.	hP.—hardy perennial.


**The Sixth Column** gives the price of each paper or packet.

Many kinds marked annuals are adapted to pot-culture in winter, and several kinds of biennial and perennial plants will flower the first year from seed, if started early in the season.

☞ All the leading species and varieties of flower seeds may be had by weight, if desired; for prices, see list on page 54.

## FLOWER SEEDS

The great interest manifested in the cultivation of flowers, and the increasing demand for new varieties, have induced us to give particular attention to this department. In addition to the many kinds grown here, we import annually from England, France and Germany all the standard kinds and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.

 For ornamental Grasses, see page 50; Flower Seeds by Weight, page 52; Index of Common Names, etc., pages 54 and 55.

**Flower Seeds forwarded by mail, free of postage, on receipt of prices annexed**

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
<i>Abronia umbellata</i> . . . . .	Abronia, Umbel-flowered . . . . .	rose	½	hhA	\$0 05
—grandiflora . . . . .	Deep Rose . . . . .	pink	½	hhA	10
<i>Abutilon</i> in varieties . . . . .	Chinese Bell-flower . . . . .	div.	div.	tP	25
Darwini . . . . .	Crimson Bell-flower . . . . .	crim.	4	tP	25
<i>Acacia</i> in varieties . . . . .	Acacia, Fine Mixed . . . . .	div.	div.	tP	10
<i>Achillea Ptarmica</i> fl. pl. . . . .	Double White . . . . .	white	½	hP	10
<i>Aconitum napellus</i> . . . . .	Monk's-hood . . . . .	blue	2	hP	05
<i>Acroclonium roseum</i> † . . . . .	Everlasting-flower, Rose . . . . .	rose	1	hhA	05
—album† . . . . .	White . . . . .	white	1	hhA	10
—flore pleno† . . . . .	Double Rose . . . . .	rose	1	hhA	10
<i>Adlumia cirrhosa</i> * . . . . .	Mountain-fringe Vine . . . . .	pink	10	hP	10
<i>Adonis festivalis</i> . . . . .	Pheasant's Eye . . . . .	scarlet	1	hA	05
<i>Ageratum Mexicanum</i> . . . . .	Ageratum, Blue . . . . .	blue	2	hA	05
—Little Dorrit . . . . .	Blue . . . . .	blue	½	hA	10
—Little Dorrit, White . . . . .	White . . . . .	white	½	hA	10
nanum . . . . .	Imperial Dwarf . . . . .	blue	½	hA	05
—album . . . . .	Dwarf White . . . . .	white	½	hA	05
Lasseauxi . . . . .	Rose-flowered . . . . .	rose	1	hP	05
<i>Agrostemma coronaria</i> . . . . .	Rose Champion . . . . .	rose	2	hP	05
—alba . . . . .	White Champion . . . . .	white	1½	hP	05
<i>Alonsoa grandiflora</i> . . . . .	Alonsoa, Large-flowered . . . . .	scarlet	1½	hhA	05
linifolia . . . . .	Roezl's . . . . .	l. s.	1	hhA	10
<i>Aloysia citriodora</i> . . . . .	Lemon-scented Verbena . . . . .	white	2	hhP	10
<i>Alstroemeria hybrida</i> . . . . .	Finest Hybrid . . . . .	div.	2	tP	10
<i>Althæa alba</i> fl. pl. . . . .	Hollyhock, Double White . . . . .	white	4	hB	10
coccinea fl. pl. . . . .	Double Scarlet . . . . .	scarlet	4	hB	10
rosea fl. pl. . . . .	Double Rose . . . . .	rose	4	hB	10
lutea fl. pl. . . . .	Double Yellow . . . . .	yellow	4	hB	10
varius fl. pl. . . . .	Double Mixed . . . . .	div.	4	hB	10
Allegheny . . . . .	Single Fringed . . . . .	mixed	6	hB	10
COLLECTION . . . . .	See page 51.				
<i>Alyssum maritimum</i> . . . . .	Alyssum, Sweet . . . . .	white	½	hA	05
—compacta . . . . .	Tom Thumb . . . . .	white	½	hA	05
procumbens . . . . .	Dwarf Bouquet . . . . .		trai.	hA	10
saxatile compactum . . . . .	Golden . . . . .	golden	1	hP	05
<i>Amaranthus tricolor</i> . . . . .	Joseph's Coat . . . . .	tri.	2	tA	05
caudatus† . . . . .	Love-lies-bleeding . . . . .	crim.	3	hhA	05
hypochondriacus† . . . . .	Prince's Feather . . . . .	crim.	3	hhA	05
Henderi . . . . .	Amaranthus, variegated . . . . .	div.	3	hA	05
melancholicus . . . . .	Blood-Red . . . . .	red	3	hhA	05
bicolor ruber . . . . .	Carmine and Yellow . . . . .	car. & yl.	2	hhA	05
salicifolius . . . . .	Fountain Plant . . . . .	br. & s.	3	hhA	10
nobilis pyramidalis . . . . .	Rose-spiked . . . . .	rose	5	hhA	10
COLLECTION . . . . .	See page 51.				
<i>Ammobium alatam</i> † . . . . .	Ammobium, Winged . . . . .	white	1½	hA	05
<i>Ampelopsis Veitchii</i> * . . . . .	Japanese Ivy . . . . .	green	50	hP	10
<i>Anemone coronaria</i> . . . . .	Wind-flower . . . . .	div.	1	hP	05
pulsatilla . . . . .	Pasque-flower . . . . .	violet	1	hP	05
<i>Angelonia grandiflora</i> . . . . .	Angelonia, Sweet-scented . . . . .	blue	1½	tP	15
<i>Anoda Dilleniana</i> . . . . .	Blue Hibiscus . . . . .	blue	2	hA	05
<i>Antirrhinum nanum album</i> . . . . .	Snapdragon, Pure White . . . . .		1½	hP	05
hybridum . . . . .	Fine Mixed . . . . .	div.	1½	hP	05



BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
<b>Antirrhinum</b> , Tall—					
<i>grandiflorum luteum</i> . . .	Snapdragon, Yellow . . . . .	yellow	2½	hP	\$0 10
—Firefly . . . . .	Scarlet and White . . . . .	s. & w.	2½	hP	10
—Crescia . . . . .	Deep Scarlet . . . . .	d. scar.	2½	hP	10
—roseum . . . . .	Light Rose . . . . .	l. rose	2½	hP	10
—album . . . . .	White . . . . .	white	2½	hP	10
—Coral-Red . . . . .	New striking color . . . . .	c. red	2½	hP	10
<b>Aquilegia Sibirica</b> . . . . .	Columbine, Double Violet . . . . .	violet	1½	hP	10
<i>chrysantha</i> . . . . .	Golden-spurred . . . . .	yellow	2	hP	10
<i>cærulea</i> . . . . .	Large-flowered . . . . .	b. & w.	2	hP	10
<i>Skinneri</i> . . . . .	Scarlet and Yellow . . . . .	sc. & yl.	1½	hP	10
<i>Stuarti</i> . . . . .	Rich Blue . . . . .	blue	1½	hP	25
<i>varius</i> . . . . .	Vulgaris and Mixed . . . . .	div.	2	hP	10
COLLECTION . . . . .	See page 51.				
<b>Arabis alpina</b> . . . . .	Arabis, Sweet-scented . . . . .	white	¾	hP	10
<b>Argemone grandiflora</b> . . . . .	Poppy, White Mexican . . . . .	white	2	hA	05
<i>speciosa</i> . . . . .	Yellow . . . . .	yellow	2½	hA	10
<b>Aristolochia Sipho*</b> . . . . .	Dutchman's Pipe Vine . . . . .	yl. & br.	15	hP	10
<b>Arnebia cornuta</b> . . . . .	Arabian Primrose . . . . .	yellow	2	hA	25
<b>Asclepias tuberosa</b> . . . . .	Swallow-wort . . . . .	orange	2	hP	05
<b>Asparagus plumosus nanus*</b> . . . . .	Ornamental Asparagus . . . . .	green	8	hP	10
<i>Sprengeri</i> . . . . .	Emerald Feather . . . . .	white	4	tP	15
<b>Asperula azurea setosa</b> . . . . .	Asperula, Light Blue . . . . .	blue	1	hA	10
<i>odorata</i> (Woodruff) . . . . .	Sweet-scented . . . . .	white	½	hP	10
<b>Aster Chinensis</b> —	Aster, Chinese.				
—Comet Rose . . . . .	Comet . . . . .	rose	2	hA	10
—Snow White . . . . .	White . . . . .	white	2	hA	10
—Bridesmaid . . . . .	White, passing to Rose . . . . .	2	2	hA	25
—Lady, . . . . .	Rose and White . . . . .	ro. & w.	2	hA	25
Queen of the Market—					
—White . . . . .	White . . . . .	white	1	hA	10
—Rose . . . . .	Rose . . . . .	rose	1	hA	10
—Light Blue . . . . .	Blue . . . . .	blue	1	hA	10
—Crimson . . . . .	crimson	1	1	hA	10
—Scarlet . . . . .	scarlet	1	1	hA	10
—Mixed . . . . .	mixed	1	1	hA	05
Truffaut's White . . . . .	Pure White . . . . .	white	1½	hA	10
—Blood-Red . . . . .	Dark Red . . . . .	red	1½	hA	10
—Deep Mauve . . . . .	mauve	1½	1½	hA	10
— <i>cæruleus</i> . . . . .	Black-Blue . . . . .	blue	1½	hA	10
—Mixed . . . . .	Peony-flowered . . . . .	div.	2	hA	10
Victoria White . . . . .	Dwarf White . . . . .	white	1½	hA	10
—Rose . . . . .	Dwarf Rose . . . . .	rose	1½	hA	10
—Mixed . . . . .	Mixed Victoria . . . . .	div.	2	hA	10
Mignon albiflora . . . . .	Pure White Mignon . . . . .	white	1½	hA	15
—Mixed . . . . .	Mignon, Mixed . . . . .	div.	1½	hA	10
Semple's Branching White . . . . .	Late-blooming . . . . .	white	2	hA	10
—Shell-Pink . . . . .	Late-blooming Pink . . . . .	pink	2	hA	10
—Lavender-Blue . . . . .	Late-blooming Blue . . . . .	blue	2	hA	10
—Crimson . . . . .	Late-blooming Crimson . . . . .	crimson	2	hA	10
—Purple . . . . .	Late-blooming Purple . . . . .	purple	2	hA	10
—Mixed . . . . .	Late-blooming Mixed . . . . .	mixed	2	hA	10
Ball, or Jewell . . . . .	Apple Blossom . . . . .	2	2	hA	10
Snowball, or Princess . . . . .	Pure White . . . . .	1½	1½	hA	25
Cocardeau . . . . .	Crown-flowered . . . . .	div.	2	hA	10
Washington . . . . .	Perfection . . . . .	div.	2	hA	10
Eugenie . . . . .	Imbricated Pompon . . . . .	div.	2	hA	10
<i>chrysanthemiflorus</i> . . . . .	Dwarf Bouquet . . . . .	div.	1	hA	10
Ried's Mixed . . . . .	German Quilled . . . . .	div.	1½	hA	05
<i>varius</i> . . . . .	Mixed China . . . . .	div.	2	hA	05
<i>tenellus</i> . . . . .	Biennial Aster . . . . .	blue	1½	hhB	10
COLLECTIONS . . . . .	See page 50.				
<b>Balsamina impatiens rosea</b> . . . . .	Lady's Slipper, Double Rose . . . . .	rose	1½	tP	10
— <i>kermesina</i> . . . . .	Double Scarlet . . . . .	scarlet	1½	tA	10



Abutilon



Antirrhinum



Balsam



Brachycome



Campanula



Asters



Tuberous-rooted Begonias



BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
<b>Balsamina</b> <i>impatiens albiflora</i> .	Lady's Slipper, Double White.	white	1½	tA	\$0 10
— <i>violacea</i> . . . . .	Double Violet . . . . .	violet	1½	tA	10
— <i>Victoria</i> . . . . .	Double Striped . . . . .	striped	1½	tA	10
— <i>Solferino</i> . . . . .	Double Spotted . . . . .	spotted	1½	tA	10
— <i>camelliaeflora</i> . . . . .	Mixed Double . . . . .	div.	2	tA	10
— <i>varius</i> . . . . .	Mixed Paris . . . . .	div.	1½	tA	05
COLLECTIONS . . . . .	See page 50.				
<b>Baptisia</b> <i>australis</i> . . . . .	( <i>Polydaria australis</i> ) . . . . .	blue	2	hP	05
<b>Bartonia</b> <i>aurea</i> . . . . .	Golden Bartonia . . . . .	yellow	1½	hA	05
<b>Begonia</b> <i>hybrida</i> . . . . .	Begonia, S'gle Tuberous-rooted	div.	2	tP	25
— <i>flore pleno</i> . . . . .	Double Tuberous-rooted . . . . .	div.	2	tP	50
<b>Vernon</b> . . . . .	For borders . . . . .	red	1	tP	25
<b>Bellis</b> <i>perennis</i> . . . . .	Daisy, Finest Double . . . . .	div.	½	hhP	25
—From collection flowers.	Finest Double . . . . .	assort'd	½	hhP	25
— <i>Longfellow</i> . . . . .	Double Rose . . . . .	rose	½	hhP	25
— <i>alba</i> . . . . .	Double White . . . . .	white	½	hhP	25
<b>Bidens</b> <i>atrosanguinea</i> . . . . .	Dahlia Zimpani . . . . .	blk. bl.	2	hA	10
<b>Pocconia</b> <i>japonica</i> . . . . .	Bocconia, Oak-leaved . . . . .	white	6	hP	10
<b>Brachycome</b> <i>iberidifolia</i> . . . . .	Daisy, Blue Swan River . . . . .	blue	¾	hhA	10
In varieties . . . . .	Mixed . . . . .	div.	¾	hhA	10
<b>Browallia</b> <i>elata</i> . . . . .	Amethyst, Blue . . . . .	blue	1½	tA	10
— <i>alba</i> . . . . .	White . . . . .	white	1½	tA	10
<b>Bryonopsis</b> <i>erythrocarpa</i> * . . . . .	Ornamental-fruited Vine . . . . .	red	8	tA	10
<b>Cacalia</b> <i>coccinea</i> . . . . .	Tassel-flower, Scarlet . . . . .	scarlet	1	hA	05
— <i>aurantiaca</i> . . . . .	Orange . . . . .	orange	1	hA	05
<b>Calandrinia</b> <i>speciosa</i> . . . . .	Lindley's Calandrinia . . . . .	red	1	hA	05
— <i>umbellata</i> . . . . .	Umbel-flowered . . . . .	crim.	1	hA	10
<b>Calceolaria</b> <i>hybrida grandiflora</i> .	Calceolaria, Mixed . . . . .	div.	2	tP	25
— <i>punctata superba</i> . . . . .	Superb Spotted . . . . .	div.	1½	tP	25
— <i>rugosa</i> . . . . .	Finest Shrubby . . . . .	div.	2	tP	50
— <i>scabiosaeifolia</i> . . . . .	Golden Slipperwort . . . . .	yellow	1½	hA	10
<b>Calendula</b> <i>pluvialis</i> . . . . .	Marigold, Cape . . . . .	white	1½	hA	05
— <i>officinalis</i> . . . . .	Double Pot . . . . .	orange	1	hA	05
— <i>Meteor</i> . . . . .	Double Pot . . . . .	golden	1	hA	05
— <i>Prince of Orange</i> . . . . .	New Double Pot . . . . .	golden	1	hA	05
<b>Calliopsis</b> <i>tinctoria</i> . . . . .	Coreopsis, Golden . . . . .	y. & br.	2	hA	05
— <i>coronata</i> . . . . .	Crowned . . . . .	spotted	1½	hA	05
— <i>Golden Wave</i> . . . . .	Golden Yellow . . . . .	yellow	1	hA	05
— <i>atrosanguinea</i> . . . . .	Crimson . . . . .	crim.	2	hA	10
— <i>lanceolata</i> . . . . .	Yellow . . . . .	yellow	3	hP	10
<b>Callirrhoe</b> <i>pedata</i> . . . . .	Poppy Mallow . . . . .	red	2	hhA	10
<b>Campanula</b> <i>Medium</i> . . . . .	Canterbury Bell, Blue . . . . .	blue	2½	hhB	05
— <i>alba</i> . . . . .	White . . . . .	white	2½	hhB	05
—in varieties . . . . .	Single Mixed . . . . .	div.	2½	hhB	05
— <i>alba fl. pl.</i> . . . . .	Double White . . . . .	white	2½	hhB	10
— <i>rosea fl. pl.</i> . . . . .	Double Pink . . . . .	pink	2	hhB	10
— <i>varius</i> . . . . .	Double Mixed . . . . .	div.	2	hhB	10
<b>Calycanthemum</b> , Blue . . . . .	Cup and Saucer . . . . .	blue	2	hP	10
— <i>alba</i> . . . . .	White . . . . .	white	2	hP	10
— <i>rosea</i> . . . . .	Pink . . . . .	pink	2	hP	10
— <i>striata</i> . . . . .	Striped . . . . .	striped	2	hP	10
—Mixed . . . . .	Mixed . . . . .	mixed	2	hP	10
<b>speculum</b> . . . . .	Venus' Looking-glass . . . . .	div.	¾	hA	05
<b>carpatia</b> . . . . .	Carpathian Bell-flower . . . . .	div.	½	hP	05
<b>pyramidalis</b> . . . . .	Pyramidal Bell-flower . . . . .	blue	4	hhP	05
COLLECTION . . . . .	See page 51.				
<b>Candytuft</b> . . . . .	See Iberis.				
<b>Canna</b> <i>indica</i> . . . . .	Indian Shot, Scarlet . . . . .	scarlet	2	hhP	05
— <i>Nepalensis</i> . . . . .	Yellow . . . . .	l. & y.	3	hhP	10
— <i>Madam Crozy</i> . . . . .	Scarlet, Yellow Border . . . . .		3	hhP	10
—In varieties . . . . .	Crozy's Finest . . . . .	div.	3½	hhA	10
<b>Canterbury Bells</b> . . . . .	See Campanula.				
<b>Cardiospermum</b> <i>halicaca'm*</i> . . . . .	Balloon Vine . . . . .	white	10	tA	05
<b>Carduus</b> <i>benedictus</i> . . . . .	Ornamental Thistle . . . . .	yellow	3	hA	10

*Centaurea moschata**Celosia kermesina**Cobæa scandens*Annual *Chrysanthemum**Coleus*



BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Carnation . . . . .	See <i>Dianthus caryophyllus</i> .				
Castor Oil Plant . . . . .	See Ricinus.				
Celosia cristata, in varieties†	Cockscomb, Mixed . . . . .	div.	3	tA	\$0 05
—Japonica† . . . . .	Japan, Scarlet . . . . .	scarlet	2	tA	10
—All-aglow . . . . .	New Dwarf . . . . .	scarlet	1	tA	15
—Glasgow Prize† . . . . .	Purple . . . . .	purple	¾	tA	10
aurea pyramidalis† . . . . .	Golden . . . . .	golden	2	tA	10
Triomphe d'Exposition† . . . . .	Crimson-plumed . . . . .	crim.	3	tP	10
kermesina† . . . . .	Crimson-feathered . . . . .	crim.	2	tA	10
COLLECTION . . . . .	See page 51.				
Centaurea moschata . . . . .	Sweet Sultan, Purple . . . . .	purple	2	hA	05
—alba . . . . .	White . . . . .	white	2	hA	05
—suaveolens . . . . .	Yellow . . . . .	yellow	1½	hA	05
—in varieties . . . . .	Mixed . . . . .	div.	div.	hA	05
Margaritæ . . . . .	Mammoth White . . . . .	white	1½	hA	10
odorata . . . . .	Mammoth Light Blue . . . . .	l. blue	1½	hA	10
Cyanus . . . . .	Corn-bottle, or Mixed Blue . . . . .	div.	2	hA	05
—flore pleno . . . . .	Double Mixed . . . . .	div.	2	hA	10
—cæruleus . . . . .	Blue-bottle . . . . .	blue	2	hA	05
—rosea . . . . .	Rose . . . . .	rose	2	hA	05
Americana . . . . .	Centaurea, American . . . . .	lilac	3	hA	05
Clementei . . . . .	White Cut-leaved . . . . .	white	1	hhP	10
gymnocarpa . . . . .	Silver Cut-leaved . . . . .	purple	1½	hhP	10
candidissima . . . . .	White-leaved . . . . .	white	1	hhP	10
Centranthus macrosiphon . . . . .	Long-tubed Centranthus . . . . .	pink	1	hA	05
Cheiranthus Cheiri . . . . .	Wallflower, Bloody . . . . .	b. & w.	2	hhB	05
—fl. pl. . . . .	German Double . . . . .	div.	div.	hhB	10
Annual Mixed . . . . .	Single Annual . . . . .		1½	hA	10
Chelone barbata . . . . .	Bearded Pentstemon . . . . .	scarlet	2	hP	10
Chrysanthemum Dunnetti . . . . .	Chrysanthemum, Golden . . . . .	yellow	1	hA	05
W. E. Gladstone . . . . .	Brilliant Crimson . . . . .	crim.	1	hA	10
Lord Beaconsfield . . . . .	Crimson-edged . . . . .	crim.	1	hA	10
The Sultan . . . . .	Maroon, Gold-Ring . . . . .	maro'n	1	hA	10
venustum . . . . .	Crimson . . . . .	crim.	2	hA	05
tricolor . . . . .	Single Mixed . . . . .	div.	1½	hA	05
varius . . . . .	Double Mixed . . . . .	div.	div.	hA	05
frutescens . . . . .	Paris Daisy (Marguerite) . . . . .	white	1	hA	10
Japonicum . . . . .	Finest Perennial . . . . .	div.	3	hP	25
Indicum fl. pl. . . . .	Chinese Artemisia . . . . .	div.	div.	hhP	10
CHOICE COLLECTION . . . . .	See page 51.				
Cineraria hybrida grandiflora, Prize . . . . .	Cineraria, Hybrid . . . . .	div.	2	tP	25
—nana in varieties . . . . .	Dwarf Hybrid . . . . .	div.	1	tP	25
flore pleno . . . . .	New Double . . . . .	div.	1½	hhP	50
maritima . . . . .	Dusty Miller . . . . .	yellow	2	tP	10
Clarkia pulchella . . . . .	Clarkia, Lilac . . . . .	lilac	1	hA	05
pulcherrima . . . . .	Crimson . . . . .	crim.	1½	hA	10
—alba nana . . . . .	White . . . . .	white	¾	hA	10
varius . . . . .	Mixed . . . . .	div.	div.	hA	05
Clematis Flammula* . . . . .	Virgin's Bower . . . . .	white	10	hP	10
varius* . . . . .	Mixed Perennial Clematis . . . . .	div.	10	hhP	25
Cleome speciosa . . . . .	Spiderwort or Spider-flower . . . . .	purple	4	hA	10
Clianthus puniceus* . . . . .	Glory Vine, Crimson . . . . .	crim.	6	tP	10
Dampieri* . . . . .	Dampier's . . . . .	scarlet	6	tP	10
Clintonia pulchella . . . . .	Clintonia, Blue and White . . . . .	bl. & w.	½	tA	10
—alba . . . . .	Pure White . . . . .	white	½	tA	10
Cobæa scandens* . . . . .	Cobæa, Climbing . . . . .	purple	20	tP	10
—alba* . . . . .	White, Climbing . . . . .	white	10	tP	15
Coccinea Indica* . . . . .	Scarlet-fruited Gourd . . . . .	red	6	tA	10
Cockscomb . . . . .	See Celosia.				
Coleus, in varieties . . . . .	Fine Mixed Coleus . . . . .	div.	div.	tP	25
Collinsia bicolor . . . . .	Collinsia, Two-colored . . . . .	p. & w.	1	hA	05
—alba . . . . .	White . . . . .	white	1	hA	05
vera . . . . .	Sky Blue and White . . . . .	sk-b&w	1	hA	05

*Cyclamen**Dianthus plumarius**Cosmos**Dianthus barbatus**Convolvulus**Clarkia*



BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
<i>Collinsia varius</i> . . . . .	Collinsia, Mixed . . . . .	div.	1	hA	\$0 05
<i>Collomia coccinea</i> . . . . .	Scarlet Collomia . . . . .	scarlet	1	hA	05
<i>Convolvulus majus albus</i> * . . . . .	Morning-Glory, White . . . . .	white	10	hA	05
—kermesinus* . . . . .	Scarlet . . . . .	scarlet	10	hA	05
—azureus superbus* . . . . .	New Golden . . . . .	yellow	8	hA	10
—varius* . . . . .	Mixed . . . . .	div.	10	hA	05
Imperial Japanese* . . . . .	Japanese . . . . .	div.	30	hA	10
Mauritanicus . . . . .	Convolvulus, Bright Blue . . . . .	blue	tra.	hhP	10
unicaulis . . . . .	Upright . . . . .	b. & pur.	1	hA	05
minor albus . . . . .	White Dwarf . . . . .	white	tra.	hA	05
—monstrosus . . . . .	Large-flowering . . . . .	tri.	tra.	hA	05
—varius . . . . .	Mixed Dwarf . . . . .	div.	tra.	hA	05
<i>Coreopsis</i> . . . . .	See Calliopsis.				
<i>Cornflower</i> . . . . .	See <i>Centaurea Cyanus</i> .				
<i>Cosmidium Burrigeanum</i> . . . . .	( <i>Cosmidium bicolor</i> ) . . . . .	cr. & br.	2	hA	10
<i>Cosmos bipinnata purpurea</i> . . . . .	Cosmos, Purple . . . . .	purple	4	hA	10
—alba . . . . .	White . . . . .	white	4	hA	10
—in varieties . . . . .	Finest Mixed . . . . .	div.	4	hA	10
Tints of Dawn . . . . .	Early-flowering . . . . .	w. & pk.	4	hA	10
<i>Crucianella stylosa</i> . . . . .	Perennial Rock Plant . . . . .	pink	½	hP	10
<i>Cucumis flexuosus</i> * . . . . .	Snake Cucumber . . . . .		10	tA	10
odoratissimus* . . . . .	Melon Pomegranate . . . . .	yellow	10	tA	05
perennis* . . . . .	Cucumber Vine . . . . .		15	tA	10
<i>Cucurbita aurantiaca</i> * . . . . .	Gourd, Mock Orange . . . . .	yellow	10	tA	05
Melopepo* . . . . .	Apple-shaped . . . . .	yellow	10	tA	10
massue* . . . . .	Hercules' Club . . . . .	white	10	tA	05
lagenaria* . . . . .	Bottle . . . . .		10	tA	05
<i>Cuphea platycentra</i> . . . . .	Cigar Plant . . . . .	tri.	1 ½	tP	10
<i>Cyclamen giganteum</i> , Mont Blanc . . . . .	Cyclamen, White . . . . .	white	¾	tP	25
—roseum . . . . .	Rose . . . . .	rose	¾	tP	25
—superbum . . . . .	White and Red . . . . .	w. & red	¾	tP	25
—atropurpureum . . . . .	Dark Red . . . . .	d. red	¾	tP	25
Persicum . . . . .	Mixed . . . . .	w. & ro.	½	tP	25
—giganteum . . . . .	Large-flowering . . . . .	div.	½	tP	25
—Finest Mixed . . . . .	Mixed . . . . .	div.	¾	tP	25
—Papilio (12 seeds in pkt.) . . . . .	Mixed . . . . .	div.	¾	tP	50
<i>Cyclanthera pedata</i> * . . . . .	Climbing Cucumber . . . . .	yellow	6	hA	10
<i>Cynoglossum linifolium</i> . . . . .	Venus' Navelwort . . . . .	white	½	hP	05
<i>Dahlia nanus</i> in varieties . . . . .	Dahlia, Single Dwarf . . . . .	div.	3	hhP	10
Large Double . . . . .	Double, Large-flowering . . . . .	div.	4	tP	10
<i>Datura cornucopia</i> . . . . .	Datura, Horn of Plenty . . . . .	w & pu.	3	hhA	10
meteloides . . . . .	Wright's . . . . .	y. & li.	2	hA	10
humilis fl. pl. . . . .	Double . . . . .	yellow	2	hhA	10
<i>Delphinium Ajacis</i> in varieties . . . . .	Larkspur, Mixed Rocket . . . . .	div.	1	hA	05
consolida in varieties . . . . .	Mixed Branching . . . . .	div.	2	hA	05
imperialis fl. pl. . . . .	Annual Double . . . . .	blue	2	hA	10
Stock-flowered . . . . .	Rose-scarlet Double . . . . .	r. scar.	½	hA	15
Brunonianum . . . . .	Musk-scented . . . . .	l. blue	2	hP	25
Zalil . . . . .	Sulphur-Yellow . . . . .	yellow	3	hP	15
Chinense in varieties . . . . .	Mixed Chinese . . . . .	div.	2 ½	hP	05
—formosum . . . . .	Blue and White . . . . .	b. & w.	3	hP	10
—celestinum . . . . .	Celestial Blue . . . . .	blue	2	hP	10
—album grandiflorum . . . . .	Pure White . . . . .	white	2	hP	10
nudicaule . . . . .	New Scarlet . . . . .	scarlet	1 ½	hP	10
elatum . . . . .	Mixed Bee . . . . .	div.	3	hP	05
COLLECTIONS . . . . .	See page 51.				
<i>Dianthus Chinensis alba</i> . . . . .	Indian Pink, Double White . . . . .	white	¾	hA	10
—atrosanguineus . . . . .	Double Red . . . . .	red	¾	hA	10
—varius . . . . .	Fine Mixed . . . . .	div.	div.	hA	05
—nanus in varieties . . . . .	Double Dwarf . . . . .	div.	½	hA	10
imperialis fl. pl. . . . .	Pink, Double Imperial . . . . .	div.	1	hA	10
—Heddwigii . . . . .	Mixed Single Japan . . . . .	div.	1	hA	10
—fl. pl. . . . .	Double Mixed . . . . .	div.	1	hA	10



Eschscholtzia



Helichrysum



Digitalis



Gloxinia



Gaillardia



Lantanas



Hollyhocks



Ferns



BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hard- ness	Price per Paper
<i>Dianthus imperialis</i> albo-mar-					
ginatus fl. pl. . . . .	Pink, Mourning Cloak . . . . .	div.	1	hA	\$0 10
—diadematus fl. pl. . . . .	Diadem (Splendid) . . . . .	div.	1	hA	10
—laciniatus . . . . .	Fringed Japan . . . . .	div.	1½	hA	10
—Queen of Holland . . . . .	Pure White Japan . . . . .	1½	hA	10	
deltoides . . . . .	London Pride, or Maiden. . . . .	pink	¾	hP	05
plumarius . . . . .	Pheasant's-eye . . . . .	div.	1	hP	05
caryophyllus in varieties. . . . .	Carnation Pink, Mixed . . . . .	div.	2	hhP	10
—flore pleno . . . . .	Marguerite . . . . .	div.	1	hhP	10
—nanus . . . . .	Double Dwarf Vienna . . . . .	div.	1	hhP	10
—Grenadin fl. pl. . . . .	Scarlet Compact . . . . .	scarlet	1½	hhP	25
—perpetual fl. pl. . . . .	Tree, or Monthly . . . . .	div.	2	hhP	25
—punctatus . . . . .	Mixed Picotee . . . . .	div.	2	hhP	25
barbatus, White . . . . .	Sweet William, White . . . . .	white	1½	hB	05
—Dark Red . . . . .	Dark Red . . . . .	da. red	1½	hB	05
—oculatus marginatus . . . . .	Double Bordered . . . . .	bord.	1½	hB	10
—White fl. pl. . . . .	Double White . . . . .	white	1½	hB	05
—Mixed . . . . .	Single Mixed . . . . .	div.	1½	hB	05
—fl. pl. . . . .	Double Mixed . . . . .	div.	1½	hB	05
COLLECTION . . . . .	See page 50.				
<i>Dictamnus rubra</i> . . . . .	Fraxinella, or Gas-plant . . . . .	red	1½	hP	05
<i>Digitalis alba</i> . . . . .	Foxglove, White . . . . .	white	3	hP	05
purpurea . . . . .	Purple . . . . .	purple	3	hP	05
punctata . . . . .	Spotted . . . . .	spotted	3	hP	05
gloxiniæflora . . . . .	Gloxinia-flowered . . . . .	div.	2½	hP	05
In varieties . . . . .	Mixed . . . . .	div.	div.	hP	05
<i>Dolichos lablab</i> * . . . . .	Hyacinth Bean, Purple . . . . .	purple	10	tA	05
—albus* . . . . .	White . . . . .	white	10	tA	05
—giganteus . . . . .	White . . . . .	white	10	hA	05
<i>Dracæna</i> in varieties . . . . .	(Cordylina) . . . . .	div.	div.	tP	25
<i>Dracoccephalum</i> Canariense . . . . .	Balm of Gilead . . . . .	li. & pur.	2	hhP	10
<i>Echinocystis lobata</i> * . . . . .	Wild Cucumber . . . . .	green	15	hhA	10
<i>Eryngium</i> Leavenworthi† . . . . .	Purple Everlasting-flower . . . . .	purple	2	hA	10
<i>Erysimum</i> Peroffskianum . . . . .	Hedge Mustard . . . . .	orange	1	hA	05
<i>Erythrina</i> Crista-galli . . . . .	Coral Plant . . . . .	scarlet	4	tP	25
<i>Eschscholzia</i> Californica . . . . .	Chriseis, Californian . . . . .	yellow	1	hA	05
—alba . . . . .	White . . . . .	white	1	hA	05
—rosea . . . . .	Rose . . . . .	rose	1	hA	05
crocea . . . . .	Orange . . . . .	orange	1	hA	05
Mandarin . . . . .	Orange and Scarlet . . . . .	or. & sc.	1	hA	05
varius . . . . .	Fine Mixed . . . . .	div.	1	hA	05
<i>Eupatorium</i> Fraseri . . . . .	White Eupatorium . . . . .	white	2	hhP	10
<i>Euphorbia</i> marginata . . . . .	Snow-on-the-Mountain . . . . .	w. & gr.	3	hhA	05
heterophylla . . . . .	Mexican Fire Plant . . . . .	car.	3	hhA	10
<i>Eutoca</i> Wrangeliana . . . . .	Eutoca, Wrangel's . . . . .	l. blue	1	tA	05
viscida . . . . .	Dark Blue . . . . .	blue	1	tA	05
Ferns in varieties . . . . .	Fine Mixed Ferns . . . . .	div.	div.	hhP	25
Forget-me-not . . . . .	See Myosotis.				
<i>Fuchsia</i> in varieties . . . . .	Mixed Fuchsia . . . . .	div.	div.	tP	25
<i>Gaillardia</i> picta . . . . .	Gaillardia, Painted . . . . .	cr. & y.	1	hhA	05
—Lorenziana . . . . .	Double Mixed . . . . .	div.	1½	hhP	10
grandiflora . . . . .	Blanket Flower . . . . .	div.	2	hP	10
<i>Gentiana</i> acaulis . . . . .	Blue Gentian . . . . .	blue	½	hP	10
<i>Geum</i> coccineum fl. pl. . . . .	Double Geum . . . . .	scarlet	1½	hP	05
<i>Gilia</i> tricolor . . . . .	Gilia, Three-colored . . . . .	3-col.	1	hA	05
nivalis alba . . . . .	Snow White . . . . .	white	1	hA	05
capitata . . . . .	Azure Blue . . . . .	blue	1	hA	05
In varieties . . . . .	Mixed . . . . .	div.	1	hA	05
<i>Glaucium</i> corniculatum . . . . .	Horned Poppy, White-leaved. . . . .	yellow	1	hhP	10
<i>Gloxinia</i> , Emperor Frederick. . . . .	Gloxinia, Scarlet . . . . .	scarlet	1	tP	50
hybrida, Tigered and . . . . .					
Spotted . . . . .	Finest Sorts Mixed . . . . .	div.	1	tP	50
In varieties . . . . .	Finest Mixed . . . . .	div.	1	tP	50
<i>Godetia</i> , Duchess of Albany . . . . .	Godetia, White . . . . .	white	1½	hA	10

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
<i>Godetia</i> , Lady Satin Rose . . .	<i>Godetia</i> , Brilliant Rose . . .	rose	1 ½	hA	\$0 10
Lady Albemarle . . .	Dark Crimson . . .	crim.	1 ½	hA	10
<i>Gomphrena</i> globosa alba† . . .	Globe Amaranth, White . . .	white	1	tA	05
—kermesina† . . .	Crimson . . .	crim.	1	tA	05
—aurea† . . .	Orange . . .	orange	1	tA	05
—nana compacta† . . .	Rich Red . . .	red	½	tA	05
In varieties† . . .	Mixed . . .	div.	1	tA	05
<i>Grevillea</i> robusta . . .	Silk Oak . . .	orange	5	tP	10
<i>Gypsophila</i> elegans . . .	<i>Gypsophila</i> , White . . .	white	1	hA	05
—muralis . . .	Dwarf Rose . . .	rose	½	hA	10
—paniculata . . .	Baby's Breath . . .	white	2	hP	05
<i>Hedysarum</i> coronarium . . .	French Honeysuckle . . .	r. & w.	2	hB	05
<i>Helianthus</i> annuus . . .	Sunflower, Double Dwarf . . .	yellow	4	hA	05
—Oscar Wilde . . .	Yellow, Dark Center . . .	gol. y.	4	hA	05
—giganteum . . .	Mammoth Russian . . .	yellow	9	hA	05
—centrochlorus fl. pl. . .	Green-centered . . .	y. & gr.	4	hA	05
—argophyllus fl. pl. . .	Silvery foliage . . .	striped	5	hA	05
cucumerifolius . . .	Thousand-flowered . . .	yellow	3	hA	05
<i>Helichrysum</i> bracteatum† . . .	Eternal Flower, Yellow . . .	yellow	2	hA	05
—album† . . .	White . . .	white	2	hA	05
—macranthum† . . .	Pink . . .	pink	2	hA	05
—monstrosum fl. pl.† . . .	Mixed Double . . .	div.	2	hA	10
<i>Heliotropium</i> Peruvianum . . .	<i>Heliotrope</i> , Lemoine's Giant . . .	div.	div.	tP	10
Finest Mixed . . .	<i>Heliotrope</i> . . .	div.	1	hhP	10
<i>Helipterum</i> Sanfordi† . . .	Everlasting-flower . . .	gol. y.	1 ½	hhA	10
<i>Hesperis</i> matronalis . . .	Sweet Rocket . . .	pur. & w.	2	hB	05
<i>Heuchera</i> sanguinea . . .	Scarlet Alum . . .	crim.	2	hP	25
—alba . . .	White . . .	white	2	hP	25
<i>Hibiscus</i> Africanus . . .	Bladder Ketmia . . .	bu. & br.	1 ½	hA	05
Crimson Eye . . .	Marshmallow . . .	wh. & cr.	4	hP	10
—militaris . . .	Rose Mallow . . .	rose	4	hP	05
<i>Hollyhock</i> . . .	See <i>Althea</i> . . .				
<i>Humea</i> elegans . . .	Amaranth, Feathered . . .	red	6	hhP	10
<i>Humulus</i> japonicus* . . .	Japan Hop . . .	green	25	hA	10
<i>Iberis</i> amara . . .	Candytuft, White . . .	white	1	hA	05
—coronaria . . .	Little Prince . . .	white	1	hA	10
—odorata . . .	Fragrant . . .	white	¾	hA	05
—Dunnetii . . .	Dark Crimson . . .	d. crim.	1	hA	05
—lilacina . . .	Rosy Lilac . . .	lilac	¾	hA	05
—Empress . . .	Large White . . .	white	1	hA	10
—nana hybrida . . .	Dwarf Mixed . . .	div.	½	hA	10
In varieties . . .	Mixed . . .	div.	1	hA	05
—sempervirens . . .	White Perennial . . .	white	1	hhP	10
COLLECTION . . .	See page 51. . .				
<i>Impatiens</i> glanduligera . . .	Touch-me-not . . .	red	2	tA	10
—Sultani . . .	Perennial Balsam . . .	scarlet	2	hhP	25
<i>Ipomœa</i> quamoclit* . . .	Cypress Vine, Scarlet . . .	scarlet	10	tA	05
—alba* . . .	White . . .	white	10	tA	05
—coccinea* . . .	Star Ipomœa, Scarlet . . .	scarlet	10	hA	05
—grandiflora alba* . . .	Moon-flower . . .	white	10	tA	10
—Bona-nox* . . .	Good-night . . .	white	6	tA	05
—varius* . . .	Mixed . . .	div.	div.	tA	10
—Learii* . . .	Blue and Violet . . .	b. & v.	8	tP	25
<i>Kaulfussia</i> amelloides . . .	<i>Kaulfussia</i> , Blue . . .	blue	1	hA	05
—kermesina . . .	Crimson . . .	crim.	¾	hA	10
<i>Kenilworth</i> Ivy . . .	See <i>Linaria</i> . . .				
<i>Lantana</i> in varieties . . .	Mixed <i>Lantana</i> . . .	div.	div.	tP	10
<i>Larkspur</i> . . .	See <i>Delphinium</i> . . .				
<i>Lathyrus</i> . . .	See page 41. . .				
<i>Lavatera</i> trimestris . . .	<i>Lavatera</i> , Red . . .	red	2	hA	05
<i>Lemon Verbena</i> . . .	See <i>Aloysia citriodora</i> . . .				
<i>Leptosiphon</i> roseum . . .	Leptosiphon, Rose . . .	rose	1	hA	05
<i>Linaria</i> Maraccana . . .	Rose <i>Linaria</i> . . .	rose	¾	hhA	05
—Cymbalaria . . .	<i>Kenilworth</i> Ivy . . .	lilac	tra.	hP	10



## SWEET PEAS (*Lathyrus odoratus*)

Through the skill of specialists the Sweet Pea has become a much larger and lovelier flower than before it became so popular. The plants are more robust, dwarf, branching, and bloom earlier and more freely, some varieties showing three to four blooms on a stem. Many new colors, deep, dark, brilliant and delicately lovely, have appeared in the blossoms, often in indescribable combinations. There are flowers, too, of quite distinct shapes, some of which are a great improvement upon the Sweet Pea of the old type. We have dropped some of the older varieties, to give place to improved new sorts of the same colors. Our present list contains all the best kinds introduced to date. A deep, rich moist soil is best suited to Sweet Peas. They are usually grown in double rows, with a wire trellis, or a row of brush between. For each double row make the drills about 5 inches deep and 9 or 10 inches apart. Sow plentifully, covering about 2 inches deep, and by degrees, as the vines grow up, fill the trenches with soil. Spring sowings should be made just as early as the ground can be prepared; frost does not hurt the little seedlings. The earliest flowers are from seed sown in fall, preferably in a dry situation, and 4 or 5 inches deep, giving them level culture. As fertilizer, a liberal use of bone meal worked into the soil will give excellent results.



BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardiness	Price per Paper
<b>Lathyrus, Apple Blossom</b> . . .	Sweet Peas, Pink and Blush .	pk. & bl.	5	hA	\$0 05
Black Knight . . . . .	Deep Maroon . . . . .	maroon	5	hA	05
Boreatton . . . . .	Purple . . . . .	purple	5	hA	05
Blanche Burpee* . . . . .	White . . . . .	white	5	hA	05
Blanche Ferry . . . . .	Pink and White . . . . .	p. & w.	5	hA	05
Butterfly . . . . .	White and Lilac . . . . .	w. & l.	5	hA	05
Countess of Radnor . . . . .	Lavender . . . . .	lav.	5	hA	05
Captain of the Blues . . . . .	Dark Blue . . . . .	d. blue	5	hA	05
Countess of Cadogan . . . . .	Reddish Mauve . . . . .	mauve	5	hA	05
Crown Jewel . . . . .	Creamy white, veined rose.		5	hA	05
Duchess of Edinburgh . . . . .	Scarlet and Rose . . . . .		5	hA	05
Eliza Eckford . . . . .	White, shaded with pink .		5	hA	05
Emily Eckford . . . . .	Rosy Mauve . . . . .		5	hA	05
Earliest of All . . . . .	Pink and White . . . . .	p. & w.	5	hA	05
Emily Henderson . . . . .	White . . . . .	white	5	hA	05
Firefly . . . . .	Scarlet, wings crim.-scar. .		5	hA	05
Gladys Unwin . . . . .	Pale Rosy Pink; fine . . .	pink	5	hA	10
Her Majesty . . . . .	Soft Rosy Pink . . . . .	pink	5	hA	05
Katherine Tracy . . . . .	Fine Pink . . . . .	pink	5	hA	05
King Edward VII . . . . .	Bright Crimson; large . .	crimson	5	hA	05
Lady Penzance . . . . .	Orange-Pink and Rose . .	orange	5	hA	05
Mars . . . . .	Fiery Crimson . . . . .	crimson	5	hA	05
Mont Blanc . . . . .	Large Pure White . . . . .	white	5	hA	05
Mrs. Dugdale . . . . .	Rose, shaded primrose . .	r. & p.	5	hA	05
Mrs. Eckford . . . . .	Primrose-Yellow . . . . .	yellow	5	hA	05
Mrs. Gladstone . . . . .	Soft Pink . . . . .	pink	5	hA	05
Navy Blue . . . . .	Ultramarine-Blue . . . . .	blue	5	hA	05
Princess of Wales . . . . .	Bright Rose . . . . .	rose	5	hA	05
Princess Beatrice . . . . .	Carmine-Rose . . . . .	car.-ro.	5	hA	05
Royal Robe . . . . .	Bright Pink . . . . .	self	5	hA	05
Sadie Burpee, white seed.	Pearl . . . . .	white	5	hA	05
Salopian . . . . .	Fine Scarlet . . . . .	scarlet	5	hA	05
Stella Morse . . . . .	Deep Cream, shaded rose.		5	hA	05
Triumph . . . . .	Light Orange, wings ro.-pur.		5	hA	05
Ordinary Mixed . lb., 75c.		div.	5	hA	05
Eckford Splen. Mix. " 75c.		div.	5	hA	05
Special Mixed . . " \$1.	Containing all Named Vars.	div.	5	hA	05

Price per lb. of Named Varieties, under separate color, \$1



Mignonette



Marigold



Matthiola (Stocks)



Lobelia



Mimulus



Myosotis



Momordica balsamina




BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hard- ness	Price per Paper
<b>Linum grandiflorum rubrum</b> . . . . .	Flax, Crimson . . . . .	crim.	1	hhA	\$c 10
perenne . . . . .	Perennial . . . . .	blue	2	hP	10
flavum . . . . .	Yellow . . . . .	yellow	$\frac{3}{4}$	hP	10
<b>Loasa lateritia*</b> . . . . .	Orange Loasa Vine . . . . .	orange	6	tA	10
<b>Lobelia gracilis</b> . . . . .	Lobelia, Slender . . . . .	l. blue	tra.	hhA	10
—alba . . . . .	White . . . . .	white	tra.	hhA	10
Prima Donna . . . . .	Maroon . . . . .	maroon	$\frac{1}{2}$	hhA	10
Erinus marmorata . . . . .	Paxtoniana . . . . .	div.	$\frac{1}{2}$	hhA	10
—Emperor William . . . . .	Azure-Blue . . . . .	blue	$\frac{1}{2}$	hhA	10
—Crystal Palace . . . . .	Blue . . . . .		1	hhP	10
—Royal Purple . . . . .	Deep Blue, White Eye . . . . .		1	hhP	10
speciosa compacta . . . . .	Crystal Palace Dwarf . . . . .	blue	$\frac{1}{2}$	hhA	25
Queen Victoria . . . . .	Scarlet Cardinal Flower . . . . .	scarlet	2	hP	25
<b>Lophospermum</b> in varieties* . . . . .	Mixed Lophospermum . . . . .	div.	8	tP	10
<b>Lunaria biennis</b> in varieties . . . . .	Honesty, or Satin-flower . . . . .	br. & w.	2	hB	05
<b>Lupinus pilosus</b> . . . . .	Sun Dial, Large Rose . . . . .	rose	2	hA	05
luteus . . . . .	Yellow . . . . .	yellow	2	hA	05
hirsutus . . . . .	Large Blue . . . . .	blue	2	hA	05
albus . . . . .	White . . . . .	white	2	hA	05
hybridus insignis . . . . .	Dark Red . . . . .	d. red	2	hA	10
Cruikshankii . . . . .	Dark Blue . . . . .		3	hA	05
varius . . . . .	Mixed . . . . .	div.	div.	hA	05
polyphyllus . . . . .	Mixed Perennial . . . . .	div.	div.	hP	05
<b>Lychnis Chalcedonica</b> . . . . .	Lychnis, Scarlet . . . . .	scarlet	3	hP	05
—alba . . . . .	White . . . . .	white	3	hP	05
<b>Malcolmia maritima</b> . . . . .	Virginian Stock . . . . .	red	$\frac{1}{2}$	hA	05
<b>Malope grandiflora</b> . . . . .	Large-flowered Malope . . . . .	red	2	hA	05
<b>Malva zebrina</b> . . . . .	Striped Mallow . . . . .	w. & pur.	2	hA	05
<b>Marigold</b> . . . . .	See Tagetes.				
<b>Matthiola annua</b> in varieties . . . . .	Stocks, Ten Weeks, English . . . . .	div.	1	hA	05
—fl. pl. Mixed . . . . .	German Large-flowering . . . . .	div.	1	hA	10
—Snowflake . . . . .	Double White . . . . .	white	1	hA	25
—Cut-and-Come-Again . . . . .	White Forcing . . . . .	white	1	hhA	15
grandiflora White . . . . .	Dwarf White . . . . .	white	1	hhA	10
—Yellow . . . . .	Yellow . . . . .	yellow	1	hhA	10
—Rose . . . . .	Rose . . . . .	rose	1	hhA	10
—Blood-Red . . . . .	Blood-red . . . . .	b. red	1	hhA	10
—Purple . . . . .	Purple . . . . .	purple	1	hhA	10
Giant Perfection White . . . . .	Very fine . . . . .	white	$2\frac{1}{2}$	hhA	25
—Mixed . . . . .	Mixed . . . . .	div.	$2\frac{1}{2}$	hA	10
glabrum albus . . . . .	Wallflower-leaved . . . . .	white	1	hA	10
—coccineus . . . . .	Scarlet . . . . .	scarlet	1	hA	10
—varius . . . . .	Mixed . . . . .	div.	1	hA	10
biennis . . . . .	Buck's Stock Gilli, Intermediate . . . . .	scarlet	$1\frac{1}{4}$	hhB	10
—simplicicaulis . . . . .	White Brompton . . . . .	white	2	hhB	10
—Beauty of Nice . . . . .	Exquisite Flesh-pink . . . . .	pink	2	hhB	15
—Empress Elizabeth . . . . .	Carmine-rose Brompton . . . . .		$1\frac{1}{2}$	hhB	25
<b>CHOICE COLLECTIONS</b> . . . . .	See page 51.				
<b>Matricaria eximea</b> . . . . .	Matricaria, Quilled . . . . .	white	1	hhB	05
—grandiflora . . . . .	Double White . . . . .	white	$1\frac{1}{2}$	hhB	05
<b>Maurandya Barclayana*</b> . . . . .	Maurandya, Blue . . . . .	blue	8	tA	10
—rosea* . . . . .	Rose . . . . .	rose	8	tA	10
albiflora* . . . . .	White . . . . .	white	8	tA	10
varius* . . . . .	Mixed . . . . .	div.	8	tA	10
<b>Mesembryanthemum cordifo-</b>					
lium . . . . .	Ice Plant, Annual . . . . .	white	$\frac{1}{2}$	tA	05
—variegatum . . . . .	Variegated foliage . . . . .	ro. & p.	$\frac{1}{2}$	hhP	10
<b>Mignonette</b> . . . . .	See Reseda.				
<b>Mimosa pudica</b> . . . . .	Sensitive Plant . . . . .	pink	1	tA	05
<b>Mimulus moschatus</b> . . . . .	Musk Plant . . . . .	yellow	$\frac{1}{2}$	tA	10
Roezl's . . . . .	Monkey Flower, Yellow . . . . .	yellow	$\frac{1}{2}$	hP	25
cupreus in varieties . . . . .	Hybrid . . . . .	div.	1	hP	10
hybridus tigrinus . . . . .	Mixed Spotted . . . . .	spot.	$\frac{3}{4}$	tP	10
<b>Mina lobata*</b> . . . . .	Mexican Climbing Vine . . . . .	wh. & r.	15	tA	10



Enothera



Perilla Nankinensis



Nasturtium



Phlox Drummondii



Poppies



Salvia splendens



Ricinus



BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
<b>Mirabilis</b> Jalapa in varieties . . .	Marvel of Peru, Mixed . . .	div.	2	hA	\$0 05
—longiflora in varieties . . .	Scented . . .	div.	2	hA	05
—foliis variegatis . . .	Variegated-leaved . . .	div.	2	hA	05
<b>Momordica</b> balsamina* . . .	Balsam Apple . . .	yellow	10	hhA	05
Charantia* . . .	Balsam Pear . . .	yellow	10	hhA	05
<b>Morning-Glory</b> . . .	See Convolvulus.				
<b>Musa</b> Ensete . . .	Abyssinian Banana . . .	y. & br.	10	tP	25
<b>Myosotis</b> alpestris . . .	Forget-me-not, Alpine . . .	blue	½	hhP	10
—Victoria . . .	Double Blue . . .	blue	½	hhP	25
palustris . . .	Blue and White . . .	b. & w.	¾	hhP	10
dissitiflora . . .	Large Blue . . .	blue	1	hhP	10
<b>Myrsiphyllum</b> asparagoides* . . .	Smilax Vine . . .	green	6	tP	10
<b>Nasturtium</b> . . .	See Tropæolum.				
<b>Nemophila</b> discoidalis . . .	Love-grove, Bordered . . .	blk. & w.	¾	hhA	05
insignis . . .	Bright Blue . . .	blue	¾	hhA	05
—alba . . .	White . . .	white	¾	hhA	05
maculata . . .	Spotted . . .	div.	¾	hhA	05
In varieties . . .	Mixed . . .	div.	div.	hhA	05
<b>Nicotiana</b> affinis . . .	Flowering Tobacco, White . . .	white	3	hhA	10
colossea . . .	Crimson . . .	crim.	5	hhA	25
<b>Nierembergia</b> gracilis . . .	Graceful Nierembergia . . .	w. & li.	1	hhP	10
<b>Nigella</b> Damascena . . .	Love-in-a-mist . . .	blue	1	hA	05
<b>Nolana</b> prostrata . . .	Trailing Nolana . . .	b. & bk.	tra.	hA	05
<b>Obeliscaria</b> pulcherrima . . .	Showy Obeliscaria . . .	cr. & y.	3	hhP	05
<b>Oenothera</b> biennis . . .	Evening Primrose, Fragrant . . .	yellow	2	hB	05
bistorta Veitchii . . .	Spotted . . .	y. & cr.	1	hA	05
Lamarckiana . . .	Light Yellow . . .	yellow	3	hB	05
<b>Oxalis</b> rosea . . .	Oxalis, Rose . . .	rose	½	hhP	10
delicata . . .	Rosy Salmon . . .	ro. & sal.	½	hhP	10
Valdiviensis . . .	New Sweet . . .	yellow	¾	hhP	10
tropæoloides . . .	Yellow-brown foliage . . .		½	hhA	10
<b>Pansy</b> , or Heart's-ease . . .	See <i>Viola tricolor</i> .				
<b>Papaver</b> glaucum . . .	Poppy, Tulip . . .	scarlet	1½	hA	10
album . . .	Double White . . .	white	2	hA	05
coccineum . . .	Double Scarlet . . .	scarlet	2	hA	05
umbrosum . . .	Rich Vermilion, Black Spot.	ver.	1½	hA	05
Fairy Blush . . .	Double White, Rose-tipped.		2	hA	10
The Shirley . . .	Mixed Single . . .	div.	2	hA	10
Dwarf Shirley . . .	Dwarf . . .	div.	1½	hA	10
Mikado . . .	Mixed . . .	div.	2	hA	10
Miss Sherwood . . .	Satiny White and Rose . . .	w. & ro.	2½	hA	05
ranunculiflorum . . .	Mixed French Double . . .	div.	2	hA	05
somniferum fl. pl. . .	Mixed Carnation . . .	div.	2	hA	05
The Bride . . .	Pure White, Single . . .	white	1½	hA	10
nudicaule . . .	Iceland Poppy . . .	div.	2	hP	10
orientale . . .	Brilliant Scarlet . . .		2	hP	10
bracteatum . . .	Large Orange-scarlet . . .		1½	hP	10
<b>COLLECTION</b> . . .	See page 51.				
<b>Passiflora</b> in varieties* . . .	Mixed Passion Flower . . .	div.	10	tP	10
<b>Pelargonium</b> zonale . . .	Geranium, Mixed . . .	div.	div.	tP	10
odoratissimum . . .	Apple-scented . . .	pink	½	tP	25
<b>Pentstemon</b> gentianoides . . .	Pentstemon, Bicolor . . .	pur. & w.	2	hhP	10
—cæruleus . . .	Hartweg's . . .	blue	2	hhP	10
—In varieties . . .	Mixed . . .	div.	2	hhP	10
<b>Perilla</b> Nankinensis . . .	Ornamental-leaved Perilla . . .	purple	2	hhA	05
<b>Petunia</b> Phœnicea . . .	Petunia, Purple . . .	purple	tra.	hhA	05
nyctaginiflora . . .	White . . .	white	tra.	hhA	05
striata . . .	Striped . . .	striped	tra.	hhA	10
Countess of Ellesmere . . .	Rose . . .	ro. & w.	tra.	hhA	10
varius . . .	Mixed . . .	div.	tra.	hhA	05
hybrida grandiflora . . .	Finest Mixed . . .	div.	tra.	hhA	25
—inimitable . . .	Mixed Blotched . . .	div.	tra.	hhA	25
—nana compacta . . .	Dwarf Striped . . .	striped	½	hhA	10
—aurea . . .	Yellow-throated . . .	yellow	tra.	hhA	25

BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
<i>Petunia hybrida grandiflora</i>	Petunia, Mixed Double . . .	div.	tra.	hhA	\$o 20
flore pleno . . . . .	Fringed Double . . . . .	div.	tra.	hhA	55
— —fimbriata fl. pl. . . .	See page 51.				
COLLECTIONS	See page 51.				
<i>Phlox Drummondii alba</i> . . .	Phlox Drummondii, White . .	white	1	hA	10
— fl. pl. . . . .	Double White . . . . .	white	1	hA	10
—oculata . . . . .	White, Purple-eyed . . . . .	white	1	hA	10
—Leopoldiana . . . . .	Pink, White-eyed . . . . .	pink	1	hA	10
—nana com., Snowball . . .	Dwarf White . . . . .	white	1	10	
— —Fireball . . . . .	Dwarf Scarlet . . . . .	scarlet	1	10	
—coccinea . . . . .	Deep Scarlet . . . . .	scarlet	1	hA	10
—Isabellina . . . . .	Pale Yellow . . . . .	yellow	1	hA	10
—Chamois Rose . . . . .	Light Rose . . . . .	rose	1	hA	10
—Black Warrior . . . . .	Dark Red . . . . .	1	1	hA	10
—Princess Royal . . . . .	Lilac, White-edged . . . . .	1	1	hA	10
—compacta . . . . .	Dwarf Blood-red . . . . .	red	1/2	hA	10
—cuspidata . . . . .	Star of Quedlinburg . . . . .	div.	1	hA	10
—Heynholdi . . . . .	Brilliant Scarlet . . . . .	scarlet	1	hA	10
—varius . . . . .	Fine Mixed . . . . .	div.	1	hA	05
—grandiflora . . . . .	Large Mixed . . . . .	div.	1	hA	10
decussata . . . . .	Mixed Perennial . . . . .	div.	div.	hP	10
COLLECTION	See page 51.				
<b>Pinks</b>	See Dianthus.				
<i>Platystemon Californicum</i> . .	California Poppy . . . . .	yellow	1	hA	05
<i>Polemonium coeruleum</i> . . . .	Jacob's Ladder, Blue . . . .	blue	1/2	hP	05
album . . . . .	White . . . . .	white	1/2	hP	05
<b>Poppies</b>	See Papaver.				
<i>Portulaca splendens aurea</i> . .	Sun Plant, Yellow . . . . .	yellow	1/2	hA	05
—purpureus . . . . .	Purple . . . . .	purple	1/2	hA	05
—albiflora . . . . .	White . . . . .	white	1/2	hA	05
—Thellusoni . . . . .	Scarlet . . . . .	scarlet	1/2	hA	05
—aurantiaca . . . . .	Orange . . . . .	orange	1/2	hA	05
—rosea . . . . .	Rose . . . . .	rose	1/2	hA	05
—varius . . . . .	Mixed Single . . . . .	div.	1/2	hA	05
—flore pleno . . . . .	Mixed Double . . . . .	div.	1/2	hhA	10
COLLECTIONS	See page 51.				
<i>Potentilla</i> , in varieties . . . .	Mixed Potentilla . . . . .	div.	1	hP	10
<i>Primula elatior</i> . . . . .	Mixed Polyanthus . . . . .	div.	1/2	hhP	10
auricula . . . . .	Fine Mixed Auricula . . . .	div.	1/2	hhP	25
Japonica . . . . .	Primrose, Purple . . . . .	purple	1	hhP	10
Forbesi . . . . .	Baby . . . . .	lilac	1	hP	25
obconica . . . . .	Everblooming . . . . .	white	1/2	tP	25
vulgaris . . . . .	English Yellow . . . . .	yellow	1	hP	10
fimbriata alba . . . . .	Chinese Primrose, Fringed . .	white	3/4	tP	25
—kermesina splendens . . .	Fringed Crimson . . . . .	crim.	1/2	hP	25
—rosea . . . . .	Fringed Rose . . . . .	rose	3/4	tP	25
—flore pleno . . . . .	Fringed Double . . . . .	div.	div.	tP	50
—varius . . . . .	Fringed Single . . . . .	div.	div.	tP	25
COLLECTION	See page 51.				
<i>Pyrethrum parthenium</i> . . . .	Feverfew, Double . . . . .	white	1 1/2	hhP	10
auratum . . . . .	Golden-leaved . . . . .	yellow	2	hhP	10
roseum . . . . .	Rose-flowered Pyrethrum . .	rose	2	hP	10
<i>Roseda odorata</i> . . . . .	Mignonette, Sweet . . . . .	buff	1	hA	05
—grandiflora . . . . .	Large Sweet . . . . .	buff	1	hA	05
—ameliorata . . . . .	Pyramidal . . . . .	rose	1 1/2	hA	05
—grandiflora aurea . . . . .	Golden Queen . . . . .	gol. y.	1	hA	10
—Defiance . . . . .	Allen's . . . . .	r. & w.	1	hA	10
—Machet . . . . .	Dwarf Pot . . . . .	red	1	hA	10
—Gabrielle . . . . .	Robust, large spike . . . . .	red	3/4	hA	10
—gigantea . . . . .	Crimson Giant . . . . .	crim.	2	hA	05
—Miles, Hybrid . . . . .	Spiral . . . . .	buff	1 1/2	hA	05
eximia . . . . .	Parsons' White . . . . .	white	1	hA	05
<i>Rhodanthe Manglesii</i> † . . . .	Everlasting-flower, Rose . .	rose	1	tA	10
maculata† . . . . .	Three-colored . . . . .	y.r. & blk.	2	tA	10



BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
<i>Rhodanthe alba</i> † . . . . .	Everlasting-flower, White . .	white	1 ½	tA	\$o 10
<i>variust</i> † . . . . .	Mixed . . . . .	div.	div.	tA	10
<i>Ricinus sanguineus</i> . . . . .	Castor Bean, Red . . . . .		10	tA	05
<i>Borboniensis</i> . . . . .	Large Green . . . . .	vio.	15	tA	05
<i>Cambodgensis</i> . . . . .	Ebony Black . . . . .		6	tA	10
<i>Zanzibariensis</i> . . . . .	Giant . . . . .		10	tA	10
<i>Gibsoni</i> . . . . .	Dark Red . . . . .	d. red	4	tA	10
<i>varius</i> . . . . .	Mixed . . . . .	div.	div.	tA	05
<i>Rosa multiflora nana</i> . . . . .	Rose, Dwarf Perpetual . . . .	div.	div.	hP	25
<i>Salpiglossis hybrida</i> . . . . .	( <i>Salpiglossis grandiflora</i> ) . .	div.	1 ½	hhA	10
<i>Salvia patens</i> . . . . .	Salvia, Light Blue . . . . .	blue	1	tP	25
<i>splendens</i> . . . . .	Brilliant Scarlet . . . . .	scarlet	3	tP	10
— <i>compacta erecta</i> . . . . .	Bonfire . . . . .	d. scar.	3	tP	15
— <i>Lord Fauntleroy</i> . . . . .	Dwarf, flaming scarlet . . . .	scarlet	½	tP	25
<i>horminum</i> . . . . .	Purple Clary . . . . .	purple	1	hA	05
<i>Sanvitalia procumbens</i> . . . . .	Sanvitalia, Yellow and Brown.		tra.	hA	05
— <i>flore pleno</i> . . . . .	Double . . . . .	yellow	tra.	hA	05
<i>Saponaria calabrica</i> . . . . .	Bouncing Bet . . . . .	pink	1	hA	05
<i>Saxifraga</i> in varieties . . . . .	Mixed Saxifraga . . . . .	div.	tra.	hhP	10
<i>Scabiosa candidissima</i> . . . . .	Mourning Bride, White . . . .	white	1 ½	hA	05
<i>coccinea nana</i> . . . . .	Carmine . . . . .	car.	1 ½	hA	05
<i>Caucasica</i> . . . . .	Lilac . . . . .	lilac	2	hP	10
<i>varius</i> . . . . .	Dwarf Mixed . . . . .	div.	1	hA	05
COLLECTION . . . . .	See page 51.				
<i>Schizanthus Grahamei</i> . . . . .	Schizanthus, Red and Orange.	r. & o.	2	hA	05
<i>Priestii</i> . . . . .	Pure White . . . . .	white	2	hA	05
In varieties . . . . .	Fine Mixed . . . . .	div.	2	hA	05
<i>Sedum azureum</i> . . . . .	Stonecrop . . . . .	yellow	½	hP	10
<i>Maximowiczii</i> . . . . .	Golden . . . . .	yellow	½	hP	10
<i>Senecio elegans alba</i> . . . . .	Jacobæa, White . . . . .	white	1	tA	05
— <i>purpurea</i> . . . . .	Purple . . . . .	purple	1	tA	05
<i>Sensitive Plant</i> . . . . .	See <i>Mimosa pudica</i> .				
<i>Silene armeria</i> . . . . .	Catchfly, Lobel's . . . . .	pink	1 ½	hA	05
— <i>compacta</i> . . . . .	Rose-purple . . . . .	l. pur.	½	hA	05
<i>Solanum melongena</i> . . . . .	Eggplant, White . . . . .	white	1	tA	05
— <i>coccineum</i> . . . . .	Scarlet . . . . .		3	tA	05
<i>Statice Bonduelli</i> . . . . .	Statice, Golden . . . . .	yellow	1	hhP	10
<i>Suworowi</i> . . . . .	Rose . . . . .	rose	1	hhP	10
<i>incana hybrida</i> . . . . .	Hybrid Mixed . . . . .	div.	1 ½	hP	10
<i>Stevia serrata</i> . . . . .	Vanilla-scented Stevia . . . .	white	3	tP	10
<i>Stocks</i> . . . . .	See <i>Mathiola</i> .				
<i>Sweet Peas</i> . . . . .	See <i>Lathyrus</i> .				
<i>Sweet Sultan</i> . . . . .	See <i>Centaurea</i> .				
<i>Tacsonia ignea</i> * . . . . .	Passion Flower-like . . . . .	div.	10	tP	25
<i>Tagetes patula aurea fl. pl.</i> . . . .	Marigold, Double Golden . . .	yellow	1	hA	05
— <i>striata fl. pl.</i> . . . . .	Double Striped . . . . .	y. & br.	1 ½	hA	05
<i>striata</i> . . . . .	Cloth of Gold . . . . .	striped	1 ½	hA	05
<i>pumila</i> . . . . .	Golden Ring . . . . .	orange	1	hA	05
<i>Little Brownie</i> . . . . .	Single-flowering Yellow . . . .	y. & cr.	½	hA	05
<i>varius fl. pl.</i> . . . . .	French Double Mixed . . . . .	div.	1	hA	05
<i>erecta citrina fl. pl.</i> . . . . .	Lemon African . . . . .	yellow	2	hA	05
— <i>aurantiaca fl. pl.</i> . . . . .	Orange African . . . . .	orange	2	hA	05
— <i>Nugget of Gold</i> . . . . .	Golden Yellow African . . . . .	yellow	1 ½	hA	10
— <i>El Dorado</i> . . . . .	Double African . . . . .	div.	2	hA	10
<i>signati pumila</i> . . . . .	Yellow Striped (for edg'g) . .	y. & br.	1	hA	05
COLLECTION . . . . .	See page 51.				
<i>Thunbergia Bakeri</i> * . . . . .	Thunbergia, Pure White . . . .	white	4	hhA	05
<i>aurantiaca</i> * . . . . .	Orange, Dark-eyed . . . . .	orange	4	hhA	05
<i>alata</i> * . . . . .	Buff, Dark-eyed . . . . .	buff	4	hhA	05
In varieties* . . . . .	Suberb Mixed . . . . .	div.	4	hhA	05
<i>Torenia edentula</i> . . . . .	Fournier's New Torenia . . . .	w. & pur.	½	tP	25
<i>White Wings</i> . . . . .		white	1	tP	25
<i>Trifolium odoratum</i> . . . . .	Sweet-scented Clover . . . . .	white	3	hA	05



Wallflower



Violets



Whitlavia



Pansies



Vinca



Zinnias



BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
<b>Tropæolum</b> , Tom Thumb King	Nasturtium, Dwarf Carmine	car.	1	hA	\$0 05
—sulphureum . . . . .	Dwarf Yellow . . . . .	yellow	1	hA	05
—Bronze color . . . . .	Dwarf Bronze . . . . .	bronze	1	hA	05
—Pearl . . . . .	Dwarf Blush . . . . .	cream	1	hA	05
—Rose . . . . .	Dwarf Rose . . . . .		1	hA	05
—White . . . . .	Dwarf White . . . . .	white	1	hA	05
—Ruby King . . . . .	Dwarf Ruby . . . . .	red	1	hA	05
—Golden King . . . . .	Dwarf Golden . . . . .	golden	1	hA	05
—King Theodore . . . . .	Dwarf Purple . . . . .	d. pur.	1	hA	05
—Empress of India . . . . .	Dwarf Crimson . . . . .		1	hA	05
—Lilliput . . . . .	Dwarf Lilliput . . . . .	div.	½	hA	10
—varius . . . . .	Mixed Tom Thumb (finest)	div.	1	hA	05
majus Schillingi*	Light Yellow . . . . .	li. yel.	6	hA	05
—The Pearl* . . . . .	Cream-White . . . . .		6	hA	05
—Rose* . . . . .	Brilliant Rose . . . . .		6	hA	05
—Dunnetti* . . . . .	Bright Orange . . . . .	orange	6	hA	05
—King Theodore* . . . . .	Dark Crimson . . . . .	d. cr.	6	hA	05
—atrosanguineum* . . . . .	Crimson . . . . .	crim.	6	hA	05
—Mad. Gunter Hybrids* . . . . .		div.	6	hA	10
—Lobbianum* . . . . .	Mixed Perennial . . . . .	div.	6	tP	10
—varius* . . . . .	Mixed Tall (finest) . . . . .	div.	6	hA	05
—peregrinum* . . . . .	Canary-bird Flower . . . . .	yellow	8	hA	10
<b>CHOICE COLLECTIONS</b>	See page 51.				
<b>Valeriana</b> in varieties	Mixed Garden Valerian . . . . .	div.	2	hP	05
<b>Venidium calendulaceum</b>	Orange, Brown Center . . . . .		1	hhA	10
<b>Verbena hybrida alba</b>	Verbena, Pure White . . . . .	white	tra.	hhP	10
—striata . . . . .	Italian, Striped . . . . .	striped	tra.	hhP	10
—coccinea . . . . .	Bright Scarlet . . . . .	scarlet	tra.	hhP	10
—Defiance . . . . .	Dark Scarlet . . . . .	d. s.	tra.	hhP	10
—cœrulea . . . . .	Bright Blue . . . . .	blue	tra.	hhP	10
—Mammoth . . . . .	Mammoth Mixed . . . . .	div.	tra.	hhP	10
—In varieties . . . . .	Finest Mixed . . . . .	div.	tra.	hhP	10
—varius . . . . .	Fine Mixed . . . . .	div.	tra.	hhP	05
teucrioides . . . . .	White, Sweet . . . . .	white	tra.	hA	10
<b>CHOICE COLLECTION</b>	See page 51.				
<b>Veronica Syriaca</b>	Dwarf Blue Veronica . . . . .	blue	½	hhA	10
<b>Vinca alba rosea</b>	Periwinkle, Madagascar . . . . .	w. & ro.	1	tA	10
—nova . . . . .	Pure White . . . . .	white	1	tA	10
—rosea . . . . .	Rose, Dark-eyed . . . . .	rose	1	tA	10
—varius . . . . .	Mixed . . . . .	div.	1	tA	10
<b>Viola tricolor cœrulea</b>	Pansy, or Heartsease, Blue . . . . .	l. b.	½	hhP	10
—Bugnot's . . . . .	Superb strains . . . . .	div.	½	hhP	25
—Faust . . . . .	King of the Blacks . . . . .	black	½	hhP	10
—alba . . . . .	White . . . . .	white	½	hhP	10
—Prince . . . . .	Yellow . . . . .	yellow	½	hhP	10
—striata . . . . .	Belgian, or Fancy . . . . .	div.	½	hhP	25
—Emperor William . . . . .	Dark Purple . . . . .	b. & pur.	½	hhP	10
—Odier . . . . .	Five-blotched, extra . . . . .	div.	½	hhP	25
—Lord Beaconsfield . . . . .	Violet and Lavender . . . . .		½	hhP	10
—Mahogany-colored . . . . .	Reddish Brown . . . . .		½	hhP	10
—Trimardeau . . . . .	Extra Large Mixed . . . . .	div.	½	hhP	25
—maxima, in varieties . . . . .	Finest Mixed English . . . . .	div.	½	hhP	25
—varius . . . . .	Fine Mixed . . . . .	div.	½	hhP	10
<b>CHOICE COLLECTION</b>	See page 51.				
<b>Violets</b> , in varieties	Mixed Sweet Violet . . . . .	div.	½	hhP	10
<b>Viscaria oculata</b>	Rose of Heaven, Pink . . . . .	pk. & s.	1	hA	05
—elegans picta . . . . .	Painted . . . . .	cr. & w.	1	hA	05
—varius . . . . .	Mixed . . . . .	div.	div.	hA	05
<b>Wahlenbergia grandiflora</b>	Blue Bellflower . . . . .	blue	1	hhP	10
<b>Whitlavia grandiflora</b>	Whitlavia, Violet-Blue . . . . .	blue	1	hA	05
—gloxinioides . . . . .	Gloxinia-like . . . . .	w. & b.	1	hA	10
<b>Wigandia Vigieri</b>	Ornamental-leaved . . . . .		4	tP	15
<b>Xeranthemum annuum†</b>	Everlasting Flower, Purple . . . . .	purple	2	hA	05
—album† . . . . .	White . . . . .	white	2	hA	05


BOTANICAL NAMES, ETC.	COMMON NAMES, ETC.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
<i>Xeranthemum imperialis</i> fl. pl. †	Everlasting Flower, Dark . . .	pur. & v.	2	hA	\$0 10
varium †	Mixed . . . . .	div.	2	hA	05
<i>Zauschneria Californica</i> . . . .	Scarlet Tubular-flowered . . .	scarlet	1	hhP	25
<i>Zea Japonica</i> . . . . .	Striped-leaved Japanese Maize.	w. & gr.	5	hhA	05
<i>Zinnia elegans alba</i> . . . . .	Zinnia, Double White . . . . .	white	2	hA	10
—coccinea . . . . .	Double Scarlet . . . . .	scarlet	2	hA	10
—aurea . . . . .	Double Yellow . . . . .	yellow	2	hA	10
—purpurea . . . . .	Double Purple . . . . .	purple	2	hA	10
—violacea . . . . .	Double Violet . . . . .	violet	2	hA	10
—rosea . . . . .	Double Rose . . . . .	rose	2	hA	10
—grandiflora robusta . . . . .	Double Large-flowering . . .	div.	2	hA	10
—zebra . . . . .	Double Carnation, Striped.	striped	2	hA	10
—in varieties . . . . .	Double Mixed . . . . .	div.	2	hA	10
—Tom Thumb . . . . .	Dwarf Double Mixed . . . . .	div.	1	hA	10
—New Pompon . . . . .	Double Cone-shaped . . . .	div.	1	hA	10
Haageana fl. pl. . . . .	Mexican Double . . . . .	golden	1 ¼	hA	10
COLLECTIONS . . . . .	See page 51.				

## ORNAMENTAL GRASSES

	Per pkt.		Per pkt.
<i>Agrostis pulchella</i> . hA . . . . .	\$0 10	<i>Coix lachrymæ</i> (Job's Tears). hA . . .	\$0 05
<i>Agrostis nebulosa</i> . hA. Fine . . . .	10	<i>Eragrostis elegans</i> (Love Grass). hA . .	05
<i>Anthoxanthum gracilis</i> . hhP . . . . .	10	<i>Erianthus Ravennæ</i> . hP . . . . .	10
<i>Arundo Donax</i> . hhP . . . . .	10	<i>Eulalia Japonica</i> . hP . . . . .	10
<i>Avena sensitiva</i> (Animated Oats). hA.	05	<i>Festuca rigida</i> . hP . . . . .	10
<i>Bromus brizæformis</i> . hA . . . . .	05	<i>Gynierum</i> sp. (Pampas Grass). hhP . .	10
<i>Briza maxima</i> (Quaking Grass). hA .	05	<i>Hordeum jubatum</i> . hA . . . . .	05
<i>Briza gracilis</i> . hA . . . . .	05	<i>Lagurus ovatus</i> (Hare's-tail). hA . .	05
<i>Brizopyrum siculum</i> . hA . . . . .	05	<i>Setaria macrochaeta</i> . hA . . . . .	10
<i>Chrysurus aureus</i> (Lamarckia). hA .	05	<i>Stipa pennata</i> (Feather Grass). hP . .	10

## COLLECTIONS OF FLOWER SEEDS

### German and French Flower Seeds

 Raised and put up by celebrated cultivators in Europe, and sold in the original packets as received.

#### ASTERS

Truffaut's French Peony-flowered Perfection, 12 distinct varieties . . . .	\$0 75	Rose-flowered German, extra fine, 8 varieties . . . . .	\$0 75
Truffaut's Imbricated Pompon French, 12 varieties . . . . .	75	Cocardeau, or Crown (white center), 6 varieties . . . . .	50
Quilled Double German, 12 varieties .	75	Giant Comet Asters, 6 distinct varieties . . . . .	75
New Dwarf Bouquet German ( <i>Boltz</i> ), 10 varieties . . . . .	75	Betteridge's Prize, 12 varieties . . . .	75
Globe, or Uhland German, 10 varieties.	75	New Victoria German, 8 distinct varieties . . . . .	50
Dwarf Chrysanthemum-flowered German, 6 varieties . . . . .	50		

#### BALSAMS

Miniature, or Dwarf German, 10 varieties . . . . .	\$0 75	Carnation-striped, double, 8 fine varieties . . . . .	\$0 75
Camellia-flowered, extra double, spotted, 12 varieties . . . . .	1 00	Double Dwarf Camellia-flowered, 6 varieties . . . . .	75



## STOCKS


Dwarf German Ten-Weeks, 12 varieties.	\$0 75	Wallflower-leaved Ten-Weeks, 10 superb varieties . . . . .	\$0 75
New Large-flowering Dwarf Ten-Weeks, 12 varieties . . . . .	75	Winter Large-flowering German, 8 varieties . . . . .	75
Perpetual Emperor, 12 varieties . . . . .	75		

## MISCELLANEOUS COLLECTIONS

<b>Amarantus</b> , Ornamental Sorts, 8 varieties . . . . .	\$0 50	<b>Ornamental Grasses</b> , 12 varieties . . . . .	\$0 75
<b>Antirrhinum</b> (Snap-dragon), 12 varieties . . . . .	75	<b>Pansy</b> , or Heartsease, 12 distinct varieties . . . . .	1 00
<b>Aquilegia</b> (Columbine), 12 varieties . . . . .	50	<b>Papaver</b> (Double Poppy), 12 varieties . . . . .	75
<b>Begonia</b> , Tuberous-rooted, 6 varieties . . . . .	1 00	<b>Petunia fimbriata fl. pl.</b> , 6 varieties . . . . .	1 50
<b>Canna</b> , Dwarf French, 6 varieties . . . . .	50	“ Double, 6 distinct varieties . . . . .	75
<b>Calliopsis</b> (Coreopsis), 8 varieties . . . . .	35	“ Single, 6 distinct varieties . . . . .	75
<b>Campanula</b> (Canterbury Bell), 6 varieties . . . . .	50	<b>Phlox Drummondii</b> , 12 named varieties . . . . .	75
<b>Celosia cristata</b> (Cockscomb), 6 varieties . . . . .	50	<b>Pinks</b> , Carnation, 12 fine varieties . . . . .	1 00
<b>Chrysanthemums</b> , Annual, 12 varieties . . . . .	50	“ Perpetual, or Tree, 6 fine varieties . . . . .	1 50
<b>Coleus</b> , Superb Mixed, 12 varieties . . . . .	1 50	<b>Portulaca</b> , Double, 8 varieties . . . . .	75
<b>Delphinium</b> (Larkspur), 10 varieties . . . . .	75	“ Single, 10 varieties . . . . .	50
“ Candelabra-formed, 6 varieties . . . . .	60	<b>Primrose</b> , Fringed Chinese, 6 varieties . . . . .	75
<b>Dianthus Chinensis</b> (Annual Pinks), 12 varieties . . . . .	1 00	<b>Salpiglossis hybrida</b> , 12 varieties . . . . .	75
<b>Everlasting</b> , or Eternal-Flower, 12 varieties . . . . .	1 00	<b>Scabiosa</b> (Sweet Scabious), 10 varieties . . . . .	75
<b>Ferns</b> , Fine Mixed, 12 varieties . . . . .	1 50	<b>Tagetes</b> (French and African Marigold), 8 varieties . . . . .	40
<b>Fuchsia</b> , 12 varieties . . . . .	1 25	<b>Tropæolum</b> (Nasturtium), Tom Thumb, 12 varieties . . . . .	75
<b>Herbaceous Hardy Plants</b> , 12 varieties . . . . .	1 00	“ (Nasturtium), Tall, or Climbing, 12 varieties . . . . .	75
<b>Hollyhocks</b> , German Double, 12 varieties . . . . .	1 00	“ Lobbianum, 8 varieties . . . . .	50
<b>Iberis</b> (Candytuft), 8 varieties . . . . .	40	<b>Verbena hybrida</b> , 6 varieties . . . . .	75
<b>Lathyrus</b> (Sweet Peas), 16 varieties . . . . .	75	<b>Wallflower</b> , German Double, 6 varieties . . . . .	50
<b>Lupinus</b> (Lupins), 8 varieties . . . . .	40	<b>Zinnia elegans</b> , Tall Double, 8 varieties . . . . .	75
		“ “ Dwarf Double, 8 varieties . . . . .	50

## OUR OWN SELECTION

100 packets of Annuals, Biennials and Perennials, best assorted . . . . .	\$8 00
100 “ “ “ “ good assorted . . . . .	4 00
50 “ “ “ “ best assorted . . . . .	4 00
50 “ “ “ “ good assorted . . . . .	2 00
25 “ “ best assorted . . . . .	2 00
20 “ “ good assorted . . . . .	1 00
12 “ “ best assorted . . . . .	1 00
10 “ “ good assorted . . . . .	50
12 “ “ new and favorite kinds . . . . .	1 50



# FLOWER SEEDS BY WEIGHT

For other varieties, see pages 30 to 50

	Per oz.		Per oz.
<i>Ageratum Mexicanum</i> , Blue . . . . .	\$0 50	<i>Ipomœa</i> (Cypress Vine), Scarlet . . . . .	\$0 40
<i>Althæa</i> (Hollyhock), Double Mixed . . . . .	75	"    White . . . . .	30
"    "    Double White . . . . .	1 00	"    Star . . . . .	25
<i>Alyssum</i> , Sweet, White . . . . .	40	<i>Lathyrus</i> (Sweet Peas), Named varieties, see page 41 . . lb., \$1. .	
" <i>compacta</i> . . . . .	50	"    Special Mixed . . lb., \$1. .	
<i>Amarantus tricolor</i> . . . . .	30	"    Eckford's Mixed . . lb., 75c. .	
<i>Aquilegia</i> (Columbine), Mixed . . . . .	50	"    Ordinary Mixed . . lb., 75c. .	
<i>Aster Chinensis</i> , Fine Mixed . . . . .	50	<i>Lobelia gracilis</i> , Blue . . . . .	75
"    German Quilled, Mixed . . . . .	50	" <i>speciosa</i> , Crystal Palace . . . . .	1 50
"    Truffaut's White . . . . .	2 00	"    " <i>compacta</i> . . . . .	2 50
"    Blood-Red . . . . .	2 00	<i>Lupinus</i> (Lupins), Mixed Annual . . . . .	25
" <i>cæruleus</i> . . . . .	1 75	<i>Malcolmia</i> (Virginia Stocks), Lilac . . . . .	30
"    Perfection. Mixed . . . . .	1 75	<i>Matthiola</i> (Stocks, Ten-Weeks), English Mixed . . . . .	75
<i>Balsamina</i> (Balsam) Paris, Mixed . . . . .	50	"    Finest Mixed . . . . .	3 00
" <i>Camellia-flowered</i> , Mixed . . . . .	1 00	"    Cut-and-Come-Again, White. . . . .	2 50
"    Double White . . . . .	1 00	<i>Mimosa</i> (Sensitive Plant) . . . . .	75
<i>Cacalia</i> (Scarlet Tassel Flower) . . . . .	30	<i>Mirabilis</i> (Marvel of Peru) . . . . .	25
<i>Calendula officinalis</i> , Meteor . . . . .	25	<i>Myosotis</i> (Alpine Forget-me-not), Blue. . . . .	75
"    Prince of Orange . . . . .	25	<i>Myrsiphyllum</i> (Smilax Vine) . . . . .	75
<i>Calliopsis</i> (Coreopsis), Golden Wave . . . . .	30	<i>Nemophila insignis</i> , Blue . . . . .	30
<i>Canna</i> (Indian Shot), Crozy's Mixed . . . . .	50	"    Fine Mixed . . . . .	25
<i>Cardiospermum</i> (Balloon Vine) . . . . .	25	<i>Papaver</i> (Poppy), French Mixed . . . . .	30
<i>Centaurea gymnocarpa</i> . . . . .	75	"    (The Shirley) . . . . .	75
" <i>candidissima</i> . . . . .	1 75	<i>Perilla Nankinensis</i> , Purple-leaved . . . . .	25
"    (Sweet Sultan), Yellow . . . . .	50	<i>Petunia</i> , Purple . . . . .	50
<i>Cheiranthus</i> (Wallflower), Double . . . . .	3 00	"    White . . . . .	50
<i>Cobœa scandens</i> , Purple . . . . .	75	"    Mixed . . . . .	75
<i>Coix lachryma</i> (Job's Tears) . . . . .	25	"    "    Extra . . . . .	4 00
<i>Cosmos</i> , in varieties . . . . .	50	<i>Phlox Drummondii</i> , White . . . . .	1 00
<i>Convolvulus major</i> (Morning-Glory) . . . . .	20	"    "    Scarlet . . . . .	1 00
" <i>minor</i> , Fine Mixed . . . . .	25	"    "    Fine Mixed . . . . .	50
<i>Dahlia</i> , Single Dwarf . . . . .	50	<i>Portulaca</i> (Sun Plant), White . . . . .	50
<i>Delphinium</i> (Larkspur), Tall Branching . . . . .	20	"    Scarlet . . . . .	50
"    Dwarf Rocket . . . . .	30	"    Mixed . . . . .	50
<i>Dianthus Chinensis</i> (Indian Pink), Mixed . . . . .	50	"    "    Double, extra . . . . .	5 00
" <i>barbatus</i> (Sweet William), Mixed . . . . .	50	<i>Pyrethrum aureum</i> (Golden Feather) . . . . .	75
"    Carnation Pink, Common Mixed . . . . .	75	<i>Reseda</i> (Mignonette, Sw't) . lb., 75c. .	15
<i>Digitalis</i> (Foxglove), Mixed . . . . .	40	"    Large . . . . . lb., \$1. .	20
<i>Dolichos</i> (Hyacinth Bean) . . . . .	25	"    Giant Pyramidal . . . lb., \$1. .	20
<i>Eschscholzia Californica</i> , Orange . . . . .	40	"    Machet . . . . .	60
<i>Euphorbia</i> , Variegated-leaved . . . . .	40	<i>Ricinus</i> (Castor Bean), Fine Mixed . . . . .	15
<i>Gaillardia picta</i> . . . . .	25	" <i>sanguineus</i> , Red . . . . .	25
<i>Gilia</i> , Fine Mixed . . . . .	30	<i>Salvia splendens</i> (Scarlet Sage) . . . . .	1 50
<i>Gomphrena</i> (Globe Amaranth), White . . . . .	40	<i>Scabiosa</i> (Mourning Bride), Mixed . . . . .	50
"    Crimson . . . . .	40	<i>Tagetes</i> (Marigold), French Mixed . . . . .	50
<i>Helianthus</i> (Sunflower), Double Dwarf. . . . .	25	"    African Mixed . . . . .	50
<i>Hibiscus Africanus</i> (Bladder Ketmia) . . . . .	25	<i>Thunbergia Vine</i> , Fine Mixed . . . . .	50
<i>Iberis</i> (Candytuft), White . . . . .	25	<i>Trifolium</i> (Sweet-scented Clover) . . . . .	50
"    Crimson . . . . .	30	<i>Tropæolum</i> (Canary-Bird Vine) . . . . .	50
"    Empress, Large White . . . . .	60	" <i>Nasturtium</i> , Tall, Mixed . . . . .	20
"    Mixed . . . . .	25	"    Tom Thumb, Mixed . . . . .	20
		<i>Verbena</i> , Fine Mixed . . . . .	75
		"    Extra Fine Mixed . . . . .	1 50
		<i>Viola</i> (Pansy), Fine Mixed . . . . .	2 00
		"    Extra Fine Mixed . . . . .	4 00
		<i>Zinnia elegans</i> , Double Mixed . . . . .	40



## SEEDS ADAPTED TO GREENHOUSE CULTURE

The annexed are adapted to culture in the dwelling house or greenhouse, though many varieties will answer for the border during the summer months. The kinds mentioned will be found under their scientific names in the descriptions of Flower Seeds.

<i>Abutilon</i> , in varieties.	<i>Heliotropium</i> ( <i>Heliotrope</i> ).
<i>Acacia</i> , in varieties.	<i>Humea elegans</i> .
<i>Alstroemeria hybrida</i> .	<i>Impatiens Sultani</i> .
<i>Angelonia grandiflora</i> .	<i>Ipomœa Learii</i> .
<i>Asparagus plumosus nanus</i> .	<i>Kaulfussia</i> , in varieties.
“ <i>Sprengeri</i> .	<i>Kennedya</i> , in varieties.
<i>Azalea Indica</i> .	<i>Lantana</i> , in varieties.
<i>Begonia hybrida</i> .	<i>Lophospermum</i> , in varieties.
<i>Calceolaria</i> , in varieties.	<i>Matthiola</i> ( <i>Stock Gilli</i> ).
<i>Campanula pyramidalis</i> .	<i>Maurandia</i> , in varieties.
<i>Centaurea Clementei</i> .	<i>Mimulus</i> ( <i>Monkey-Flower</i> ).
“ <i>gymnocarpa</i> .	<i>Myrsiphyllum</i> ( <i>Smilax</i> ).
<i>Chorizema</i> , in varieties.	<i>Myrtus</i> ( <i>Myrtle</i> ).
<i>Cineraria hybrida</i> .	<i>Nierembergia gracilis</i> .
<i>Convolvulus Mauritanicus</i> .	<i>Oxalis</i> , in varieties.
<i>Coronilla</i> , in varieties.	<i>Passiflora</i> ( <i>Passion-Flower</i> ).
<i>Cuphea platycentra</i> .	<i>Pelargonium</i> ( <i>Geranium</i> ).
<i>Cyclamen Persicum giganteum</i> .	<i>Petunia</i> , in varieties.
<i>Dianthus caryophyllus</i> ( <i>Carnation</i> ).	<i>Polygala</i> , in varieties.
<i>Dracæna</i> , in varieties.	<i>Primula Sinensis</i> ( <i>Chinese Primrose</i> ).
<i>Dracocephalum</i> ( <i>Balm of Gilead</i> ).	<i>Reseda</i> ( <i>Mignonette</i> ).
<i>Epacris hybrida</i> .	<i>Salvia splendens</i> .
<i>Eupatorium</i> , in varieties.	<i>Senecio</i> ( <i>Jacobæa</i> ), in varieties.
<i>Euphorbia pandurata</i> .	<i>Stevia serrata</i> .
<i>Ferns</i> , in varieties.	<i>Tacsonia ignea</i> .
<i>Fuchsia</i> , in varieties.	<i>Torenia edentata</i> .
<i>Glaucium corniculatum</i> .	<i>Tropæolum Lobbianum</i> , in varieties.
<i>Gloxinia</i> , in varieties.	<i>Vinca</i> ( <i>Madagascar Periwinkle</i> ).
<i>Grevillea robusta</i> .	

## Useful Ornamental Foliage Plants

### Suitable for Borders and Subtropical Gardening

<i>Amaranthus salicifolius</i> .	<i>Helianthus</i> ( <i>Russian Sunflower</i> ).
“ <i>bicolor ruber</i> .	“ <i>argophyllus</i> .
“ <i>tricolor</i> .	“ <i>centrochlorus fl. pl.</i>
“ <i>Henderi</i> .	<i>Humea elegans</i> .
<i>Aquilegia</i> ( <i>Columbine</i> ).	<i>Liatris</i> ( <i>Gay-Feather</i> ).
<i>Bocconia Japonica</i> .	<i>Martynia fragrans</i> .
<i>Canna</i> ( <i>Indian Shot</i> ).	<i>Nicotiana affinis</i> ( <i>Tobacco</i> ).
<i>Cannabis gigantea</i> ( <i>Giant Hemp</i> ).	<i>Ornamental Grasses</i> .
<i>Carduus benedictus</i> .	<i>Perilla Nankinensis</i> .
<i>Celosia cristata</i> ( <i>Cockscomb</i> ).	<i>Pyrethrum aureum</i> .
<i>Centaurea candidissima</i> .	<i>Musa Ensete</i> .
<i>Cineraria maritima</i> .	<i>Ricinus</i> ( <i>Castor-Oil Plant</i> ).
<i>Datura meteloides</i> .	<i>Salvia argentea</i> .
<i>Erythrina</i> ( <i>Coral Plant</i> ).	<i>Solanum coccineum</i> .
<i>Eryngium Leavenworthii</i> .	<i>Statice incana</i> .
<i>Euphorbia marginata</i> .	<i>Trifolium odoratum</i> .
“ <i>pandurata</i> .	<i>Wigandia Vigieri</i> .
<i>Glaucium</i> ( <i>Horned Poppy</i> ).	<i>Zea Japonica</i> .

## Annuals, Etc., for Vases and Hanging Baskets

<i>Ageratum</i> , in varieties.	<i>Cineraria maritima</i> .
<i>Alonsoa</i> , in varieties.	<i>Clintonia elegans</i> .
<i>Alyssum maritimum</i> .	<i>Convolvulus minor</i> .
<i>Asparagus Sprengeri</i> .	“ <i>Mauritanicus</i> .
<i>Aubrietia deltoidea</i> .	<i>Eschscholzia mandarin</i> .
<i>Brachycome</i> ( <i>Swan River Daisy</i> ).	<i>Fenzlia dianthiflora</i> .
<i>Calandrinia umbellata</i> .	<i>Gilia tricolor</i> , in varieties.
<i>Callirrhœ pedata</i> .	<i>Iberis odorata</i> , in varieties.
<i>Centaurea candidissima</i> .	<i>Leptosiphon</i> , in varieties.

ANNUALS, ETC., FOR VASES AND HANGING BASKETS. *continued*

*Linum* (Flax).  
*Loasa lateritia*.  
*Lobelia gracilis*, in varieties.  
*Lophospermum*, in varieties.  
*Malcolmia* (Virginian Stock).  
*Maurandia*, in varieties.  
*Mimulus* (Musk Plant).  
 " (Monkey-Flower).  
*Nemophila* (Love-Grove).  
*Nierembergia gracilis*.  
*Nolana prostrata*.  
*Pelargonium*, *Zonale* (Geranium).  
*Petunia*, in varieties.

*Portulaca*, in varieties.  
*Reseda odorata* (Mignonette).  
*Sanvitalia procumbens*.  
*Saponaria* (Soapwort).  
*Saxifraga*, in varieties.  
*Sedum* (Stonecrop).  
*Thunbergia*, in varieties.  
*Tropæolum* (Nasturtium).  
*Verbena*, in varieties.  
*Vinca* (Madagascar Periwinkle).  
*Viola tricolor* (Pansy).  
*Viscaria* (Rose of Heaven).  
*Zinnia Haageana*.

## Annuals, Etc., for Bouquets and Nosegays

*Abronia umbellata*.  
*Ageratum*, in varieties.  
*Alyssum* (Sweet Alyssum).  
*Antirrhinum* (Snapdragon).  
*Aquilegia* (Columbine).  
*Asperula azurea*.  
*Aster Chinensis*, and varieties.  
*Balsamina camelliæflora*.  
*Cacalia* (Tassel-Flower).  
*Celosia kermesina*.  
*Centaurea* (Sweet Sultan).  
 " *Cyanus* (Bluebottle).  
*Centranthus*, in varieties.  
*Chrysanthemum*, in varieties.  
*Clintonia pulchella*.  
*Collinsia*, in varieties.  
*Cosmos*.  
*Cuphea*.  
*Cynoglossum* (Venus' Navelwort).  
*Dianthus Chinensis* (Pinks).  
 " *barbatus* (Sweet William).  
 " *caryophyllus* (Carnation).  
*Delphinium* (Larkspur).  
*Didiscus cæruleus*.  
*Erysimum* (Hedge Mustard).

*Gaillardia*.  
*Gilia*, in varieties.  
*Gomphrena* (Globe Amaranth).  
*Gypsophila*, in varieties.  
*Heliotropium* (Heliotrope).  
*Hesperis* (Sweet Rocket).  
*Iberis odorata*, in varieties.  
*Lathyrus* (Sweet Peas).  
*Leptosiphon*, in varieties.  
*Lychnis Chalcedonica*.  
*Matthiola* (Ten-Weeks Stock).  
*Myosotis* (Forget-me-not).  
*Nigella* (Love-in-a-Mist).  
*Phlox Drummondii*, in varieties.  
*Reseda* (Mignonette).  
*Salpiglossis hybrida*.  
*Scabiosa* (Mourning Bride).  
*Senecio* (Jacobæa).  
*Silene Armeria* (Catchfly).  
*Smilax asparagoides*.  
*Tropæolum* (Nasturtium).  
*Verbena*, in varieties.  
*Viola tricolor* (Pansy).  
*Viscaria*, in varieties.  
*Zinnia elegans fl. pl.*

## Index to Common Names

<i>Common Name</i>	<i>Botanical Name</i>	<i>Common Name</i>	<i>Botanical Name</i>
African Marigold . . . . .	<i>Tagetes</i> .	Bell-Flower . . . . .	<i>Campanula</i> .
African Daisy . . . . .	<i>Athanasia</i> .	Bouncing Bet . . . . .	<i>Saponaria</i> .
Allegheny Vine . . . . .	<i>Adlumia</i> .	Blue Hibiscus . . . . .	<i>Anoda</i> .
Amethyst . . . . .	<i>Browallia</i> .	Californian Poppy . . . . .	<i>Platystemon</i> .
Animated Oats . . . . .	<i>Avena</i> .	Calomaria . . . . .	<i>Humea</i> .
Arabian Primrose . . . . .	<i>Arnebia</i> .	Candytuft . . . . .	<i>Iberis</i> .
Armeria . . . . .	<i>Statice</i> .	Canary-Bird Flower . . . . .	<i>Tropæolum</i> .
Aster . . . . .	<i>Aster</i> .	Canterbury Bells . . . . .	<i>Campanula</i> .
Auricula . . . . .	<i>Primula</i> .	Cape Marigold . . . . .	<i>Calendula</i> .
Baby's Breath . . . . .	<i>Gypsophila</i> .	Carnation Pink . . . . .	<i>Dianthus</i> .
Balsams . . . . .	<i>Balsamina</i> .	Cardinal-Flower . . . . .	<i>Lobelia</i> .
Balsam Apple . . . . .	<i>Momordica</i> .	Castor Bean . . . . .	<i>Ricinus</i> .
Balsam Pear . . . . .	<i>Momordica</i> .	Catchfly . . . . .	<i>Silene</i> .
Balm of Gilead . . . . .	<i>Dracocephalum</i> .	China Pink . . . . .	<i>Dianthus</i> .
Balloon Vine . . . . .	<i>Cardiospermum</i> .	Chinese Bell-Flower . . . . .	<i>Abutilon</i> .
Banana . . . . .	<i>Musa</i> .	Chinese Primrose . . . . .	<i>Primula</i> .
Bachelor's Buttons . . . . .	<i>Globe Amaranth</i> .	Chinese Larkspur . . . . .	<i>Delphinium</i> .
Beans . . . . .	<i>Phaseolus</i> .	Chinese Lantern Plant . . . . .	<i>Physalis</i> .
Bearded Pentstemon . . . . .	<i>Chelone</i> .	Cigar Plant . . . . .	<i>Cuphea</i> . [num.
Bee Larkspur . . . . .	<i>Delphinium</i> .	Clary . . . . .	<i>Salvia Hormi-</i>
Bladder Ketmia . . . . .	<i>Hibiscus</i> .	Climbing Cucumber . . . . .	<i>Cyclanthera</i> .
Bluebottle . . . . .	<i>Centaurea</i> .	Clove Pink . . . . .	<i>Dianthus</i> .
Boston Ivy . . . . .	<i>Ampelopsis</i> .	Cockscomb . . . . .	<i>Celosia</i> .



## INDEX TO COMMON NAMES continued

<i>Common Name</i>	<i>Botanical Name</i>	<i>Common Name</i>	<i>Botanical Name</i>
Columbine . . . . .	Aquilegia.	Marvel of Peru . . . . .	Mirabilis.
Coral Plant . . . . .	Erythrina.	Mexican Poppy . . . . .	Argemone.
Cordylone . . . . .	Dracena.	Mignonette . . . . .	Reseda.
Coreopsis . . . . .	Calliopsis.	Mock Orange . . . . .	Cucurbita.
Cosmos . . . . .	Cosmos.	Monkey-Flower . . . . .	Mimulus.
Cowslip . . . . .	Primula veris.	Monk's-Hood . . . . .	Aconitum.
Cucumber Vine . . . . .	Cucumis.	Morning-Glory . . . . .	Convolvulus.
Cypress Vine . . . . .	Ipomœa.	Mountain Fringe . . . . .	Adlumia.
Dahlia . . . . .	Dahlia.	Mourning Bride . . . . .	Scabiosa.
Daisy . . . . .	Bellis.	Musk Plant . . . . .	Mimulus.
Dame's Violet . . . . .	Hesperis. [mum.]	Myrtle . . . . .	Myrtus.
Dew Plant . . . . .	Mesembryanth.	Nasturtium . . . . .	Tropæolum.
Dusty Miller . . . . .	Cineraria.	Old Maid . . . . .	Vinca.
Dutchman's Pipe . . . . .	Aristolochia.	Pansy . . . . .	Viola.
Ecchremocarpus . . . . .	Calampelis.	Passion-Flower . . . . .	Passiflora.
Eggplant . . . . .	Solanum.	Pasque-Flower . . . . .	Anemone.
Eternal-Flower . . . . .	Helichrysum.	Petunia . . . . .	Petunia.
Evening Primrose . . . . .	Oenothera.	Pheasant's-Eye . . . . .	Adonis.
Everlasting Peas . . . . .	Lathyrus.	Pheasant's-Eye Pink . . . . .	Dianthus.
Fever-and-Agüe Plant . . . . .	Eucalyptus.	Phlox . . . . .	Phlox.
Feverfew . . . . .	Pyrethrum.	Pinks . . . . .	Dianthus.
Feather Grass . . . . .	Stipa.	Polyanthus . . . . .	Primula.
Flax . . . . .	Linum.	Poppy . . . . .	Papaver.
Forget-me-not . . . . .	Myosotis.	Pot Marigold . . . . .	Calendula.
Foxglove . . . . .	Digitalis.	Primrose . . . . .	Primula.
Four-O'clock . . . . .	Mirabilis.	Prince's Feather . . . . .	Amarantus.
French Marigold . . . . .	Tagetes.	Quaking Grass . . . . .	Briza.
Gas Plant . . . . .	Dictamnus.	Rock Plant . . . . .	Aubretia.
Gay-Feather . . . . .	Liatris.	Rose, African . . . . .	Papaver Rhœa.
Geranium . . . . .	Pelargonium.	Rose-of-Heaven . . . . .	Viscaria.
Gilliflower . . . . .	Matthiola.	Rose Campion . . . . .	Agrostemma.
Globe Amaranth . . . . .	Gomphrena.	Sage . . . . .	Salvia.
Glory Vine . . . . .	Cianthus.	Satin-Flower . . . . .	Lunaria.
Gourds . . . . .	Cucurbita.	Scotch Broom . . . . .	Cytisus.
Heartsease . . . . .	Viola.	Sensitive Plant . . . . .	Mimosa.
Heath . . . . .	Erica.	Silk Oak . . . . .	Grevillea.
Hedge Mustard . . . . .	Erysimum.	Slipperwort . . . . .	Calceolaria.
Hedgehog . . . . .	Hedysarum.	Smilax . . . . .	Myrsiphyllum.
Heliotrope . . . . .	Heliotropium.	Snake Cucumber . . . . .	Cucumis.
Hollyhock . . . . .	Althæa.	Snapdragon . . . . .	Antirrhinum.
Honesty . . . . .	Lunaria.	Spider-Flower . . . . .	Cleome.
Honeysuckle . . . . .	Lonicera.	Stock Gilli . . . . .	Matthiola.
Horn-of-Plenty . . . . .	Datura.	Stonecrop . . . . .	Sedum.
Horned Poppy . . . . .	Glaucium.	Sun Dial . . . . .	Lupins.
Hyacinth Bean . . . . .	Dolichos. [mum.]	Sunflower . . . . .	Helianthus.
Ice Plant . . . . .	Mesembryanth.	Sun Plant . . . . .	Portulaca.
Immortal-Flower . . . . .	Xeranthemum.	Snow-on-the-Mountain . . . . .	Euphorbia.
Imperial Pink . . . . .	Dianthus.	Swallowwort . . . . .	Asclepias.
Indian Shot . . . . .	Canna.	Swan River Daisy . . . . .	Brachycome.
Jacob's Ladder . . . . .	Polemonium.	Sweet Clover . . . . .	Trifolium.
Japan Hop . . . . .	Humilis.	Sweet Peas . . . . .	Lathyrus.
Japanese Maize . . . . .	Zea.	Sweet Rocket . . . . .	Hesperis.
Japan Pink . . . . .	Dianthus.	Sweet Sultan . . . . .	Centaurea.
Job's Tears . . . . .	Coix (grass).	Sweet William . . . . .	Dianthus.
Joseph's Coat . . . . .	Amarantus.	Tassel-Flower . . . . .	Cacalia.
Lady's-Slipper . . . . .	Balsamina.	Tobacco . . . . .	Nicotiana.
Larkspur . . . . .	Delphinium.	Touch-me-not . . . . .	Impatiens.
Lemon Verbena . . . . .	Aloysia.	Variegated Spurge . . . . .	Euphorbia.
Lobelia . . . . .	Lobelia.	Venus' Looking-Glass . . . . .	Campanula.
London Pride . . . . .	Dianthus.	Venus' Navelwort . . . . .	Cynoglossum.
Love-Grove . . . . .	Nemophila.	Verbena . . . . .	Verbena.
Love-Grass . . . . .	Eragrostis.	Virginian Stock . . . . .	Malcolmia.
Love-in a-Mist . . . . .	Nigella.	Virgin's Bower . . . . .	Clematis.
Love-in-a-Puff . . . . .	Cardiospermum.	Wallflower . . . . .	Cheiranthus.
Love-lies-bleeding . . . . .	Amarantus.	Wild Cucumber . . . . .	Echinocystis.
Maiden Pink . . . . .	Dianthus.	Windflower . . . . .	Anemone.
Marigold . . . . .	Tagetes.	Youth-and-Old-Age . . . . .	Zinnia.



Aquilegia



Coreopsis



• Silene

## Hardy Perennial Plants

FOR PERMANENT PLANTING IN OPEN BORDERS

Prices for any of the following, 25 cts. each, \$2.25 per doz.

Varieties	Height	Color	Time of Bloom
<i>Aconitum Napellus</i> (Monk's-hood) . . . . .	3 ft.	Blue	June
<i>Achillea</i> , "The Pearl" . . . . .	1½ "	White	All Summer
" <i>tomentosa</i> (Downy Yarrow) . . . . .	1 "	Yellow	Summer
<i>Adonis vernalis</i> (Spring Adonis) . . . . .	1 "	Yellow	May
<i>Ajuga reptans rubra</i> (Dark Foliage) . . . . .	6 in.	Blue	Summer
<i>Alstromeria aurantiaca</i> (Peruvian Lily) . . . . .	2 to 3 ft.	Orange	All Season
<i>Alyssum saxatile</i> (Golden Tuft) . . . . .	1 ft.	Yellow	Early Spring
<i>Anemone Japonica alba</i> . . . . .	2 "	White	Fall
"    " <i>rubra</i> . . . . .	2 "	Red	Fall
" <i>Pennsylvanica</i> . . . . .	1 "	White	Spring
<i>Anthemis tinctoria</i> (Yellow Chamomile) . . . . .	1 "	Yellow	July to Nov.
<i>Anthericum</i> (St. Bruno's Lily) . . . . .	3 "	White	Summer
<i>Aquilegia</i> (Columbine) . . . . .	1½ "	Assorted	Early Summer
<i>Arabis albida</i> (Rock Cress) . . . . .	6 in.	White	May
<i>Armeria maritima</i> (Sea Pink) . . . . .	1 ft.	Rose	Spring
<i>Artemisia Abrotanum</i> (Southernwood) . . . . .	2 "	Yellow	Fragrant fol.
<i>Asclepias tuberosa</i> (Butterfly-Flower) . . . . .	2 "	Orange	June
<i>Asperula odorata</i> (Woodruff) . . . . .	1 "	White	Summer
<i>Asphodelus luteus</i> (Asphodel) . . . . .	3 "	Yellow	May to July
<i>Aster Novæ-Anglæ</i> (New England Aster) . . . . .	3 "	Purple	Fall
<i>Astilbe Japonica</i> (Japan Astilbe) . . . . .	1½ "	White	Early Summer
<i>Baptisia australis</i> (Blue False Indigo) . . . . .	3 to 5 ft.	Blue	Early Summer
<i>Bocconia cordata</i> (Tree Celandine) . . . . .	6 ft.	Cream	Summer
<i>Boltonia asteroides</i> (False Chamomile) . . . . .	4 "	White	All Summer
<i>Callirrhoe involucrata</i> (Creeping Mallow) . . . . .	4 in.	Crimson	All Summer
<i>Campanula</i> (Canterbury Bells) . . . . .	2 ft.	Assorted	Early Summer
<i>Cassia Marilandica</i> (American Senna) . . . . .	4 "	Yellow	July
<i>Centranthus ruber</i> (Red Valerian) . . . . .	2 "	Red	All Summer
<i>Clematis Davidiana</i> (Hyacinth Clematis) . . . . .	2 "	Blue	Summer
<i>Coreopsis lanceolata</i> . . . . .	1½ "	Yellow	All Season
" <i>rosea</i> (Rosy Coreopsis) . . . . .	1 "	Rose	All Season
<i>Delphinium album</i> (White Larkspur) . . . . .	3 "	White	June to Nov.
" <i>formosum</i> (Blue Larkspur) . . . . .	3 "	Blue	All Summer
<i>Desmodium penduliflorum</i> (Pea Shrub) . . . . .	4 "	Carmine	All Season
<i>Dianthus barbatus</i> (Sweet William) . . . . .	1½ "	Assorted	Summer
<i>Dicentra</i> . . . . .	1 "	Rose	Summer
" <i>spectabilis</i> (Bleeding-Heart) . . . . .	2 "	Pink	May, June
<i>Dictamnus Fraxinella</i> (Gas Plant) . . . . .	2 "	Red	Summer
"    " <i>alba</i> . . . . .	2 "	White	Summer
<i>Digitalis</i> (Foxglove) . . . . .	3 to 5 ft.	Assorted	July and Aug.
<i>Dodecatheon Meadia</i> (Shooting Star) . . . . .	1 ft.	Rose	May and June
<i>Doronicum Caucasicum</i> (Leopard's Bane) . . . . .	1 "	Yellow	Early Spring
" <i>plantagineum excelsum</i> . . . . .	1 "	Yellow	May to Sept.
<i>Eryngium amethystinum</i> (Sea Holly) . . . . .	2 "	Blue	July, Aug.
<i>Eupatorium ageratoides</i> (Snakeroot) . . . . .	3 "	White	Summer



Varieties	Height	Color	Time of Bloom
<i>Euphorbia corollata</i> (Flowering Spurge) . . . . .	1 ft.	White	Summer
<i>Funkia Sieboldii</i> , var. (Variegated Lily) . . . . .	2 "	Variegated	Foliage
" <i>subcordata</i> (White Plantain Lily) . . . . .	2 "	White	Summer
<i>Gaillardia grandiflora</i> (Aurora-Flower) . . . . .	1 1/2 "	Orange	June to Nov.
<i>Glechoma</i> (Variegated Ground Ivy) . . . . .	6 in.	Blue	Summer
<i>Gypsophila paniculata</i> (Baby's Breath) . . . . .	1 ft.	White	Summer
<i>Helenium autumnale</i> . . . . .	5 "	Yellow	Fall
<i>Helianthus Maximiliani</i> (Sunflower) . . . . .	6 "	Yellow	November
" <i>multiflorus</i> (Sunflower) . . . . .	4 "	Yellow	All Season
<i>Heliopsis Pitcherianus</i> (Sunflower) . . . . .	3 "	Yellow	All Season
<i>Helleborus niger</i> (Christmas Rose) . . . . .	1 "	White	Spring
<i>Hemerocallis Dumortieri</i> (Day Lily) . . . . .	2 "	Orange	Summer
" <i>flava</i> (Yellow Day Lily) . . . . .	2 "	Yellow	Summer
<i>Heuchera sanguinea</i> (Alum Root) . . . . .	1 "	Red	All Summer
<i>Hibiscus, Crimson Eye</i> (Mallow) . . . . .	4 to 6 ft.	Wh. & crim.	Aug. to Oct.
<i>Iberis Gibraltaria</i> (Candytuft) . . . . .	1 ft.	White	Spring
Iris, Japanese. See page 62.			
<i>Liatis pycnostachya</i> (Gay-Feather) . . . . .	4 "	Carmine	Aug. to Sept.
<i>Lobelia cardinalis</i> (Cardinal-Flower) . . . . .	3 "	Red	Aug. to Oct.
" <i>syphilitica</i> (Great Blue Lobelia) . . . . .	3 "	Blue	September
<i>Lupinus polyphyllus</i> (Lupins) . . . . .	3 "	Blue	June
<i>Lychnis</i> (Double Rose, Ragged Robin) . . . . .	1 "	Rose	All Season
" <i>Chalcedonica</i> (Maltese Cross) . . . . .	2 to 3 ft.	Scarlet	June and July
<i>Lysimachia</i> (Moneywort) . . . . .	2 in.	Yellow	Summer
<i>Malva moschata alba</i> (Musk Mallow) . . . . .	5 ft.	White	Summer
<i>Mertensia Virginica</i> (Lungwort) . . . . .	2 "	Blue	May and June
<i>Monarda didyma</i> (Oswego Tea) . . . . .	1 1/2 "	Red	Summer
<i>Myosotis palustris</i> (Forget-me-not) . . . . .	1 "	Blue	Summer
<i>Oenothera Fraseri</i> (Dwarf Day Primrose) . . . . .	1 "	Yellow	All Season
" <i>Missouriensis</i> (Evening Primrose) . . . . .	4 "	Yellow	Summer
Peonies, Herbaceous. See page 62.			
<i>Papaver bracteatum</i> (Oriental Poppy) . . . . .	3 "	Blood-red	Summer
" <i>orientale</i> (Oriental Poppy) . . . . .	3 "	Scarlet	Summer
<i>Pardanthus</i> (Blackberry Lily) . . . . .	3 "	Orange	Aug., Sept.
<i>Pentstemon barbatus</i> , var. <i>Torreyi</i> . . . . .	4 "	Scarlet	All Summer
<i>Phlox amœna</i> (Lovely Phlox) . . . . .	1 "	Light rose	Spring
" <i>subulata</i> (Moss Pink) . . . . .	6 in.	Pink	Spring
" " <i>alba</i> . . . . .	6 "	White	Spring
Phloxes, Assorted.			
<i>Platycodon grandiflorum</i> (Bellflower) . . . . .	2 to 3 ft.	Assorted	June to Aug.
<i>Plumbago Larpentæ</i> (Blue Leadwort) . . . . .	1 ft.	Purple	All Summer
<i>Polemonium cœruleum</i> (Jacob's Ladder) . . . . .	1 "	Blue	Spring
<i>Polygonum</i> (Mountain Fleece) . . . . .	4 to 5 ft.	White	Summer
<i>Primula elatior</i> (Cowslip) . . . . .	1 ft.	Assorted	Spring
<i>Pyrethrum hybridum</i> (Persian Daisy) . . . . .	1 1/2 "	Assorted	Summer
<i>Rhexia Virginica</i> (Meadow Beauty) . . . . .	1 "	Rosy purple	Late Summer
<i>Rudbeckia</i> (Golden Glow) . . . . .	3 "	Yellow	September
<i>Salvia pratensis</i> (Meadow Sage) . . . . .	1 "	Blue	All Summer
<i>Scabiosa Caucasica</i> (Blue Scabiosa) . . . . .	1 "	Lilac	All Summer
<i>Silene Pennsylvanica</i> (Catchfly) . . . . .	1/2 "	Pink	May and June
<i>Spiræa Filipendula</i> (Dropwort) . . . . .	2 "	White	Summer
" <i>palmata</i> (Palmate Spirea) . . . . .	3 "	Rose	Summer
" <i>Ulmaria</i> (Meadow Sweet) . . . . .	2 "	White	Summer
<i>Stachys lanata</i> (White Foliage) . . . . .	1 "	Purple	Summer
<i>Thalictrum aquilegifolium</i> (Columbine Meadow Rue) . . . . .	2 "	Purplish	Summer
<i>Tradescantia Virginica</i> (Spiderwort) . . . . .	2 "	Purple	Summer
<i>Tricyrtis hirta nigra</i> (Toad Lily) . . . . .	1 "	Spotted	Fall
<i>Tritoma</i> (Red-Hot-Poker Plant) . . . . .	3 to 4 ft.	Scarlet	Fall
<i>Valeriana officinalis</i> (Garden Heliotrope) . . . . .	3 ft.	Lavender	Summer
<i>Verbascum nigrum</i> (Dark Mullein) . . . . .	3 "	Yellow	July to Fall
<i>Veronica subsessilis</i> (Speedwell) . . . . .	2 "	Blue	August
" <i>spicata</i> . . . . .	3 "	Blue	All Summer
" " <i>alba</i> . . . . .	3 "	White	All Summer
<i>Vinca</i> (Creeping Myrtle) . . . . .	1/2 "	Blue	Spring
" (Creeping Myrtle) . . . . .	1/2 "	White	Spring
<i>Yucca filamentosa</i> (Adam's Needle) . . . . .	5 to 8 ft.	White	July, Aug.

## Bulbs and Tuberous Roots

The following are kept in stock or supplied to order



Tuberous-rooted Begonias

### TUBEROUS-ROOTED BEGONIAS

The tuberous-rooted Begonias are among the handsomest of our summer-flowering bulbs.

**Single Finest Mixed.** 10 cts. each, \$1 per doz., \$5 per 100.

**Double Finest Mixed.** 20 cts. each, \$2 per doz., \$10 per 100.

### AMARYLLIS

Splendid greenhouse bulbs, and also well suited for house culture.

**Belladonna.** Violet and white. 20 cts. each, \$2 per doz.

**Formosissima.** 30 cts. each, \$3 per doz.

**Johnsonii.** 75 cts. each.

**Vittata rubra.** 50 cts. each.

### CONVALLARIA MAJALIS

(Lily-of-the-Valley)

The most charming of spring-flowering plants. Large clumps, 30 cts. each.

### CALADIUMS, FANCY

Leaves spotted with various colors in the richest manner; superb for summer decorations.

**Distinct Sorts.** For pot culture. 25 cts. each, \$2.50 per doz.

### CALADIUM ESCULENTUM

One of the most attractive ornamental foliage plants in cultivation. 10 cts. each, \$1 per doz.; extra-large bulbs, 25 cts. each, \$2.25 per doz.; mammoth bulbs, 35 cts. each, \$3.50 per doz.

### DAHLIAS

Well-known summer- and fall-blooming plants, affording grand flowers of the brightest colors.

**Single, Pompon, Large-flowering and Cactus Varieties.** 20 cts. each, \$2 per doz.

### DIELYTRA SPECTABILIS

(Bleeding-Heart)

A good companion to *Astilbe Japonica*; has lovely pink and white flowers in June, gracefully borne. 30 cts. each, \$3 per doz.

### DOUBLE TUBEROSES

One of the most fragrant and beautiful of summer-flowering bulbs.

**Pearl.** Flowers very large, imbricated like a rose; dwarf habit. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

### FUNKIA (Hemerocallis)

(Day Lily)

Handsome perennial plants. They are quite hardy and require a moist soil and shady situation. 30 cts. each, \$3 per doz.

## CANNAS

Cannas should not be planted until all danger of frost is past. To secure early start, the bulbs should be placed in sand in warm situation and given plenty of moisture; by May they will be far enough advanced to make a fair showing in two weeks after planting out.

	Each.	Doz.
<b>Alphonse Bouvier.</b> Crimson. 6 ft.	\$0 05	\$0 50
<b>Austria.</b> Yellow, spotted crimson. 6 ft. . . . .	05	50
<b>Charles Henderson.</b> Crimson. 4 ft.	05	50
<b>Crimson Bedder.</b> Crimson. 2 ft. . . . .	10	1 00
<b>Flamingo.</b> Scarlet. 4 ft. . . . .	10	75
<b>Florence Vaughan.</b> Yellow, spotted crimson. 6 ft. . . . .	05	50
<b>Italia.</b> Red, gilt edge. 3 ft. . . . .	05	50
<b>Mme. Crozy.</b> Red, gilt edge. 3 ft. . . . .	05	50

	Each.	Doz.
<b>President Cleveland.</b> Orange-scarlet. 5 ft. . . . .	\$0 10	\$1 00

### DARK FOLIAGE CANNAS

<b>Black Beauty.</b> Crimson. 3½ ft. . . . .	15	1 50
<b>Egandale.</b> Rose. 5 ft. . . . .	10	1 00
<b>King Humbert.</b> Orange-scarlet. 3½ ft. . . . .	25	2 50
<b>Musafolia.</b> Red. 8 ft. . . . .	10	1 00
<b>Robusta.</b> Red. 5 ft. . . . .	05	50
<b>Shenandoah.</b> Rose. 3 ft. . . . .	05	50



# DAHLIAS

## NEW AND RARE DAHLIAS

**Red Giant.** Very large, rich red, edged yellow. Plants \$1 each.

**Rose Century.** Very large, light rose with deep rose blotch. Plants 50 cts. each.

**Gorgeous.** Dazzling scarlet; fine for cut-flowers. Plants 75 cts. each.

## NEW CACTUS DAHLIAS

**Amos Perry.** Bright scarlet; dwarf habit; blooms profusely. Plants 40 cts. each.

**Alpha.** White, spotted and flushed pink and crimson. Plants 40 cts. each.

**Etna.** Lilac, tinged violet, shaded yellow at base. Plants 25 cts. each.

**Lord Roberts.** Fine; pure white. Plants 25 cts. each.

**Uncle Tom.** Best black in this class. Plants 25 cts. each.

**Aunt Chloe.** Dark maroon, shaded black. Roots 25 cts. each, \$2.50 per doz.

**Brunhilde.** Deep rich plum. Large-sized flowers; profuse bloomer. Roots 25 cts. each \$2.50 per doz

**Flamingo.** Bright scarlet; very large. Plants 20 cts. each, \$2 per doz.

**General Butler.** Deep rich velvety maroon, tipped white. Roots 25c. each, \$2.50 per doz.

**J. Weir Fife.** Bluish purple, maroon shades. Roots 25 cts. each, \$2.50 per doz.

**Kriemhilde.** Delicate pink, shading to white. Roots 20 cts. each, \$2 per doz.

**Mars.** Dazzling scarlet; good size. Plants 25 cts. each, \$2.50 per doz.

**Purity.** Pure white; medium size. Plants 20 cts. each, \$2 per doz.

**Winsome.** Very fine white. Very large. Plants 25 cts. each, \$2.50 per doz.

## DECORATIVE DAHLIAS

**Gettysburg.** New variety; bright, rich, pure scarlet; very early. Plants 40 cts., \$4 per doz

**Cuban Giant.** Immense size, dark glowing crimson, shaded maroon. Plants 30 cts. each, \$3 per doz.

**Mad. Van den Dael.** Grand variety; shell-pink. Plants 40 cts. each, \$4 per doz.

**Mrs. Roosevelt.** Very double, large, grand flowers of exquisite pink. Roots 30 cts. each, \$3 per doz.

**Catherine Duer.** Large, strong-flowering; bright crimson-scarlet.

**Black Beauty.** Dark velvety maroon.

**Bronze Beauty.** Golden yellow and bronze.

**Clifford W. Bruton.** The best yellow. Immense size, perfect form; finest canary-yellow. The standard cut-flower variety.

**Claribel.** Very large, bright purple, with long stems; fine for cutting.

**Grand Duke Alexis.** Very large white, tinted pale lavender. Quilled petals.

**Henry Patrick.** Large, white; long stems.



William Agnew

**John Elitch.** Very large, perfectly formed, with long stems; color deep crimson, richly shaded.

**Nymphæa.** Color clear, light, shrimp-pink; tinting lighter toward the center. Valuable for all purposes.

**Oban.** Very large; rosy lavender, overlaid delicate silvery lawn.

**Perle d'Or.** Best white decorative Dahlia to date, being of exquisite chrysanthemum form; early and profuse bloomer.

**Wilhelm Miller.** Brilliant purple; very large and distinct.

**William Agnew.** Best red ever introduced, of intense glistening scarlet-crimson. Immense size, perfect form, and always a mass of color. Very effective for all purposes.

**Zulu (the Black Dahlia).** Jet-black, changing to black-maroon as the flower fully expands.

**Strong roots of all of above, 20 cts. each, \$2 per doz., except where noted**

## VERY CHOICE SHOW DAHLIAS

**A. D. Livoni.** Beautiful soft pink, with quilled petals. The standard pink for cutting.

**Alice Emily.** Fine shape, pure, rich yellow.

**Aleta.** Delicate blush-pink, tipped darker. Fine form; extremely profuse bloomer.

**Arabella.** Very fine form. Color pale primrose, tipped and shaded old-rose and lavender.

**Armorer.** Deep red, dwarf, and a profuse bloomer.

**Beauty.** Snow-white; perfect form; fine.

**Burgundy.** Deep plum, with white and carmine markings at the base of the petal. Large and showy.

## SHOW DAHLIAS, continued

**Camellia alba.** Dwarf; pure white; fine form.

**Camellia flora.** A fine white Show Dahlia.

**Carol.** Pure white, delicately tinted soft pink.

**Client.** Large, deep, velvety crimson. Very fine.

**Diadem.** Dark, rich crimson; fine form.

**Duchess of Cambridge.** White, suffused pink, edged and tipped shades of purple.

**Ethel Britton.** Large, soft blush-pink.

**Emily Edwards.** White, suffused pink.

**Emily.** Shades of lavender and white.

Very large, beautiful and striking.

**Eclipse.** Brilliant scarlet.

**Electric.** Soft, rosy magenta.

**Flora Nova.** Rich purple; petals quilled. Fine.

**George Smith.** Fine large crimson; perfect form.

**Hercules.** Very large, rich crimson-scarlet.

**Hero.** Deep crimson-maroon, shaded purple.

**Hon. Mrs. P. Wyndham.** Light yellow, tipped crimson-pink, shaded darker.

**Jamaica.** Deep rich purple, shaded maroon.

**James Vick.** Rich plum; profuse bloomer.

**James Stephens.** Very large, orange-scarlet.

**John Bennett.** Large yellow, tipped red.

**John Sladden.** Darkest velvety maroon.

**Japan Pink.** Deep pink, quilled petals.

**J. T. West.** Beautiful variety. White, suffused pink, tipped crimson-maroon.

**John Thorpe.** Very large; soft, rich pink. Very fine form.

**John Walker.** The best pure white Show Dahlia for exhibition purposes. Beautiful full round form with high center.

**Kaiser Wilhelm.** Very large, fine form; quilled petals; yellow, lightly tipped carmine.

**Lady Maude Herbert.** Pale yellow, shaded peach, tipped crimson.

**Lady G. Herbert.** White, tipped deep purple.

**La France.** Large, soft, delicate pink.



**Le Phare.** Fine bright red; long stems.

**Mad. Moreau.** Very large, with long stems; deep rosy pink.

**Magnificent.** Pure light yellow, lightly shaded. Dwarf and profuse.

**Mary D. Hallock.** A fine yellow-quilled variety.

**Margaret Bruant.** Dwarf and free; pure white.

**Margaret Bell.** Very large; soft carmine-rose.

**Miss Cannell.** White, suffused and heavily tipped crimson-purple. Large, with long, graceful stems.

**Miss May Lomas.** Delicate pure white, suffused soft pink.

**Miss Dodd.** Very large, pure yellow.

**Mrs. Dexter.** Very large; a rich shade of salmon.

**Mrs. Gladstone.** One of the finest exhibition varieties. Delicate shell-pink. Fine texture.

**Mrs. N. Halls.** Very large, deep crimson-purple, full, high center. One of the best.

**Mrs. Langtry.** Very fine; cream, peach and purple.

**Madge Wildfire.** Bright flaming scarlet, shaded red.

**Mrs. David Saunders.** Rosy lake and white; fine form.

**Nero.** Dark crimson-maroon.

**Oriole.** Rich yellow, edged and tipped red.

**Paul's Scarlet.** Brightest scarlet.

**Princess Bonnie.** A fine large white.

**Prince Bismarck.** Rich plum; large and fine.

**Purity.** A beautiful new white.

**Queen of the Belgians.** Very delicate blush-pink; round form; full high center; early and profuse bloomer.

**Queen of Yellows.** A beautiful clear yellow.

**Queen Victoria.** Deep yellow, finely quilled.

**Red Hussar.** Intense scarlet-crimson; the best of its color.

**Ronald.** A fine deep rich orange.

**Royal Queen.** Yellow, heavily tipped red.

**Ruby Queen.** Ruby red, richly shaded; fine large flowers and long stems. Profuse flowering.

**Ruth.** Pure white, sometimes edged blush.

**Sport.** A pure lavender sport of Penelope.

**Sir Charles Mills.** Large, pure golden yellow; full round form, full to the center. One of the best.

**Snow.** White; profuse bloomer.

**Stanley.** Bright golden yellow, heavily tipped red.

**Thomas White.** Darkest velvety maroon.

**Triomphe de Solferino.** Dwarf; bright solferino; very large; a good bedder.

**Verdiflora (Green Dahlia).** Absolutely green flowers, and valuable as a curiosity.

**White Dove.** Pure white, fringed petals; long stems.

**White Swan.** Snow-white, of beautiful form, with long stems.

**Willie Garrett.** Richest crimson-scarlet; perfect form; profuse bloomer. A good companion to Storm King.



## GLADIOLI

Superb fall-flowering bulbs of easy growth; any good soil suits them. Plant as soon as all danger from frost is past, about 3 inches deep and 7 or 8 inches apart.

<b>Groff's New Hybrids.</b> A magnificent strain of rich colors.	Per 100.	1,000.
	\$2 00	\$15 00
<b>Meadowvale Mixture.</b> First size; very fine collection . .	1 50	12 00
<b>Childsii.</b> A superb mixture of large-flowering varieties . .	3 00	25 00
<b>Orange and Yellow Shades . .</b>	5 00	50 00
<b>Scarlet and Red Shades . . .</b>	1 50	12 00



Gladioli

<b>White and Light Shades.</b> Extra fine . . . . .	Per 100	1,000
	\$3 00	\$25 00
<b>America.</b> New. Beautiful soft flesh-pink. Grandest of its color yet introduced . . .	Per doz.	100
	25 cts. each .	\$2 50 \$15 00
<b>Augusta.</b> Lovely pure white. Blue anthers . 10 cts. each .	1 00	6 00
<b>Brenchleyensis.</b> Fine scarlet .	25	1 50
<b>May.</b> Fine forcer. Pure white, flaked rosy crimson . . . .	50	3 00
<b>Madame Monneret.</b> Delicate rose . . . . .	35	2 50
<b>Shakespeare.</b> White, slightly suffused with carmine-rose .	1 00	7 00
<b>Wm. Falconer.</b> Enormous spike, with clear pink flowers . . . . .	75	4 00

**Gladiolus hybridus Princeps.**

Hybrid between the rare African *Gladiolus cruentus* and a selected Childsii seedling. Grows 4 feet high, with broad, healthy foliage. Spike erect and often 18 inches long, bearing 16 to 22 immense, broad-petaled, circular flowers, opening flat and perfect, 5 to 7 inches across. Color true salvia-scarlet, with cream-white feathering on lower petals. Endures the sun and wind well, and opens perfectly to the last bud in water. Blooms normally in August, but may be had late in October by delaying planting. Forces splendidly. 25 cts. each, \$3 per doz.

**Gladiolus, Mrs. Francis King.**

While exhibited in our store the past summer, cut-blooms of this variety excited great comment and admiration, both for size of flower and beauty. The color of the flower is a light scarlet of a very pleasing shade, which attracts attention at once. The flowers are very large, usually measuring from 3½ to 4 inches in diameter, and are borne on long stems with from four to six flowers open at one time. 10 cts. each, \$1 per doz., \$7 per 100.

**GLOXINIAS**

A charming class of summer-flowering bulbs; plants of dwarf habit, with very handsome flowers, which are borne in great abundance. 15 cts. each, \$1.50 per doz.

**HYACINTHUS CANDICANS**

A magnificent hardy plant, producing in July and August a flower-stem about 4 feet high, surmounted by a spike of numerous pendent, bell-shaped, snow-white flowers. 5 cts. each, 50 cts. per doz.

**LILIUM**

(Lily)

These magnificent bulbs are favorites everywhere.

**Auratum** (Golden-banded Lily). 15 cts. each, \$1.50 per doz.; extra size, 25 cts. each, \$2.50 per doz.

**Lancifolium album**. 20c. ea., \$2 per doz.

" **rubrum**. 15c. ea., \$1.50 per doz.

" **roseum**. 15c. ea., \$1.50 per doz.

**Candidum** (Madonna Lily). 12 cts. each, \$1.25 per doz.

**Tigrinum fl. pl.** (Tiger Lily). 15 cts. each, \$1.50 per doz.

**Tigrinum splendens**. 15 cts. each, \$1.50 per doz.



German Iris

**JAPANESE AND GERMAN IRIS**

Irises are among the most beautiful of our summer-flowering plants, and are destined to become more popular every season. Extra-choice varieties. 25 cts. each, \$2.50 per doz., \$15 per 100.

**MADEIRA, or MIGNONETTE VINE**

A beautiful climbing vine of rapid growth. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

**MANETTIA VINE**

(Manettia bicolor)

A rapid-growing plant, with scarlet and yellow flowers. An excellent pot-plant. 15 cts. each, \$1.50 per doz.

**MONTBRETIAS**

The Montbretias are among the brightest and best of summer-flowering bulbs. The bulbs should be planted from April to June in groups of three to a dozen or more. They are perfectly hardy, and, once planted, can be left to care for themselves.

**Finest Mixed**. 15 cts. each, \$1.50 per doz.

**PEONIES**

Our collections of these handsome flowers comprise the very finest that come to this country and are well worth a place in every garden.

**Tree Varieties, Assorted**. \$1 each, \$10 per doz.

**Herbaceous Varieties, Assorted**. 50 cts. each, \$5 per doz.

**Pink Shades**. 25 cts. each, \$2.50 per doz.

**White Shades**. 25 cts. each, \$2.50 per doz.

**Red Shades**. 25 cts. each, \$2.50 per doz.

**RICHARDIA ALBA MACULATA**

(Summer Calla)

Has white-spotted leaves and purplish flowers; very ornamental. 15 cts. each, \$1.50 per doz.

**TIGRIDIA**

(Tiger-Flower)

Extremely handsome, producing many magnificent flowers in the open ground.

**Conchiflora**. Yellow. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

**Pavonia**. Red. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

**Grandiflora alba**. 10 cts. each, 75 cts. per doz.

**TRITOMA UVARIA GRANDIFLORA**

(Red-Hot Poker Plant)


Very showy; produces long spikes of bright scarlet flowers—hence its common name. Large roots, 30 cts. each, \$3 per doz.



# Small Fruits

## FOREIGN GRAPE-VINES FOR VINERIES

1-year-old Vines, \$1; 2-year-old Vines, \$2

- Alicante, or Black Tokay.** H. C. A large showy black Grape; fine late variety.
- Black Barbarossa.** H. C. Berries round, very large; a late variety.
- Buckland Sweetwater.** H. C. Berries round, large; when ripe, of a pale amber; habit vigorous, and vine a good bearer.
- Canon Hall Muscat.** H. White seedling of Muscat of Alexandria, but liable to crack.
- Chasselas de Fontainebleau.** H. C. Berries round and large, juicy and sweet.
- Charlesworth White Tokay.** H. C. Berries oval and large; bunch very large, juicy and rich.
- Frontignac, White.** H. Berries round, medium size; very rich; a good bearer.
- Gros Colman.** H. Handsome; berries and bunches enormous; hangs very late.
- Hamburg, Black.** H. C. Large, sweet and juicy; a well-known and leading variety.
- Lady Downs' Seedling.** H. C. Berries large, oval, firm, sweet and richly flavored. One of the best late black Grapes.
- Madrasfield Court.** H. Black. Bunches and berries large; very handsome; flavor vinous and true Muscat; a superb Grape of the greatest merit.
- Muscat of Alexandria.** H. C. Berries large, oval, sometimes varying in size; pale amber when ripe; firm and rich.
- Muscat Hamburg.** H. Black. An excellent Grape, with the berry and flesh of Black Hamburg, and a fine Muscat flavor; requires heat.
- Trentham Black.** H. C. Berries oval; large, juicy and rich. A great bearer.
- West's St. Peter's.** H. C. A late black Grape; keeps well.
-  P. S.—Those marked H. are suitable for Hot Graperies. Those marked H. C. will grow well in either Hot or Cold Graperies.

## HARDY AMERICAN GRAPE-VINES

- Agawam.** One of the most reliable hybrid Grapes; bunches and berries large, dark red ripens with or soon after Concord; is of peculiar aromatic flavor. 50 cts. each.
- Brighton.** Very early, large red; equal to Delaware in flavor and richness. 75 cts. each.
- Catawba.** Late, red; somewhat pulpy, very sweet and rich, of an aromatic, musky flavor. Best in sandy soils. 30 cts. each.
- Concord.** Early, large, black; tender, pulpy, with a sweet, foxy flavor. Does well everywhere, and is always reliable. 50 cts. each.
- Delaware.** Early, small, light red; juicy, with a very soft pulp; very productive, and requires a rich soil. 50 cts. each.
- Diana.** Late; reddish lilac, juicy and sweet; very vigorous and very good. 35 cts. each.
- Duchess.** Whitish green; berries and bunch of medium size; fine flavor. 50 cts. each.
- Eldorado.** A very beautiful Grape, clear golden yellow and of best flavor; ripens 10 days before Concord. 50 cts. each.
- Elvira.** Medium-early; pale green, juicy and sweet. 40 cts. each.
- Hartford Prolific.** Extra-early, large and very productive. 50 cts. each.
- Iona.** Deep reddish bronze; one of the best where it succeeds. 50 cts. each.
- Niagara.** Large, white, tender and sweet; bunches very compact; a popular early white sort. 50 cts. each.
- Isabella.** Medium-early; large purplish black, with little pulp. 30 cts. each.
- Lady Washington.** White; bunches and berries quite large and of good flavor. 75c. each.
- Lindley (Rogers' No. 9).** Light bronze, berries medium size; of rich aromatic flavor. 50 cts. each.
- Martha.** Very early, large pale yellow; pulpy and very sweet. 35 cts. each.
- Merrimac (Rogers No. 19).** Early, large, black; one of the most vigorous and productive. 40 cts. each.
- Moore's Early.** Berries large, black; bunches large and very compact. 50 cts. each.
- Prentiss.** Bunches large; berries of medium size, yellowish green, sometimes tinted rose-color. 75 cts. each.



Miller Red Raspberries

## RASPBERRIES

	Per doz.	100
<b>Golden Queen.</b> Large fruit of a beautiful buff or amber color. One of the richest flavored berries . . . . .	\$1 00	\$6 00
<b>Brandywine.</b> Fruit bright red, very firm and fine-flavored ; hardy and very productive . . . . .	1 00	6 00
<b>Cuthbert.</b> Fruit red, large and sweet ; very hardy . . . . .	1 00	6 00
<b>Gregg.</b> A new black-cap of the largest size ; very productive, and of excellent quality . . . . .	1 00	6 00
<b>Loudon.</b> Fruit very large and firm, of fine rich color and flavor ; quite hardy . . . . .	1 00	6 00
<b>Miller Red.</b> Berry as large as Cuthbert ; color bright red, and ripening very early ; very productive . . . . .	1 00	6 00

## BLACKBERRIES

	Per doz.	100
<b>Erie.</b> Fruit large, firm, sweet and high-flavored ; a vigorous grower ; perfectly hardy . . . . .	\$1 00	\$6 00
<b>Kittatinny.</b> A stout, erect and vigorous-growing kind ; fruit large and delicious . . . . .	1 00	6 00
<b>New Rochelle, or Lawton.</b> Fruit very sweet and delicious when well ripened . . . . .	1 00	6 00
<b>Wilson's Early.</b> Very good ; large, firm and sweet ; hardy and productive, and one of the earliest in fruit . . . . .	1 00	6 00

## CURRANTS

	Per doz.	100
<b>Cherry.</b> A strong-growing variety ; fruit of the largest size, deep red . . .	\$1 00	\$6 00
<b>Fay's Prolific.</b> Very large and exceedingly productive ; bunches of immense size ; a popular red Currant . . . . .	1 00	6 00
<b>Red Dutch.</b> The most prolific and best flavored of the old red varieties . .	1 00	6 00
<b>Versailles.</b> Foreign ; vigorous grower ; fruit of the largest size, dark red . .	1 00	6 00
<b>White Grape.</b> Best white variety ; berry large, beautiful ; best quality . . .	1 00	6 00
<b>Victoria.</b> Late red ; of good quality . . . . .	1 00	6 00

## GOOSEBERRIES

	Per doz.	100
<b>Downing.</b> Pale green ; large, prolific and good. Best for both home and market use . . . . .	\$1 00	\$6 00
<b>Houghton's Seedling.</b> Small to medium ; fruit oval, pale red ; very productive, and free from rust . . . . .	1 00	6 00
<b>Red Jacket.</b> The most prolific and most valuable Gooseberry in America ; as large as the largest ; berry smooth. Very hardy. Quality best, and foliage best of any Gooseberry known . . . . .	1 50	12 00



# Ornamental Shrubs and Vines

## HARDY VINES AND CREEPERS

- AMPELOPSIS quinquefolia** (Virginia, or Strawberry Creeper). Leaves crimson in autumn; very strong grower. 30 cts.  
**Veitchii** (Japanese Ivy). Leaves smaller than the preceding, and of regular size; a superb vine, and perfectly hardy; foliage is richly colored in autumn. 50 cts.
- AKEBIA quinata**. Small sub-evergreen leaves; brownish flowers. 50 cts.
- ARISTOLOCHIA Siphon** (Dutchman's Pipe). Large, heart-shaped leaves; very ornamental flowers. \$1.
- BIGNONIA radicans** (Trumpet Creeper). Scarlet flowers in August; handsome. 40 cts.  
**grandiflora**. Very large flowers, of a splendid orange color. 50 cts.
- CLEMATIS coccinea**. Flowers scarlet; very choice. 50 cts.  
**Flammula** (Virgin's Bower). White; very fragrant. 50 cts.  
**Jackmani**. Large purple flowers; a great favorite. 75 cts.  
**paniculata** (Japanese Virgin's Bower). This handsome hardy climber is one of the choicest and most satisfactory climbing flowering plants we know. The plant is of strong, rapid growth, with small, dense, cheerful green foliage, giving it a grace and elegance possessed by no other hardy climber. The flowers appear in the greatest profusion during August and continue until late in the fall, are of a white color and most deliciously fragrant. Strong roots 50 cts.
- DOLICHOS Japonicus**. A strong-growing large-leaved vine, which for rapidity of growth has no equal. Strong plants will run 50 feet in a season. 75 cts.
- HEDERA Helix** (Evergreen Ivy). Leaves large and luxuriant; a standard vine. 25c. to 75c.  
**Helix tricolor** (Tricolor-leaved Ivy). Leaves green, white and rose; very pretty. 50 cts.
- HUMULUS lupulus** (Hop Vine). A rapid grower; very ornamental. 30 cts.
- LONICERA Belgica** (Honeysuckle). Flowers all summer; very fragrant. 50 cts.  
**Sinensis** (Chinese Honeysuckle). Dark green foliage. One of the best. 50 cts.  
**reticulata aurea** (Golden-leaved Japan Honeysuckle). Remarkably ornamental, with leaves of a distinct yellow effect. 50 cts.
- MENISPERMUM Canadense** (Moon Seed). A slender-growing vine, producing berries; ornamental in fall. 50 cts.
- PERIPLLOCA Græca** (Virginia Silk Vine). Foliage long, narrow and shining. 50 cts.
- WISTARIA Sinensis** (Chinese Blue Wistaria). Flowers pale blue, in June; a superb climber for any place. 75 cts.  
**Sinensis alba**. The best white variety. \$1.

## DECIDUOUS HARDY SHRUBS, ETC.

- AMYGDALUS fl. pl. alba** (Double White-flowering Almond). A beautiful early-flowering shrub. 75 cts.  
**fl. pl. rubro**. A variety or the preceding with rose-colored flowers. 60 cts.
- ANDROMEDA Mariana**. A native shrub, blooming about the last of May, bearing beautiful white flowers tinged with red. 50 cts.
- BERBERIS vulgaris** (European Barberry). A handsome shrub; yellow flowers, followed in fall with scarlet fruit. 50 cts.  
**atropurpurea**. A purple-leaved variety of the above. 50 cts.  
**Thunbergi** (Japan Barberry). Of close, compact growth; the flowers come in May, and the fruit becomes ornamental in July, continuing up to winter time. 50 cts.
- CLETHRA alnifolia**. Leaves light green; flowers white and very fragrant. 40 cts.
- CALYCANTHUS floridus** (Sweet-scented Shrub). Flowers chocolate-color; fragrant, like strawberries. 50 cts.
- CHIONANTHUS Virginica** (White Fringe). Leaves large, pointed and shining; flowers pure white, feathery or fringe-like. A useful lawn tree. 75 cts.
- COLUTEA Halepica**. A rapid-growing and attractive shrub, producing reddish bladder-like pods. Very ornamental. 50 cts.
- CORNUS florida flore-rubro** (Red-flowering Dogwood). A variety of white Dogwood, but having a deep rosy pink-colored flower; the leaves also are of a darker green than the old variety; it makes a good, upright, bushy growth. \$1 to \$2.  
**var. pendula** (Weeping Dogwood). Its pendulous habit, large white flowers, scarlet fruit and foliage in the fall, place it in the foremost rank. \$1 to \$2.

## DECIDUOUS HARDY SHRUBS, ETC., continued

- Cornus alba sanguinea.** Remarkable in winter for the red color of its branches. 50 cts.  
**sanguinea variegata.** Having very ornamental green foliage, striped with white during the whole season. 50 cts.
- CORYLUS** (Hazel). A distinct, very ornamental shrub; the leaves are of a deep dark red color, almost black. 75 cts.
- CRATÆGUS alba plena** (White-flowering Hawthorn). Foliage and flowers very ornamental. 75 cts.  
**coccinea fl. pl.** Flowers double, red, very large. 75 cts.
- COTONEASTER rotundifolia.** Low-spreading shrub, bearing white flowers. 60 cts.
- CYDONIA Japonica carnea fl. pl.** (Japan Quince). Flesh-colored double flowers, produced early in spring. 75 cts.  
**Japonica rubra grandiflora** (Red Japan Quince). Large red flowers; very showy. 50 cts.
- CYTISUS Laburnum** (Golden Chain). Drooping yellow flowers; a handsome small tree. \$1.
- DAPHNE Cneorum.** A choice, low-growing bush, bearing its sweet-scented rosy white flowers for several weeks of midsummer. 75 cts.
- DEUTZIA crenata fl. pl. alba.** Flowers double white, tinged with pink. One of the best shrubs in cultivation. 50 cts.  
**gracilis.** Dwarf, compact; pure white. 35 cts.  
**scabra** (Rough-leaved Deutzia). Bearing beautiful white spiral flowers. 50 cts.
- EUONYMUS Americanus.** Shining green foliage, scarlet berries; fine in fall. 50 cts.  
**latifolius** (Burning Bush). Vigorous grower; scarlet berries, larger than the preceding. 50 cts.
- FAGUS cuprea** (Copper Beech). Leaves purple, early in the season. \$1.50 to \$5.  
**laciniata** (Cut-leaved Beech). Cone-shaped and compact; leaves showy. \$1.50 to \$3.
- FORSYTHIA viridissima** (Golden Bell). The best early-flowering shrub. 75 cts.
- GENISTA scoparia** (Scotch Broom). Yellow; flowers in May. 40 cts.
- HIBISCUS Syriacus atrorubens** (Althæa, or Rose of Sharon). Showy purple flowers. 35c.  
**foliis variegatis.** Variegated foliage; highly ornamental. 60 cts.
- HYDRANGEA paniculata grandiflora.** Immense white flowers; one of the finest shrubs in cultivation. 75 cts. to \$2.  
**hortensis.** Changeable rose-colored flowers; very popular. 50 cts.
- ITEA Virginica.** A very pretty shrub, bearing large, erect spikes of white flowers, making a fine appearance for a long time. 50 cts.
- LIGUSTRUM tricolor** (Privet). Stands the sun well, and forms a good bush; the leaves are golden yellow, changing to white and green as it develops. 50 cts.
- LONICERA Tatarica** (Upright Honeysuckle). Pink flowers in May; handsome. 40 cts.  
**Tatarica alba.** A pretty upright shrub; white flowers in spring. 50 cts.
- MAGNOLIA conspicua.** A Chinese tree producing large white flowers in spring. \$2 to \$5.  
**Soulangiana.** Like above, but flowers are purple and white. \$1.50 to \$5.
- PHILADELPHUS coronarius** (Mock Orange, or Syringa). Strong-growing; pure white fragrant flowers in June. 50 cts.
- PRUNUS Sinensis** (Double White-flowering Plum). Very pretty. 75 cts.  
**Myrobolana** (Pissardii). A purple-leaved Plum; there is always a rich purple foliage till autumn. 50 cts.
- RIBES aureum** (Missouri Currant). Shining glabrous leaves; early yellow flowers 35 cts.
- RHUS Cotinus** (Purple Fringe, or Smoke Tree). A beautiful low-growing tree, covered with dark seed-vessels like a purple mist; very showy. 75 cts.  
**glabra laciniata** (Cut-leaved Sumac). Leaves of large size, deeply cut and drooping gracefully. Foliage scarlet in autumn. 50 cts.
- SALISBURIA adiantifolia** (Maidenhair Tree). A Chinese tree of slow growth and distinct leaves. One of the most beautiful trees in cultivation. \$1.
- SPIRÆA Billardii.** Pink-flowered; a late-blooming species. 50 cts.  
**prunifolia fl. pl.** (Plum-leaved Spirea). Double white flowers. 40 cts.  
**Reevesiana fl. pl.** Clusters of double white flowers, early in the spring. 50 cts.
- SYMPHORICARPUS racemosus.** (Snowberry). White waxy berries in autumn; very ornamental. 50 cts.
- SYRINGA vulgaris** (Common Lilac). Purple, sweet-scented flowers. 50 cts.  
**vulgaris alba.** White, sweet-scented; very delicate. 50 cts.  
**vulgaris Persica** (Persian Lilac). Small-leaved; purple flowers of a different shade. 50c.
- TAMARIX Africana.** Beautiful feathery foliage; makes a fine small tree. 50 cts.



## DECIDUOUS HARDY SHRUBS. ETC., continued

**VIBURNUM plicatum** (Double Japan Snowball). Distinct and good; of upright growth, with plaited leaves, and many heads of pure white flowers. 50 to 75 cts.

**WEIGELA amabilis**. Pink flowers; free bloomer. 50 cts.

*amabilis alba*. White; very showy. 50 cts.

*variegata*. Beautiful variegated foliage. 50 cts.

*floribunda*. The flowers are crimson, with projecting white stamens; quite distinct and valuable. 50 cts.

**VITEX Agnus-Castus**. A handsome-leaved shrub, bearing panicles of lilac-blue flowers, and the foliage is nicely scented. 50 cts.

Also supplied to order, all the leading varieties of standard and dwarf Roses, Hardy Perennials, Bedding and Flowering Plants, Fruit, Shade and Ornamental Trees.

## CARNATION PLANTS

The varieties herein listed include some of the newer and best sorts that can be grown, either for profit or pleasure.

**Winsor**. This variety is clear pink in color, shade between Enchantress and Mrs. Thos. W. Lawson, but is better than either of these varieties. A good grower and producer. 2½-in. pots, \$3 per doz., \$20 per 100.

**White Enchantress**. Pure white sport of Enchantress. 2½-in. pots, \$3 per doz., \$20 per 100.

**Helen M. Gould**. 2½-in. pots, \$3 per doz., \$20 per 100.

**Melody**. Daybreak shade; good grower. 2½-in. pots, \$3 per doz., \$20 per 100.

**Victory**. Grand scarlet; great producer. 2½-in. pots, \$2 per doz., \$15 per 100.

**Robert Craig**. Finest scarlet and greatest producer yet introduced. 2½-in. pots, \$2 per doz., \$15 per 100.

**Variegated Lawson**. 2½-in. pots, \$2 per doz., \$15 per 100.

**Lady Bountiful**. Grand white. \$1.25 per doz., \$8 per 100.

**Nelson Fisher**. A good white. \$1.25 per doz., \$8 per 100.

**Enchantress**. Beautiful shell-pink. \$1.25 per doz., \$8 per 100.

**Harlowarden**. Very deep maroon, good color. \$1 per doz., \$6 per 100.

## CHRYSANTHEMUM NOVELTIES, 1907

The varieties herein listed are all grown by the well-known expert, Chas. H. Totty, Madison, N. J., and are pleased to inform our customers that we shall be ready to ship in February, 1907.

**A. H. Lee**. Crimson.

**A. L. Stevens**. Yellow.

**A. H. Prior**. Chestnut.

**Buttercup**. Yellow.

**George Laurence**. Orange.

**Lady Lennard**. Golden amber.

**Miss Mary Godfrey**. Yellow.

**Miss Miriam Hankey**. Pink.

**Mrs. A. T. Miller**. White.

**Mrs. Henry Barnes**. Old-rose.

**Mary West**. Yellow.

**Money-Maker**. White.

**Reginald Vallis**. Amaranth.

**White Duckham**.

Price of any of the above varieties, 50 cts. each, \$5 per doz. We will also carry a full line of all the standard varieties, 25 cts. each, \$2 per doz.



## Fertilizers

### BRIDGEMAN'S LAWN ENRICHER

This is just the fertilizer to give your lawn that dark green velvety appearance which is so much admired, but, owing to improper treatment, very hard to get. 5 lbs., 25 cts.; 10 lbs., 40 cts.; 100 lbs., \$2.25; ton, \$35. Quantity required, 1,000 lbs. to 1,500 lbs. per acre.

### BONE MEAL

**For General Use.** 5 lbs., 25 cts.; 10 lbs., 40 cts.; 100 lbs., \$2.50; ton, \$40.

**For Lawns.** This grade of bone is very desirable for use as a top-dressing for lawns in the fall or early spring. Ton, \$32.

### CLAY'S FERTILIZER

14 lbs., \$1.25; 28 lbs., \$2.25; 56 lbs., \$4; 112 lbs., \$7.

### THOMPSON'S VINE MANURE

28 lbs., \$2; 56 lbs., \$3.75; 112 lbs., \$7.

### ASHES, CANADA HARD-WOOD

(Unleached)

Excellent for lawns. In barrels, 200 lbs., \$3; ton, \$20. Larger quantity prices upon application.

### SHEEP MANURE (Pulverized)

Excellent top-dressing for lawns. Can be mixed with soil for greenhouse plants; also a very fine liquid manure. Quantity to acre, 1 to 2 tons. 5 lbs., 25 cts.; 10 lbs., 40 cts.; 100 lbs., \$2; ton, \$30.

### ICHTHEMIC GUANO

Valuable manure for chrysanthemums and greenhouse plants. 28 lbs., \$2.50; 56 lbs., \$4; 112 lbs., \$7.

### SOOT, IMPORTED SCOTCH

An excellent fertilizer for stimulating growth and giving a rich dark foliage; also an excellent remedy against slugs, grubs and cutworms when mixed in the surface of the soil. 100 lbs., \$5.

### BON ARBOR

This is a soluble fertilizer containing all the elements necessary for plant-life.

**Dry Bon Arbor, in cans—**

5-lb. cans, making 150 gallons . . . can,	\$1 50
1-lb. " " 30 " " " "	35
7-oz. " " 15 " " " "	15
250-lb. to 300-lb. barrels . . . . . lb.,	18
100-lb. boxes . . . . . " "	20
50-lb. " . . . . . " "	25

**Liquid Bon Arbor—**

50-gal. bbls., making 5,000 gals. . . gal.,	\$1 25
25-gal. ½bbls., " 2,500 " " "	1 50
10-gal. kegs, " 1,000 " " "	1 75
5-gal. " " 500 " " "	1 85
2-gal. " " 200 " " "	2 00
1-gal. " " 100 " " "	2 00

### BOWKER'S FOOD FOR FLOWERS

An excellent fertilizer for house plants. Easily applied by dissolving in water. Clean to handle, without odor; produces rich green growth and profusion of flowers. Small pkg., 15 cts.; large pkg., 25 cts. By mail, 20 cts. and 30 cts.

### NITRATE OF SODA

It is valuable for grain, corn, beets, potatoes, grasses, peas, beans, clover, etc. Being extremely soluble, it should not be applied until the plants are above ground, using 100 to 500 pounds per acre, mixed with wood ashes or land-plaster. 5 lbs., 30 cts.; 10 lbs., 50 cts.; 25 lbs., \$1.25; 50 lbs., \$2.25; 100 lbs., \$4.

## MAPES' CELEBRATED FERTILIZERS

The highest grade commercial fertilizers, their basis being bone, no rock being used in their composition. All fertilizing constituents, nitrogen, potash and phosphoric acid are strictly high-grade and soluble. Mapes' Catalogue, giving analysis and telling how to use these fertilizers, we mail free on application.

	Per 100 lbs.	Per bag, 200 lbs.	Per 2,000 lbs.
Potato Manure . . . . .	\$2 50	\$4 50	\$42 00
Corn Manure . . . . .	2 50	4 50	40 00
Cabbage and Cauliflower Manure . . . . .	2 50	4 50	40 00
Vegetable Manure, for all soils . . . . .	2 75	5 00	44 00
Fruit and Vine Manure . . . . .	2 75	5 00	44 00
Orange and Fruit-Tree Manure . . . . .	2 75	5 00	40 00
Grass and Grain Spring Top-dressing . . . . .	2 75	5 00	44 00
Complete Manure, "A" Brand . . . . .	2 50	4 50	40 00
Complete Manure, for general use . . . . .	2 50	4 50	40 00
Complete Manure, for heavy soils . . . . .	2 75	5 00	44 00
Complete Manure, for average soils . . . . .	2 25	4 50	40 00
Complete Manure, for light soils . . . . .	2 75	4 50	44 00
"Cereal" Brand, for farm crops . . . . .	2 00	3 50	32 00



# INSECTICIDES

**Ant Destroyer.** Will destroy or drive away black ants from lawns, trees, plants, houses or other affected locality.  $\frac{1}{4}$  lb. 30c.,  $\frac{1}{2}$  lb. 40c.

**Aphis Punk.** Is composed of nicotine, wood pulp and chemicals. Light with a match at lower end and allow it to burn without flaming. 60 cts. per box of one dozen rolls. Per case of 12 boxes \$7.

**Bordeaux Mixture.** For all fungoid diseases, such as mildew and various rots of grapes, etc. Qt. 50c., gal. \$1.25, 5 gals. \$5.

**Bug Death.** Is a non-poisonous powder, extensively used for cabbage and tomato worms, potato and cucumber bug, etc. Lb. 15 cts., 3 lbs. 35 cts., 5 lbs. 50 cts.,  $12\frac{1}{2}$  lbs. \$1, 100 lbs. \$7.

**Bug Death Duster.** For applying above, 25c.

**Cattle Comfort.** Protects cattle, dogs, etc., from flies, gnats and mosquitoes and other insects. Qt. 45 cts., gal. \$1.25, 5 gals. \$5.

**Copper Solution.** A remedy for grape anthrax and mildew, pear and apple scab, carnation and violet rust. Per qt. tin, 65 cts., gal. \$1.50.

**Dalmatian, or Persian Insect Powder.** One of the safest insecticides for all insects.  $\frac{1}{4}$  lb. 15 cts., lb. 40 cts.

**Fir-Tree Oil.** For destroying all insects that infest fruit trees and plants, such as mealy bugs, red spider, greenfly, etc.  $\frac{1}{2}$  pt. 40 cts., pt. 75 cts., qt. \$1.40,  $\frac{1}{2}$  gal. \$2.50, gal. \$4.25.

**Fir-Tree Oil Soap.** A formula of the above fir-tree oil, prepared in soap form.  $\frac{1}{2}$ -lb. tin 25 cts., 2 lbs. 75 cts., 5 lbs. \$1.75.

**Flour of Sulphur.** A preventive and cure for mildew on grape-vines, rose bushes, etc., in or outdoors. Lb. 10 cts., 10-lb. lots 60 cts.

**Gishurst Compound.** A preparation for preventing and destroying red spider, mealy bug, greenfly, etc. Per box 50 cts.

**Hammond's Grape Dust.** A powder especially prepared to kill rot and mildew on grapes, etc. 5-lb. package 35 cts., 100-lb. keg \$5.50.

**Hammond's Slug-Shot.** Lb. 10 cts., 5-lb. pkg. 30 cts., 10-lb. pkg. 50 cts., 100 lbs. \$4.50.

**Kerosene Emulsion.** For plant lice of any kind, cabbage worm, scale insects on apple, pear and other trees. Qt. 50 cts., gal. \$1.25, 5 gals. \$5.50.

**Lemon Oil.** For destroying mealy bugs, scale, thrip, red spider, etc. Directions on cans.  $\frac{1}{2}$  pt. 25 cts., pt. 40 cts., qt. 75 cts.,  $\frac{1}{2}$  gal. \$1.25, gal. \$2.25, 5 gals. \$10.

**Little's Antipest.** A sure destroyer of all insect pests. Qt. 75 cts.,  $\frac{1}{2}$ -gal. can \$1, gal. can \$2.

**Kil-O-Scale.** For destroying San José scale on trees, shrubs, etc. Gal. \$1.50, 5 gals. at \$1.35 per gal., 10 gals. at \$1.25 per gal., 45-gal. barrel at \$1 per gal. One gal. makes 40 gallons for use.

**"Nico-Fume" Tobacco-Paper Insecticide.** "Nico-Fume" is worthy of the attention of

all growers. It is packed in special friction top tin-cans, thus preventing loss of nicotine by evaporation. Quart can (24 sheets) 75 cts., gross can (144 sheets) \$3.50.

**Nicoticide.** Fumigating compound. A certain destroyer of all greenhouse bugs. Directions on packages. Pt., sufficient for 32,000 cubic feet, \$2.50.

**Fumigators** for above, 50 cts.

**Nikoteen Kills the Bugs.** A thorough exterminator of mealy bug, thrip, lice and all injurious insects affecting plant life. Per bottle, pint, \$1.50.

**Paris Green.** Unexcelled for the destruction of potato bugs and other insects that eat foliage. Lb. 25 cts.

**Read's Electric "Worm" Eradicator.** This preparation is especially valuable to gardeners. Bottles, 50 cts., \$1 and \$3.

**Read's "Herbicide" (or Weed Exterminator).** This is the most effectual weed-killer known. In quart jugs sufficient to make 5 gallons of liquid, 75 cts.; in half-gallon jugs, sufficient to make 10 gallons of liquid, \$1.25; in one-gallon kegs, sufficient to make 20 gallons of liquid, \$2.25; in five-gallon kegs, sufficient to make 100 gallons of liquid, \$7.50.

**Rose Leaf Insecticide.** A positive remedy for insects in greenhouses. A strong nicotine solution. Directions on packages. Pt. can 35 cts., qt. can 60 cts., gal. can \$1.75.

**Sulpho-Tobacco Soap.** A positive exterminator for all insect life on plants in the greenhouse. 3-oz. box 10 cts., 8-oz. box 20 cts., 10-lb. box \$3.

**Tobacco Dust.** Made from tobacco stems. Lb. 10 cts., 10-lb. pkg. 65 cts., 100 lbs. \$3.

**Tobacco Dust.** Coarse, for fumigating purposes. 100 lbs. \$3.

**Whale Oil Soap.** Very effective for scab, green and black fly, mealy bug, etc. Lb. 15c.

**Tobacco Stems.** For fumigating plants and destroying insects in hothouses, etc. In bales of 100 lbs. \$1.50.

**White Hellebore Powder.** For destroying the currant worm, rose slug, etc.  $\frac{1}{4}$  lb. 10 cts.,  $\frac{1}{2}$  lb. 15 cts., lb. 25 cts.


**Wilson's Plant Oil.** Sure death to scale; dries immediately after application and is harmless to plant life. Pt. can 40 cts., qt. can 75 cts., gal. can \$2.

**X. L. All Vaporizing Compound.** The most effectual method of fumigating greenhouses. Sufficient for 10,000 cubic ft. \$2.25 per bottle; 20,000 cubic ft. \$4.50 per bottle. Vaporizing Lamp and Stand, complete, \$1.50.

**X. L. All Liquid Insecticide.** For spraying. English preparation; purely nicotine; harmless to very delicate plants; kills mealy bug, red spider and all insect pests. Pt. 65 cts., qt. \$1,  $\frac{1}{2}$  gal. \$1.75, gal. \$3.50.

## Horticultural Implements

	Each		Each
Asparagus Knife, English . . . . .	\$1 50	Garden Reels, English. 10-in. . . . .	\$1 00
Ax, Handled . . . . .	\$1 to 1 75	" Lines. Best braided, 100 ft. . . . .	75
Bill Hooks, Socket Switching . . . . .	2 00	" Pencils, English . . . . .	15
" " Yorkshire Strapped . . . . .	2 00	Gardeners' Gloves . . . . . pair, \$1 .	
" " Dunse Switching . . . . .	1 25	Glazing Points, Van Reyper's . . . . .	
Bellows, Powder . . . . .	1 25	box of 1,000, 75c. .	
" Liquid . . . . .	2 00	Grafting Wax . . . . . lb., 40c. .	
" Woodason's, Small Powder . . . . .	1 00	Grubber, Daisy, English . . . . .	1 25
" " Large Powder . . . . .	2 00	Hatchets . . . . . \$1 to 1 50	
" " Double Cone . . . . .		Hoes, Draw . . . . . 50c. to 75	
" " Powder . . . . . 3 00		" Dutch (English). 4- to 10-in. 40c. to 90	
" " Small Liquid . . . . . 1 25		" Warren . . . . . 75	
" " Large Liquid . . . . . 2 00		" Potato or Prong . . . . . 75	
Carnation Supports, 2 rings . . . . .		Horse Boots . . . . . set of four, \$9 .	
doz., 50c.; 100, \$3 .		Hose. The Hose which we offer is of	
3 rings . . . doz., 60c., 100, \$3.50 .		the very best grade of rubber and	
Dibble, Garden . . . . . 50		guaranteed by us in every respect.	
Flower Gatherers, English. In 4 sizes .		If same should prove unsatisfactory,	
75 cts. to 1 75		through fault of manufacturer, we	
Flower Pot Brackets . . . . . 40 cts. to 1 00		will gladly replace the same, within	
Forks, Spading, Short-handled . . . . . 1 25		a reasonable period.	
" " Long-handled . . . . . 1 25		<R> Best grade . . . . . foot, 16c. .	
" Manure, Short-handled . . . . . 75		Tip-Top. . . . . foot, 10c. .	
" Hay . . . . . 75		Electric. . . . . foot, 18c. .	
" Ladies' Weeding, English. 50c. to 1 00		Hose Menders, Hudson's . . . . .	
Fruit Pickers, French . . . . . 60		Box of 6 tubes, 20 bands, 1 pr. pliers. .	75
Fumigators—		Hose Menders, Jones' . . . doz., 50c. .	
Eureka No. 1, house, 10 x 12 . . . . . 1 50		" " Cooper's. ¾-in. . . . .	
" No. 2, " 12 x 40 . . . . . 2 00		doz., 75c. .	
" No. 3, " 15 x 100 . . . . . 2 50		Knives, Budding, English . . . 75c. to 1 25	
Garden Barrows No. 1 (boys') . . . . . 3.50		" Pruning, English . . . . \$1 to 2 00	
" " No. 2 . . . . . 4 00		" Grass, Edging, English. 10-in. . 2 00	
" " No. 3 . . . . . 4 25		Lawn Mowers, Imperial High-Wheel:	
" " No. 4 . . . . . 5 00		14-in. cut . . . . . net, 8 00	
Garden and Lawn Rollers. Prices net:		16-in. cut . . . . . net, 9 00	
Face Diam. Lbs.		18-in. cut . . . . . net, 10 00	
2-sec. . . 7½-in. 15-in. about 125 . 8 00		20-in. cut . . . . . net, 11 00	
1-sec. . . 20-in. 20-in. " 220 . 13 00		Lawn Mower, Horse, Coldwell's Imp'd:	
2-sec. . . 12-in. 20-in. " 300 . 14 50		30-in. cut, complete . . . . . net, 60 00	
3-sec. . . 12-in. 20-in. " 450 . 23 00		35-in. cut, complete . . . . . net, 75 00	
2-sec. . . 12-in. 24-in. " 400 . 20 00		40-in. cut, complete . . . . . net, 90 00	
Dunham Hand Lawn Roller—		Lawn Mowers, Victory. 14-in. . . . 9 00	
No. Diam. Sections Lbs.		16-in. . . . . 10 00	
1 . . 15-in. . . 2 . . . 125 . . 9 00		18-in. . . . . 11 00	
2 . . 15-in. . . 3 . . . 180 . . 12 00		20-in. . . . . 12 00	
6 . . 20-in. . . 1 . . . 210 . . 13 50		22-in. . . . . 13 00	
9 . . 20-in. . . 3 . . . 275 . . 17 00		24-in. . . . . 13 50	
20 . . 24-in. . . 4 . . . 425 . . 27 00			




Dunham's Hand Lawn Rollers



## HORTICULTURAL IMPLEMENTS. continued

	Each		Each
Lawn Mower Sharpener, Acme . . . . .	\$0 50	Sickles, English . . . . .	50 cts. to \$0 75
" Weeder, Cleveland . . . . .	50	Scythes, Best English . . . . .	\$1.50 to 2 00
Mole Traps, Olmsted's Improved . . . . .	1 50	Scythe Snaths . . . . .	80
" " English. For frames . . . . .	50	Scythe Stones, English . . . . .	15
Moss, Sphagnum . . . . . bbl., \$2.		Scythe Rifles . . . . .	15
" Peat . . . . . bbl., \$2.		Spud, Garden . . . . .	50
Picks, Mattocks and Grub Mattocks . . . . .	1 75	" with Weeding Hook . . . . .	50
Pruner, Gooseberry, English . . . . .	1 25	" Thistle . . . . .	60
" Blackberry, English . . . . .	1 25	Spades, Ames' Short-handled . . . . .	1 25
Pumps, Spraying . . . . .	1 75	" " Long-handled . . . . .	1 25
" Acme, Hand Force . . . . .	5 00	Shovels, " Short-handled . . . . .	1 25
" Myers' Bucket Spray . . . . .	4 00	" " Long-handled, pointed. . . . .	1 25
" Hydropult Force, with 3 ft. of		Sets, Ladies' Garden, English. 27-in. . . . .	2 25
" ½-in. discharge hose and		" " " " 36-in. . . . .	3 00
" Lilly nozzle . . . . .	9 00	" " " " 45-in. . . . .	4 00
" Superior Rumsey's Double		Sprinklers, Rubber . . . . .	1 00
" Acting Spray, with me-		" " Angle-Neck . . . . .	1 00
"chanical agitator, with 3-ft.		" " Lawn . . . . .	75 cts. to 3 75
" suction pipe strainer . . . . .	11 50	Syringes, English. 12½-in. barrel . . . . .	4 00
" With suction pipe strainer		" " 16¼-in. " . . . . .	6 00
" 5 ft., ½-in. hose and Lilly		" " 18½-in. " . . . . .	7 50
" nozzle . . . . .	13 00	" " 18-in. " . . . . .	7 00
" Auto-Spray, Brass . . . . .	6 00	" " Reid's Patent . . . . .	8 00
" " Galvanized . . . . .	4 50	" " Knuckle-Joint . . . . .	10 00
" With Auto-Pop, \$1 extra.		" " Amer. No. 0, 12½-in. barrel. . . . .	2 50
Putty Bulbs. Elastic . . . . .	1 00	" " No. 00, 14-in. " . . . . .	3 00
	Per 100	" " No. 2, 14½-in. " . . . . .	3 75
Plant Labels, Wooden, Pot and Garden:		" " No. 3, 18-in. " . . . . .	6 00
4 in., painted . . . . . 1,000, 90c.	\$0 15	" " No. 5, 18-in. " . . . . .	6 50
5 in., painted . . . . . 1,000, \$1.25	20	Thermometers, Tin Case . . . . .	40
6-in., painted . . . . . 1,000, \$1.50	25	" " Self-registering . . . . .	2 50
8-in., painted . . . . . 1,000, \$1.	50	" " Hotbed, Brass-tipped . . . . .	1 50
12-in., painted . . . . . 1,000, \$5.	65	Tree Pruners, 6-ft. . . . .	1 00
Plant Stakes, Round Green Tapering:		" " 8-ft. . . . .	1 25
1½ feet . . . . .	1 00	" " 10-ft. . . . .	1 50
2 feet . . . . .	2 00		
2½ feet . . . . .	2 50		
3 feet . . . . .	3 50		
3½ feet . . . . .	4 00		
4 feet . . . . .	5 00		
5 feet . . . . .	6 00		
Plant Stakes, Heavy or Dahlia:			
3 feet . . . . .	5 00		
4 feet . . . . .	6 50		
5 feet . . . . .	8 50		
6 feet . . . . .	10 00		
Bamboo Canes . . . . . 1,000, \$9.	1 25		
Raffia. For tying plants . . . lb., 20c.	Each		
Rakes, Cast Steel . . . . . 50c. to \$1 00			
" Wooden Lawn . . . . .	50		
Saws, English, Pruning . . . 75 cts. to 2 00			
" " Socket or Pole . . . . .	1 00		
" Double Edge . . . . .	75		
Scissors, Bow Pruning, English . 75c. to 1 25			
" Grape or Thinning . . . \$1 to 1 50			
Shears, Hedge, Pruning Notch, fly nut:			
7½-in., English . . . . .	2 25		
8-in. . . . .	2 50		
9-in. . . . .	2 75		
" Grass Border, English. 9-in. . . . .	2 75		
" 10-in. . . . .	3 50		
" Lawn Surface Cutting . . . . .	3 25		
" Branch or Lopping . . . \$2.25 to 3 50			
" Slide Pruning, Wood Handle . . . . .			
" " \$3.50 to 3 75			
" Hand Pruning . . . . . 2.25 to 3 50			
" Ladies' Garden . . . . .	1 75		
" Sheep . . . . .	1 00		



Rumsey's Superior Double Acting Spray Pump



## HORTICULTURAL IMPLEMENTS, continued

	Each
Tree Scrapers . . . . .	\$0 50
Trellis, Fan-shaped . . . . . 10 cts. to	1 00
Trowels, English Garden . . . 50 cts. to	1 25
"    "    Transplanting . . . . .	1 00
"    Cleves' Angle . . . . . 20 cts. to	35
Turfing Iron, or Sod Cutter . . . . .	4 50
Watering Pots, French, with long spout and brass bow handle.	
6-qt. . . . .	2 50
8-qt. . . . .	2 75
Watering Pots, Philadelphia Pattern, with two copper-faced roses.	
4-qt. . . . .	2 25
6-qt. . . . .	2 35
8-qt. . . . .	2 50
10-qt. . . . .	2 75
12-qt. . . . .	3 00
Watering Pots, Ordinary Green.	
10-qt. . . . .	85
12-qt. . . . .	1 00
16-qt. . . . .	1 50
20-qt. . . . .	2 00
Weeders, Excelsior Hand	15
"    Noyes'	25
"    Cleveland's Lawn	50
Flower Pots, Standard—	Doz. 100
2-in. . . . .	\$0 10 \$0 60
2½-in. . . . .	12 80
3-in. . . . .	15 1 10
4-in. . . . .	35 2 00
5-in. . . . .	45 2 75
6-in. . . . .	75 4 25
7-in. . . . .	1 25 7 50
8-in. . . . .	1 50 10 00
9-in. . . . .	2 00 15 00
10-in. . . . .	2 75 20 00
12-in. . . . .	6 00 40 00
Lily Pans, Round—	Doz.
5 x 8 in. . . . .	\$1 00
5 x 10 in. . . . .	1 50
6 x 12 in. . . . .	2 00
7 x 14 in. . . . .	4 00
8 x 16 in. . . . .	8 00
9 x 18 in. . . . .	12 00

## UNION FLOWER TUBS

Made of cypress, painted green, with iron hoops and feet and handles; perforated bottom; very strong.

## UNION FLOWER TUBS, continued

No.	Diameter	Height	Price
1 . . . . .	11 inches . . . . .	13 inches . . . . .	\$0 90
2 . . . . .	13 " . . . . .	14½ " . . . . .	1 10
3 . . . . .	15 " . . . . .	16 " . . . . .	1 50
4 . . . . .	18 " . . . . .	20 " . . . . .	2 25
5 . . . . .	21 " . . . . .	34 " . . . . .	2 75

## CEDAR TREE TUBS

No.	Outside diam.	Stave length	Price
0 . . . . .	27 inches . . . . .	24 inches . . . . .	\$6 00
1 . . . . .	25 " . . . . .	22 " . . . . .	5 00
2 . . . . .	23 " . . . . .	20 " . . . . .	4 50
3 . . . . .	21 " . . . . .	18 " . . . . .	4 00
4 . . . . .	18 " . . . . .	16 " . . . . .	3 50
5 . . . . .	16 " . . . . .	14 " . . . . .	3 00
6 . . . . .	14 " . . . . .	12 " . . . . .	2 50
7 . . . . .	13 " . . . . .	11 " . . . . .	2 25
8 . . . . .	12 " . . . . .	10 " . . . . .	2 00

## ROLLING STANDS

Outside diam. about	Will take pot of diam. at bottom	Per doz. Plain	Per doz. Enameled green or white
12 inches . . . . .	10 inches . . . . .	\$6 00 . . . . .	\$7 80 . . . . .
14 " . . . . .	11 " . . . . .	7 20 . . . . .	9 00 . . . . .
16 " . . . . .	13 " . . . . .	9 00 . . . . .	10 80 . . . . .
18 " . . . . .	15 " . . . . .	10 00 . . . . .	12 00 . . . . .
20 " . . . . .	17 " . . . . .	12 00 . . . . .	15 00 . . . . .
22 " . . . . .	20 " . . . . .	15 00 . . . . .	18 00 . . . . .

## FIBER WARE SAUCERS

In.	Per 100	Crates contain	Enameled green	Enameled white
4 . . . . .	\$7 50 . . . . .	100 . . . . .	\$11 00 . . . . .	\$13 00 . . . . .
5 . . . . .	7 75 . . . . .	100 . . . . .	11 50 . . . . .	13 50 . . . . .
6 . . . . .	8 00 . . . . .	100 . . . . .	12 00 . . . . .	14 00 . . . . .
7 . . . . .	8 80 . . . . .	100 . . . . .	13 00 . . . . .	15 00 . . . . .
8 . . . . .	9 40 . . . . .	100 . . . . .	14 00 . . . . .	16 00 . . . . .
9 . . . . .	10 40 . . . . .	50 . . . . .	15 60 . . . . .	18 00 . . . . .
10 . . . . .	11 00 . . . . .	50 . . . . .	16 60 . . . . .	20 00 . . . . .
12 . . . . .	13 00 . . . . .	25 . . . . .	20 00 . . . . .	24 00 . . . . .
14 . . . . .	17 00 . . . . .	12 . . . . .	27 00 . . . . .	32 00 . . . . .
16 . . . . .	30 00 . . . . .	12 . . . . .	40 00 . . . . .	48 00 . . . . .
18 . . . . .	35 00 . . . . .	12 . . . . .	48 00 . . . . .	54 00 . . . . .

## Shallow—

11 . . . . .	12 00 . . . . .	24 . . . . .	18 00 . . . . .	24 00 . . . . .
12 . . . . .	12 50 . . . . .	24 . . . . .	18 50 . . . . .	24 50 . . . . .
13 . . . . .	13 50 . . . . .	24 . . . . .	20 00 . . . . .	26 00 . . . . .
14 . . . . .	17 00 . . . . .	24 . . . . .	24 00 . . . . .	30 00 . . . . .

## FIBER WARE VASES FOR CUT-FLOWERS

No.	Diameter inside	Depth inside	Plain. Doz.	Enameled green. Doz.	Enameled white. Doz.
0 . . . . .	8 inches . . . . .	13 inches . . . . .	\$4 80 . . . . .	\$7 20 . . . . .	\$8 60 . . . . .
1 . . . . .	5½ " . . . . .	10 " . . . . .	4 20 . . . . .	5 40 . . . . .	6 00 . . . . .
2 . . . . .	4½ " . . . . .	9 " . . . . .	3 60 . . . . .	4 60 . . . . .	4 60 . . . . .
3 . . . . .	4 " . . . . .	6 " . . . . .	3 00 . . . . .	3 60 . . . . .	3 60 . . . . .
4 . . . . .	3 " . . . . .	4½ " . . . . .	2 40 . . . . .	3 00 . . . . .	3 00 . . . . .
00 . . . . .	9 " . . . . .	22 " . . . . .	9 00 . . . . .	12 00 . . . . .	15 00 . . . . .
11 . . . . .	5½ " . . . . .	18 " . . . . .	4 80 . . . . .	6 60 . . . . .	7 20 . . . . .
22 . . . . .	4½ " . . . . .	15 " . . . . .	4 20 . . . . .	5 40 . . . . .	6 00 . . . . .
33 . . . . .	4 " . . . . .	12 " . . . . .	3 60 . . . . .	4 80 . . . . .	4 80 . . . . .
44 . . . . .	3 " . . . . .	9 " . . . . .	3 00 . . . . .	4 20 . . . . .	4 20 . . . . .
000 . . . . .	9 " . . . . .	29 " . . . . .	18 00 . . . . .	24 00 . . . . .	27 00 . . . . .

Order by number only. ½ dozen in crate. No. 00 and 000 one each in crate.





